# Volume Contents 1996

## NUMBER 1

### Contents

TETRAHEDRON SYMPOSIA-IN-PRINT NUMBER 58

## FLUOROORGANIC CHEMISTRY: SYNTHETIC CHALLENGES AND BIOMEDICINAL REWARDS

*Guest Editors:* GIUSEPPE RESNATI* and VADIM A. SOLOSHONOK†

*C.N.R., Centro Studio Sostanze Organiche Naturali, Milano, Italy

†Institute of Bioorganic and Petrochemistry, Kiev, Ukraine


| | | |
|---|---|---|
| | iii | Contributors to this Issue |
| | vii | Announcement: Tetrahedron Symposia-in-Print |
| | xiii | Preface |
| | xv | Graphical Abstracts |
| **Richard D. Chambers, Martin P. Greenhall and John Hutchinson** | 1 | Direct fluorination of 1,3-dicarbonyl compounds |
| **Chentao York, G. K. Surya Prakash and George A. Olah** | 9 | Desulfurative fluorination using nitrosonium tetrafluoroborate and pyridinium poly(hydrogen fluoride) |
| **Weiwen Ying, Darryl D. DesMarteau and Yoshihiko Gotoh** | 15 | *N*-Fluoro-bis[(trifluoromethyl)sulfonyl]imide: electrophilic fluorination of imines and some methyl-substituted pyridines |
| **Norihiko Yoneda and Tsuyoshi Fukuhara** | 23 | Facile preparation of aromatic fluorides by deaminative fluorination of aminoarenes using hydrogen fluoride combined with bases |
| **Simonetta A. Fontana, Charles R. Davis, Ya-Bo He and Donald J. Burton** | 37 | The stereoselective preparation of *cis* and *trans*-1,2-difluoroethylene synthons |
| **James R. McCarthy, Edward W. Huber, Tieu-Binh Le, F. Mark Laskovics and Donald P. Matthews** | 45 | Stereospecific synthesis of 1-fluoro olefins via (fluorovinyl)stannanes and an unequivocal NMR method for the assignment of fluoro olefin geometry |

| | | |
|---|---|---|
| **Danièle Bonnet-Delpon, Jean-Pierre Bégué, Thierry Lequeux and Michèle Ourevitch** | 59 | Trifluoromethylalkenes in cycloaddition reactions |
| **Katsuhiko Iseki, Satoshi Oishi and Yoshiro Kobayashi** | 71 | Reversal of stereoselectivity in the Evans aldol reaction of α,α-difluoro and α,α,α-trifluoro carbonyl compounds |
| **Koichi Mikami, Tomoko Yajima, Tsuyoshi Takasaki, Satoru Matsukawa, Masahiro Terada, Tadafumi Uchimaru and Masamichi Maruta** | 85 | Asymmetric catalysis of carbonyl-ene and aldol reactions with fluoral by chiral binaphthol-derived titanium complex |
| **Manfred Schlosser and Dominique Michel** | 99 | About the 'physiological size' of fluorine substituents: comparison of sensorially active compounds with fluorine and methyl substituted analogues |
| **Leticia U. Colmenares and Robert S. H. Liu** | 109 | Fluorinated phenylrhodopsin analogs. Binding selectivity, restricted rotation and $^{19}F$ NMR studies |
| **Julia M. Dolence and C. Dale Poulter** | 119 | Synthesis of analogs of farnesyl diphosphate |
| **Alberto Arnone, Pierfrancesco Bravo, Alessandro Donadelli and Giuseppe Resnati** | 131 | Fluorinated analogues of nojirimycin and mannojirimycin from a non-carbohydrate precursor |
| **Uwe Wucherpfennig, Thomas A. Logothetis, Uwe Eilitz and Klaus Burger** | 143 | 2-*C*-Trifluoromethyl substituted 3-deoxypentoses |
| **S. Caddick, L. Gazzard, W. B. Motherwell and J. A. Wilkinson** | 149 | Preparation of 1-fluoroglycosides from 1-arylthio and 1-arylseleno-glycosides using 4-methyl(difluoroiodo)benzene |
| **Hiroshi Fukuda, Makio Tetsu and Tomoya Kitazume** | 157 | Synthesis of chiral difluorinated [6]-gingerol |
| **Jens Nieschalk, Andrei S. Batsanov, David O'Hagan and Judith A. K. Howard** | 165 | Synthesis of monofluoro- and difluoro-methylenephosphonate analogues of *sn*-glycerol-3-phosphate as substrates for glycerol-3-phosphate dehydrogenase and the X-ray structure of the fluoromethylenephosphonate moiety |
| **S. Halazy, A. Ehrhard, A. Eggenspiller, V. Berges-Gross and C. Danzin** | 177 | Fluorophosphonate derivatives of $N^9$-benzylguanine as potent, slow-binding multisubstrate analogue inhibitors of purine nucleoside phosphorylase |
| **Franco Pasqui, Franca Canfarini, Alessandro Giolitti, Antonio Guidi, Vittorio Pestellini and Federico Arcamone** | 185 | Synthesis of ring A fluorinated anthracyclines |
| **Tsutomu Konno, Takashi Yamazaki and Tomoya Kitazume** | 199 | Synthesis and application of α-trifluoromethylated aldehydes |
| **Iwao Ojima, Scott D. Kuduk, John C. Slater, Rayomand H. Gimi and Chung Ming Sun** | 209 | Syntheses of new fluorine-containing taxoids by means of β-lactam synthon method |
| **Yoshio Takeuchi, Asuka Yamada, Takanori Suzuki and Toru Koizumi** | 225 | Synthetic studies towards proline amide isosteres, potentially useful molecules for biological investigations |
| **Takashi Sakai, Fengyang Yan, Setsuo Kashino and Kenji Uneyama** | 233 | Asymmetric reduction of 2-(*N*-arylimino)-3,3,3-trifluoropropanoic acid esters leading to enantiomerically enriched 3,3,3-trifluoroalanine |
| **Vadim A. Soloshonok, Alexey D. Kacharov and Tamio Hayashi** | 245 | Gold(I)-catalyzed asymmetric aldol reactions of isocyanoacetic acid derivatives with fluoroaryl aldehydes |
| **Takashi Ishihara, Kazuyoshi Ichihara and Hiroki Yamanaka** | 255 | Stereoselective synthesis of 3-fluoro azetidinones via the condensation of 2-fluoropropanethioate lithium enolate with imines |
| **Alessandro Padova, Stanley M. Roberts, Daniele Donati, Carla Marchioro and Alcide Perboni** | 263 | Synthesis of a novel fluoro-tribactam utilising an *N*-fluorosulfonimide in the key step |
| **Akira Shibuya, Masahito Kurishita, Chizuru Ago and Takeo Taguchi** | 271 | A highly diastereoselective synthesis of *trans*-3,4-(difluoromethano)glutamic acid |

| | | |
|---|---|---|
| **Andrea R. Sting and Dieter Seebach** | 279 | Synthesis of (2*R*,3*S*)- or (2*S*,3*R*)-2-amino-3-trifluoromethyl-3-hydroxyalkanoic acid derivatives (threonine and *allo*-threonine analogs) from enantiopure 4,4,4-trifluoro-3-hydroxybutanoic acid |
| **John T. Welch and Jian Lin** | 291 | Fluoroolefin containing dipeptide isosteres as inhibitors of dipeptidyl peptidase IV (CD26) |
| **D. Schirlin, S. Baltzer, J. M. Altenburger, C. Tarnus and J. M. Remy** | 305 | Difluoromethyleneketone retroamide: a versatile concept of inactivation of proteolytic enzymes |
| **Keith Ramig, Ashok Krishnaswami and Leonid A. Rozov** | 319 | Chiral interactions of the fluoroether anesthetics desflurane, isoflurane, enflurane, and analogues with modified cyclodextrins studied by capillary gas chromatography and nuclear magnetic resonance spectroscopy: a simple method for column-suitability screening |
| | I | Instructions to Contributors |


# NUMBER 2

## Contents


| | | |
|---|---|---|
| | iii | Contributors to this Issue |
| | v | Graphical Abstracts |
| | | **TETRAHEDRON REPORT NUMBER 387** |
| **Andrew H. Berks** | 331 | Preparations of two pivotal intermediates for the synthesis of 1-β-methyl carbapenem antibiotics |
| | | **ARTICLES** |
| **Ashok D. Patil, Alan J. Freyer, Mark F. Bean, Brad K. Carte, John W. Westley, Randall K. Johnson and P. Lahouratate** | 377 | The plakortones, novel bicyclic lactones from the sponge *Plakortis halichondrioides*: activators of cardiac SR-$Ca^{2+}$-pumping ATPase |
| **Rosanne Bonjouklian, Tim A. Smitka, Ann H. Hunt, John L. Occolowitz, Thomas J. Perun, Jr, Lawrence Doolin, Stephanie Stevenson, Lisa Knauss, Ranmali Wijayaratne, Stanley Szewczyk and Gregory M. L. Patterson** | 395 | A90720A, a serine protease inhibitor isolated from a terrestrial blue-green alga *Microchaete loktakensis* |
| **Y. Fulmer Shealy, James M. Riordan, Jerry L. Frye and Sheila R. Campbell** | 405 | Intramolecular Diels–Alder reactions of the retinoid side chain |
| **Ralph-Heiko Mattern, Sarath Gunasekera and Oliver McConnell** | 425 | Synthetic studies of microcolin B |
| **Gerhard Schlingmann, Stefan Matile, Nina Berova, Koji Nakanishi and Guy T. Carter** | 435 | Absolute stereochemistry of the diepoxins |
| **Thomas Thyrann and David A. Lightner** | 447 | Synthesis and properties of a lipid bilirubin analog |
| **J. Hodge Markgraf, Manuel Finkelstein and John R. Cort** | 461 | Canthine analogs via intramolecular Diels–Alder reactions |
| **Juzo Nakayama, Haibiao Dong, Kanji Sawada, Akihiko Ishii and Shigekazu Kumakura** | 471 | Synthesis and characterization of dimers, trimers and tetramers of 3,6-dimethylthieno[3,2-*b*]thiophene and 3,6-dimethylselenolo[3,2-*b*]selenophene |
| **Hiroyuki Ishibashi, Chisato Kameoka, Kazuya Kodama and Masazumi Ikeda** | 489 | Asymmetric radical cyclization leading to β-lactams: stereoselective synthesis of chiral key intermediates for carbapenem antibiotics PS-5 and thienamycin |

| | | |
|---|---|---|
| **Hiroshi Shinokubo, Katsukiyo Miura, Koichiro Oshima and Kiitiro Utimoto** | 503 | *tert*-Butyldimethylsilyldihalomethyllithium as a dihalomethylene dianion synthon. 1,3-Rearrangement and 1,4-rearrangement of silyl group from carbon to oxide |
| **Tetsuya Hamada, Tsutomu Fukuda, Hirotoshi Imanishi and Tsutomu Katsuki** | 515 | Mechanism of one oxygen atom transfer from oxo (salen)manganese(V) complex to olefins |
| **Kiyoshi Horita, Takayuki Inoue, Kazuhiro Tanaka and Osamu Yonemitsu** | 531 | Stereoselective total synthesis of lysocellin, the representative polyether antibiotic of the lysocellin family—I. Synthesis of C1–C9 and C16–C23 subunits |
| **Kiyoshi Horita, Kazuhiro Tanaka, Takayuki Inoue and Osamu Yonemitsu** | 551 | Stereoselective total synthesis of lysocellin, the representative polyether antibiotic of the lysocellin family—II. Synthesis of C10–C23 subunit via construction of two rings (B and C) and its condensation with C1–C9 subunit to achieve the total synthesis of lysocellin |
| **Yasuhiro Kawanami, Hitoko Moriya, Yuka Goto, Keiko Tsukao and Michihiro Hashimoto** | 565 | Lipase-catalyzed kinetic resolution of *trans*-2,5-disubstituted pyrrolidine derivatives |
| **Ju Young Lee and Byeang Hyean Kim** | 571 | Total synthesis of nonactin |
| **Chris Meier and Wolfgang H. G. Laux** | 589 | Enantioselective synthesis of diisopropyl α-, β- and γ-hydroxyarylalkylphosphonates from ketophosphonates: a study on the effect of the phosphonyl group |
| **Ulrich Lüning, Heiko Baumgartner and Carsten Wangnick** | 599 | Concave reagents—XVII. Steric effects on the acidity of concave sulfinic acids and concave benzoic acids |
| **Mourad Hamdani, Denise Scholler, James Bouquant and Alexandre Feigenbaum** | 605 | Selective formation of aminoxyls or oxaziridines by oxidation of 2,2,4,4-tetrasubstituted oxazolidines |
| **Mustapha Majdoub, André Loupy, Alain Petit and Sadok Roudesli** | 617 | Coupling focused microwaves and solvent-free phase transfer catalysis: application to the synthesis of new furanic diethers |
| **Janine Cossy, Jean-Luc Ranaivosata and Véronique Bellosta** | 629 | Synthesis of (±)-isoavenaciolide and of (±)-ethisolide from (±)-7-oxabicyclo[2.2.1]hept-5-en-2-one |
| **István Bitter, Alajos Grün, Gábor Tóth, Áron Szöllosy, Gyula Horváth, Béla Ágai and László Toke** | 639 | Novel chromogenic pyridinium derivatives of calix[4]arenes—I |
| **Philip J. Parsons, Clive S. Penkett, Michael C. Cramp, Robert I. West and E. Sarah Warren** | 647 | The facile construction of indole alkaloid models: a tandem cascade approach for the synthesis of a model for pseudocopsinine |
| **Himatkumar V. Patel, Kavita A. Vyas, Sudhanshu P. Pandey and Peter S. Fernandes** | 661 | Facile synthesis of hydrazonyl halides by reaction of hydrazones with *N*-halosuccinimide–dimethyl sulfide complex |
| **Ana M. Costero, Miguel Pitarch, Cecilia Andreu, Luis E. Ochando, José M. Amigó and Tony Debaerdemaeker** | 669 | Bis-cyclic crown ethers derived from biphenyl. Influence of conformation in complexation of $Hg(SCN)_2$ |
| **Dimitris G. Papageorgiou, Ioannis N. Demetropoulos, Isaac E. Lagaris and Panos T. Papadimitriou** | 677 | How many conformers of the 1,2,3-propanetriol triacetate are present in gas phase and in aqueous solution? |
| **Carlos Cativiela, Maria D. Diaz-de-Villegas and José A. Gálvez** | 687 | The synthesis of enantiomerically pure (2*R*)-α-methylisoserine |
| **Peter J. Ainsworth, Donald Craig, John C. Reader, Alexandra M. Z. Slawin, Andrew J. P. White and David J. Williams** | 695 | Intramolecular Diels–Alder reactions of trienes tethered with an ether linkage |
| | I | Instructions to Contributors |

# NUMBER 3

## Contents


| | | |
|---|---|---|
| | iii | Contributors to this Issue |
| | v | Graphical Abstracts |
| **Ingo Tornus and Ernst Schaumann** | 725 | Novel applications of *N*-sulfonyl-alkylamines in [2 + 4] cycloadditions |
| **Masanori Sakamoto, Mayumi Nagano, Yoko Suzuki, Kumiko Satoh and Osamu Tamura** | 733 | Inter- and intramolecular Diels–Alder reactions using a highly reactive 1-aza-1,3-butadiene, ethyl (*E*)-3-(1,3-benzothiazol-2-yl)-3-cyanopropenoate |
| **Burkhard Klenke and Willy Friedrichsen** | 743 | Nonclassical furoxans—a computational study |
| **Jan Bergman and Claes Stålhandske** | 753 | Cyclization of *N*-acylanthranilic acids with Vilsmeier reagents. Chemical and structural studies |
| **Attila Sápi, Ferenc Bertha, József Fetter, Mária Kajtár-Peredy, György M. Keseru and Károly Lempert** | 771 | On the anomalous behaviour of certain 1-(4-methoxyphenyl)azetidin-2-ones towards cerium(IV) ammonium nitrate (CAN). Structure–reactivity studies |
| **Bärbel Schulze, Sabine Kirrbach, Katrin Illgen and Peter Fuhrmann** | 783 | Synthesis of stable hydroperoxides of sultams by oxidation of isothiazolium salts |
| **Steffen Ernst, Svea Jelonek, Joachim Sieler and Klaus Schulze** | 791 | 4-Methallyl substituted 1,2,4-triazoline-3-thiones as a source of N-bridgehead heterocycles |
| **Michael J. Konkel and Robert Vince** | 799 | Cyclohexenyl nucleosides: synthesis of *cis*-4-(9*H*-purin-9-yl)-2-cyclohexenylcarbinols |
| **Geoffrey C. Bryant, Michael J. Cook, Timothy G. Ryan and Andrew J. Thorne** | 809 | Synthesis and characterisation of some mesogenic mononuclear and multinuclear phthalocyanines |
| **Alan P. Marchand, Dongxia Xing and Simon G. Bott** | 825 | Synthesis of (*Z*)- and (*E*)-1,2-di(1-adamantyl)ethene and their respective reactions with dichlorocarbene |
| **Alejandro Santillán, Jr and Harold Kohn** | 833 | Novel ring transformations for 5,5a-dibromobicyclomycin and derivatives |
| **Bing Yan and Gnanasambandam Kumaravel** | 843 | Probing solid-phase reactions by monitoring the IR bands of compounds on a single 'flattened' resin bead |
| **Lifu Ma and David Dolphin** | 849 | Nucleophilic reaction of 1,8-diazabicyclo[5.4.0]undec-7-ene and 1,5-diazabicyclo[4.3.0]non-5-ene with methyl pheophorbide *a*. Unexpected products |
| **Michael A. Brook and Courtney Henry** | 861 | Competitive acylation of arylstyrylsilanes: controlling silanucleophile reactivity |
| **Yutaka Aoyagi, Tomofumi Manabe, Akihiro Ohta, Teruo Kurihara, Gui-Lin Pang and Takeo Yuhara** | 869 | First total synthesis of pyrrolam A |
| **Shinji Fushiya, Mamoru Matsuda, Shohei Yamada and Shigeo Nozoe** | 877 | New opine type amino acids from a poisonous mushroom, *Clitocybe acromelalga* |
| **Mitsuhiro Gotoh, Bin Sun, Ken Hirayama and Michihiko Noguchi** | 887 | Intramolecular 1,3-dipolar cycloaddition at the periphery of heterocyclic systems—II. A mechanistic proposal for the facile oxime–nitrone isomerization at the periphery of pyridine and pyrido[1,2-*a*]pyrimidine systems |
| **Bin Sun, Kenji Adachi and Michihiko Noguchi** | 901 | Intramolecular 1,3-dipolar cycloaddition at the periphery of heterocyclic systems—III. A facile hydrazone–azomethine imine isomerization at the periphery of pyridine and pyrido[1,2-*a*]pyrimidine systems |
| **Masaaki Sakai, Syunn Saito, Gen Kanai, Akira Suzuki and Norio Miyaura** | 915 | Olefination and hydroxymethylation of aldehydes using Knochel's (dialkoxyboryl)methylcopper reagents |

| | | |
|---|---|---|
| **Cornelia Schroeder, Ralf Lutterbach and Joachim Stöckigt** | 925 | Preparative biosynthesis of natural glucosides and fluorogenic substrates for β-glucosidases followed by *in vivo* $^{13}C$ NMR with high density plant cell cultures |
| **Edwin C. Constable and Diane R. Smith** | 935 | Photoisomerisation of 9-anthrylsubstituted pyridyl enones |
| **Uli Kazmaier and Sabine Maier** | 941 | Synthesis of sterically high demanding α-alkylated amino acids via Claisen rearrangement of chelated enolates |
| **Frank Linkert, Sabine Laschat, Sirpa Kotila and Thomas Fox** | 955 | Evidence for a stepwise mechanism in formal hetero-Diels–Alder reactions of *N*-arylimines |
| **Ernst Urban, Guido Knühl and Günter Helmchen** | 971 | Enantiomerically pure 5-substituted 2-oxo-cyclopentanecarboxylates by conjugate addition of cuprates to asymmetric shielded 2-oxo-cyclopentenecarboxylates |
| **Caroline Perez, Yves L. Janin and David S. Grierson** | 987 | Isoxazoles as latent α-cyanoaldehydes: construction of the indolo[2,3-*a*]quinolizine ring system |
| **Georges Dewynter, Nourreddine Aouf, Zine Regainia and Jean-Louis Montero** | 993 | Synthesis of pseudonucleosides containing chiral sulfahydantoins as aglycone—II |
| **Kuiling Ding, Yang Wang, Lijun Zhang, Yangjie Wu and Teruo Matsuura** | 1005 | A novel two-phase oxidative coupling of 2-naphthols suspended in aqueous $Fe^{3+}$ solutions |
| **Vasilii A. Artyomov, Lyudmila A. Rodinovskaya, Anatolii M. Shestopalov and Viktor P. Litvinov** | 1011 | *N*-Cyanochloroacetamidine—a convenient reagent for the regioselective synthesis of fused diaminopyrimidines |
| **Adrian P. Higson, Gerard K. Scott, David J. Earnshaw, Anthony D. Baxter, Roger A. Taylor and Richard Cosstick** | 1027 | Synthesis and structure of S-nucleosidyl S-aryl disulfides and their reaction with phosphites |
| **Rafael Chinchilla, Nuria Galindo and Carmen Nájera** | 1035 | Dimethyl 2-(tosylmethyl)fumarate: an allyl sulfone as electrophilic reagent for the synthesis of itaconate ester derivatives |
| **Karl J. Hale, Jiaqiang Cai, Vern Delisser, Soraya Manaviazar, S. Andrew Peak, Gurpreet S. Bhatia, Timothy C. Collins and Neha Jogiya** | 1047 | Enantioselective synthesis of (3*R*)- and (3*S*)-piperazic acids. The comparative unimportance of DMPU mediated retro-hydrazination |
| **Roberta Galeazzi, Giovanna Mobbili and Mario Orena** | 1069 | A convenient approach to diastereomerically pure 1,3,4-trisubstituted pyrrolidin-2-ones by intramolecular cyclisation of *N*-(2-alken-1-yl)amides mediated by Mn(III). An entry to both (*R*)- and (*S*)-3-pyrrolidineacetic acid |
| **Andrew Pelter, Steven Peverall and Andrew Pitchford** | 1085 | Hindered organoboron groups in organic chemistry—XXX. The production of *erythro*-1,2-diols by the condensation of dimesitylboron stabilised carbanions with aromatic aldehydes |
| | I | Instructions to Contributors |


# NUMBER 4

## Contents


| | | |
|---|---|---|
| | iii | Contributors to this Issue |
| | v | Graphical Abstracts |
| | | **TETRAHEDRON REPORT NUMBER 388** |
| **Geert-Jan Boons** | 1095 | Strategies in oligosaccharide synthesis |
| | | **ARTICLES** |
| **Panos Iakovides and Kevin M. Smith** | 1123 | Syntheses of oxygen analogues of sulfhemes-A and -C |
| **Robert M. Williams, Glenn J. Fegley, Reneé Gallegos, Felicity Schaefer and David L. Pruess** | 1149 | Asymmetric syntheses of (2*S*,3*S*,6*S*)-, (2*S*,3*S*,6*R*)- and (2*R*,3*R*,6*S*)-2,3-methano-2,6-diaminopimelic acids. Studies directed to the design of novel substrate-based inhibitors of L,L-diaminopimelate epimerase |

| | | |
|---|---|---|
| **Hiroshi Morita, Takashi Kayashita, Akira Shishido, Koichi Takeya, Hideji Itokawa and Motoo Shiro** | 1165 | Dichotomins A–E, new cyclic peptides from *Stellaria dichotoma* L. var. *lanceolata* Bge. |
| **Noriyuki Nakajima, Miyoko Matsumoto, Masayuki Kirihara, Masaru Hashimoto, Tadashi Katoh and Shiro Terashima** | 1177 | Novel synthesis of (+)-hydantocidin based on the plausible biosynthetic pathway |
| **Masayuki Takeuchi, Toshihisa Mizuno, Hideyuki Shinmori, Michio Nakashima and Seiji Shinkai** | 1195 | Fluorescence and CD spectroscopic sugar sensing by a cyanine-appended diboronic acid probe |
| **Eiji Wada, Wen Pei, Hiroshi Yasuoka, Uchou Chin and Shuji Kanemasa** | 1205 | Exclusively *endo*-selective Lewis acid-catalyzed hetero-Diels–Alder reactions of (*E*)-1-phenylsulfonyl-3-alken-2-ones with vinyl ethers |
| **Gerhard Riehs and Ernst Urban** | 1221 | Asymmetric protected 2-oxo-5-isopropyl-cyclohexenecarboxylates as key intermediates towards an EPC synthesis of (+)-heptelidic acid |
| **Waldemar Adam, Michael Prein and Markus J. Richter** | 1231 | Stereochemically defined cyclohexanediols through the regioselective ring-opening of silylated epoxy alcohols |
| **Andreas Fredenhagen and Heinrich H. Peter** | 1235 | New stereoselective Beckmann-type rearrangement leading to ring contraction |
| **Michael D. Mizhiritskii, Leonid E. Konstantinovskii and Rosita Vishkautsan** | 1239 | 2D NMR study of solution conformations and complete $^{1}H$ and $^{13}C$ chemical shifts assignments of vitamin D metabolites and analogs |
| **Deevi Basavaiah and Rachakonda Suguna Hyma** | 1253 | Synthetic applications of the Baylis–Hillman reaction: simple synthesis of [2*E*]-2-butyloct-2-enal and [2*E*]-2-tridecylheptadec-2-enal |
| **José I. Lozano and Fructuoso Barba** | 1259 | Electrosynthesis of 2-benzhydrylidene-4,4-diphenyl-[1,3]oxathiolan-5-one: the reaction pathway |
| **Ramón Alibés, José L. Bourdelande, Josep Font, Anna Gregori and Teodoro Parella** | 1267 | [2 + 2] Photocycloaddition of homochiral 2(5*H*)-furanones to alkenes. First step for an efficient and diastereoselective synthesis of (+)- and (–)-grandisol |
| **Ramón Alibés, José L. Bourdelande, Josep Font and Teodoro Parella** | 1279 | Highly efficient and diastereoselective approaches to (+)- and (–)-grandisol |
| **Mukund G. Kulkarni and Shankar R. Thopate** | 1293 | Chemoselective alkylation of L-ascorbic acid |
| **Robert S. Ward, Andrew Pelter and Atef Abd-El-Ghani** | 1303 | Preparation of tetrahydrodibenzocyclooctene lignans and spirodienones by hypervalent iodine oxidation of phenolic dibenzylbutyrolactones |
| **Mircea Vlassa, Ilie Ciocan-Tarta, Florin Margineanu and Ioan Oprean** | 1337 | Synthesis of diynes by phase transfer catalysis in the presence of a Pd(0) catalyst |
| **Yves L. Dory, John M. Mellor and Jerome F. McAleer** | 1343 | Applications of pentafluorophenylester coupling in the synthesis of cyclodepsipeptides related to valinomycins |
| **Janet R. Dawson, Yves L. Dory, John M. Mellor and Jerome F. McAleer** | 1361 | Synthesis of novel potassium selective valinomycins |
| **Yves L. Dory, John M. Mellor and Jerome F. McAleer** | 1379 | Synthesis of phenyl substituted valinomycins |
| **David C. Harrowven and Hon Suen Poon** | 1389 | A Michael-initiated–condensation–elimination sequence for the stereoselective synthesis of maleate derivatives |
| **András Kotschy, György Hajós, András Messmer and Gurnos Jones** | 1399 | Selective ring opening of linearly and angularly fused triazolium salts |
| **Margarita Jurczak, Dariusz Socha and Marek Chmielewski** | 1411 | Isoxazolidin-5-one–isoxazolidine rearrangement, an entry to 3-amino-3-deoxy sugars |
| **Rita Menicagli and Simona Samaritani** | 1425 | 1,4-Conjugate addition of the Reformatsky reagent to α-nitrostyrenes: a new synthesis of γ-nitroesters |
| **Annamaria Deagostino, Cristina Prandi and Paolo Venturello** | 1433 | Reaction of α,β-unsaturated and α-phenyl acetals with epoxides, promoted by lithium–potassium mixed base LICKOR: synthesis of homoallyl alcohols |

| | | |
|---|---|---|
| **Francesco Risitano, Giovanni Grassi, Francesco Caruso and Francesco Foti** | 1443 | C,C- and C,N-linked dimers and 4-arylmethyl derivatives from 4-arylmethylene pyrazol-5-ones and isoxazol-5-ones with 2-arylbenzimidazolines |
| **Atanas P. Venkov and Stela M. Statkova-Abeghe** | 1451 | Synthesis of 3,4-dihydroisoquinolines, 2-alkyl(acyl)-1(2*H*)-3,4-dihydroisoquinolinones, 2-alkyl-1(2*H*)-isoquinolinones and 1-alkyl-2(2*H*)-quinolinones by oxidation with potassium permanganate |
| **Andrew J. Locke, Nicolas Gouti, Christopher J. Richards, David E. Hibbs and Michael B. Hursthouse** | 1461 | Addition of silyl enol ethers and silyl ketene acetals to ferrocenylmethyl ethers. Synthesis of precursors to chiral bridged ferrocenophanes |
| **Mikael Jonassohn, Olov Sterner and Heidrun Anke** | 1473 | Structure–activity relationships for unsaturated dialdehydes—XII. The reactivity of unsaturated dialdehydes towards triacetic acid lactone |
| | I | Instructions to Contributors |


# NUMBER 5

## Contents


| | | |
|---|---|---|
| | iii | Contributors to this Issue |
| | v | Graphical Abstracts |
| | 1479 | Corrigendum |
| **Y. K. Tony Lam, O. D. Hensens, R. Ransom, R. A. Giacobbe, J. Polishook and D. Zink** | 1481 | L-755,807, a new non-peptide bradykinin binding inhibitor from an endophytic *Microsphaeropsis* sp. |
| **Takeshi Kitahara, Munenori Inoue, Shigeyuki Tamogami and Roman Kaiser** | 1487 | Synthesis of both the enantiomers of methyl *cis*-(*Z*)-dehydrojasmonate, principal note for the scent of *Cymbidium goeringii*, to determine the absolute configuration |
| **Roland Klösel, Stephan König, Stefan Lehnhoff and Rosa Maria Karl** | 1493 | The 1,1-dianisyl-2,2,2-trichloroethyl group as 2'-hydroxyl protection of ribonucleotides |
| **Dieter Enders, Dirk Backhaus and Jan Runsink** | 1503 | Asymmetric [2,3]-sigmatropic Wittig rearrangement of chiral α-allyloxyhydrazones |
| **Arwed Cleve, Karl-Heinrich Fritzemeier, Nikolaus Heinrich, Ulrich Klar, Anke Müller-Fahrnow, Günter Neef, Eckhard Ottow and Wolfgang Schwede** | 1529 | 11β-Aryl steroids in the androstene series. The role of the 11β-region in steroid progesterone receptor interaction |
| **Paul Müller, Corine Baud and Yvan Jacquier** | 1543 | A method for rhodium(II)-catalyzed aziridination of olefins |
| **Luzi Jenny, Hans-Jürg Borschberg and Pierre Acklin** | 1549 | A highly stereoselective *in vitro* cyclization of dolabellatriene diterpenes into novel dolastadienes |
| **Patrick Page, Casimir Blonski and Jacques Périé** | 1557 | An improved chemical and enzymatic synthesis of new fructose derivatives for import studies by the glucose transporter in parasites |
| **Valeria Costantino, Ernesto Fattorusso, Alfonso Mangoni, Massimo Di Rosa, Angela Ianaro and Pasquale Maffia** | 1573 | Glycolipids from sponges—IV. Immunomodulating glycosyl ceramides from the marine sponge *Agelas dispar* |
| **Orazio A. Attanasi, Simonetta Buratti, Paolino Filippone, Chiara Fiorucci, Elisabetta Foresti and Daniela Giovagnoli** | 1579 | Reaction of thiocarboxylic acids with conjugated azoalkenes |
| **Janez Plavec and Jyoti Chattopadhyaya** | 1597 | Comparative assessment of structure and reactivity of wyosine by chemistry, spectroscopy and *ab initio* calculations |

| | | |
|---|---|---|
| **Nicanor Gálvez, Marcial Moreno-Mañas, Rosa M. Sebastián and Adelina Vallribera** | 1609 | Dimethoxyethane as an alternative solvent for Schmidt reactions. Preparation of homochiral *N*-(5-oxazolyl)oxazolidinones from *N*-acetoacetyl derivatives of oxazolidinones |
| **Bernd Schmidt, Philip Kocienski and Gillian Reid** | 1617 | A synthesis of oxolenes and furans via oxacyclopentylidene chromium and molybdenum complexes |
| **Adusumilli Srikrishna, T. Jagadeeswar Reddy and Ranganathan Viswajanani** | 1631 | Reduction of quinolines to 1,2,3,4-tetrahydro derivatives employing a combination of $NaCNBH_3$ and $BF_3.OEt_2$ |
| **Katalin Nemák, Mária Ács, Zsuzsa M. Jászay, Dávid Kozma and Elemér Fogassy** | 1637 | Study of the diastereoisomers formed between (*N*-alkyl)-pipecolic acid-anilides and 2*R*,3*R*-tartaric acid or *O*,*O*'-dibenzoyl-2*R*,3*R*-tartaric acid. Do the tartaric acids form molecular-complexes, instead of salts during optical resolutions? |
| **Albert Guijarro, Balbino Mancheño, Javier Ortiz and Miguel Yus** | 1643 | Lithiomethyl ethyl ether from chloromethyl ethyl ether via a DTBB-catalysed lithiation |
| **Bogdan Doboszewski and Piet Herdewijn** | 1651 | Branched-chain nucleosides: synthesis of 3'-deoxy-3'-*C*-hydroxymethyl-α-L-lyxopyranosyl thymine and 3'-deoxy-3'-*C*-hydroxymethyl-α-L-threofuranosyl thymine |
| **Pier Paolo Giovannini, Stefania Hanau, Mario Rippa, Olga Bortolini, Marco Fogagnolo and Alessandro Medici** | 1669 | *Bacillus stearothermophilus* alcohol dehydrogenase: a new catalyst to obtain enantiomerically pure bicyclic octen- and hepten-ols and -ones |
| **Roberto Ballini, Giovanna Bosica and Paola Forconi** | 1677 | Nitroaldol (Henry) reaction catalyzed by Amberlyst A-21 as a far superior heterogeneous catalyst |
| **Gianfranco Cainelli, Mauro Panunzio, Elisa Bandini, Giorgio Martelli and Giuseppe Spunta** | 1685 | Diastereofacial selectivity in the reaction of chiral *N*-trimethylsilyl imines with ester enolates: preparation of *trans*-azetidin-2-ones in high stereocontrolled fashion |
| **Vladimir Dimitrov, Svetlana Simova and Kalina Kostova** | 1699 | Highly effective and practical stereoselective synthesis of new homoallylic alcohols with (+)-camphor and (–)-fenchone skeleton |
| **Tirumalai R. Kasturi, Pragnacharyulu V. P. Palle, Jitendra A. Sattigeri and Kaipenchery A. Kumar** | 1707 | Novel reduction (Zn–AcOH) of DDHQ esters—a new route to tropone synthesis |
| **Tadeusz Marek Krygowski and Michał Cyranski** | 1713 | Separation of the energetic and geometric contributions to the aromaticity of π-electron carbocyclics |
| **Augusto C. Tomé, José A. S. Cavaleiro and Richard C. Storr** | 1723 | Generation and trapping of 5,6-dimethylenepyrimidin-4-ones in Diels–Alder and Michael additions |
| **Augusto C. Tomé, José A. S. Cavaleiro and Richard C. Storr** | 1735 | Pyrimidine *ortho*-quinodimethanes |
| **Pejakala K. Vasudeva and Madhavarao Nagarajan** | 1747 | Ring opening reactions of benzyl 3,4-anhydro-β-D-ribopyranoside with nucleophiles |
| **Kandasamy Sakthivel, Tanmaya Pathak and Cheravakkattu G. Suresh** | 1767 | 5'-*O*-Benzoyl-2'-keto-3'-deoxy-α-uridine: first unambiguous synthesis, crystal structure and its use to establish the anomerisation of 2'-ketouridines under basic conditions |
| **Frans J. Hoogesteger, Leonardus W. Jenneskens, Huub Kooijman, Nora Veldman and Anthony L. Spek** | 1773 | Self-complementary hydrogen bonding of 1,1'-bicyclohexylidene-4,4'-dione dioxime. Formation of a non-covalent polymer |
| **Maurizio Fagnoni, Matteo Vanossi, Mariella Mella and Angelo Albini** | 1785 | Limits to oxidation of organic substrates. SET oxidative processes of commonly used solvents as revealed through the photochemical reaction with 1,2,4,5-benzenetetracarbonitrile |
| **Albert Guijarro and Miguel Yus** | 1797 | Polychlorinated materials as a source of polyanionic synthons |
| **Ian Paterson and Michael V. Perkins** | 1811 | Total synthesis of (–)-denticulatins A and B using efficient methods of acyclic stereocontrol |

**Manojbhai K. Patel, Raymond Fox and Paul D. Taylor** 1835 Directed aminomethylation of 3-hydroxy-2(1*H*)-pyridinones and 3-hydroxy-4(1*H*)-pyridinones: synthesis of iso-deferiprone

**D. John Procter, Mark Thornton-Pett and Christopher M. Rayner** 1841 Discovery, characterisation, and utilisation of selenoxide–sulfonic acid salts: a new class of selenoxide-based oxidant and stable selenoxide equivalent

I Instructions to Contributors

# NUMBER 6

## Contents

iii Tetrahedron Prize for Creativity in Organic Chemistry

v Contributors to this Issue

vii Graphical Abstracts

**TETRAHEDRON REPORT NUMBER 389**

**Oleg I. Kolodiazhnyi** 1855 C–Element-substituted phosphorus ylids

**ARTICLES**

**Miwa Hashimoto, Kimiko Hashimoto and Haruhisa Shirahama** 1931 Acyclic analogs of kainoids: their syntheses and depolarizing activities

**Toshinobu Ohno, Hideo Aramaki, Hideki Nakahiro and Ikuzo Nishiguchi** 1943 Electroreductive acylation of activated olefins using a reactive metal anode

**Shin-ichi Fukuzawa, Hideki Furuya and Teruhisa Tsuchimoto** 1953 Alkylation–annulation of halo esters with organometallic reagent/$SmI_2$ couple leading to cycloalkanols: a facile cyclopropanol synthesis from a 3-halo ester

**Heinz Langhals, Barbara Wagner and Kurt Polborn** 1961 The oxidative coupling of coumaranone with disulfur dichloride

**Heidi M. Muchall, Klaus Kowski, Paul Rademacher, Andreas Fuss, Ralf Neuberger, Helmut Quast, Peter Komnick and Wolfram Sander** 1965 Electronic structure and gas-phase thermolysis of 4-substituted 3,3,5,5-tetramethyl-3,5-dihydro-4*H*-pyrazoles studied by photoelectron spectroscopy. First evidence for an alkylideneselenirane

**Gottfried Märkl, Markus Hafner, Peter Kreitmeier, Thomas Burgemeister, Fritz Kastner, Michael Porsch and Jörg Daub** 1981 Tetraoxa[24]porphyrinogen(4.0.4.0)/tetraoxa[22]porphyrin(4.0.4.0) dication. A further isomer of the aromatic 22π-tetraoxaporphyrins

**Brunhilde Voigt, Jürgen Schmidt and Günter Adam** 1997 Synthesis of 24-epiteasterone, 24-epityphasterol and their B-homo-6a-oxalactones from ergosterol

**H. J. Cristau, M. Taillefer, J. P. Urbani and A. Fruchier** 2005 Reactivity of substituted and unsubstituted diphenylphosphonium diylides towards carbonic anhydride derivatives

**Krystyna Baczko, Wang-Qing Liu, Bernard P. Roques and Christiane Garbay-Jaureguiberry** 2021 New synthesis of D,L-Fmoc protected 4-phosphonomethylphenylalanine derivatives and their enzymatic resolution

**Véronique Nardello, Nathalie Azaroual, Isabelle Cervoise, Gaston Vermeersch and Jean-Marie Aubry** 2031 Synthesis and photooxidation of sodium 1,3-cyclohexadiene-1,4-diethanoate: a new colorless and water-soluble trap of singlet oxygen

**Françoise Raynaud, Ulysse Asseline, Victoria Roig and Nguyen Thanh Thuong** 2047 Synthesis and characterization of $O^6$-modified deoxyguanosine-containing oligodeoxyribonucleotides for triple-helix formation

**Guy Solladié, Dominique Boeffel and Jean Maignan** 2065 Aromatic ring synthesis by 1,3-Michael–Claisen annulation: application to a Trolox analogue and to Precocene II

**Mihaela Gulea-Purcarescu, Elie About-Jaudet, Noël Collignon, Monique Saquet and Serge Masson** 2075 Sigmatropic [2,3]-Wittig rearrangement of α-allylic-heterosubstituted methylphosphonates—II. Rearrangement in the nitrogen series

| | | |
|---|---|---|
| **Bruno Principato, Michel Maffei, Chhan Siv, Gérard Buono and Gilbert Peiffer** | 2087 | Palladium catalysed allylic acetoxylation of dialkyl allyl phosphonates |
| **José Sepulveda-Arques, Trinidad Armero-Alarte, Alberto Acero-Alarcón, Elena Zaballos-García, Belén Yruretagoyena Solesio and Jesus Ezquerra Carrera** | 2097 | Stereoselective ring transformation of *N*-alkyl aziridines into oxazolidin-2-ones |
| **Jac C. H. M. Wijkmans, Nico J. Meeuwenoord, Wim Bloemhoff, Gijs A. van der Marel and Jacques H. van Boom** | 2103 | Solid phase synthesis of alkylphosphonopeptides |
| **Grant A. McNaughton-Smith and Richard J. K. Taylor** | 2113 | The preparation of 9-substituted $\Delta^5$-octenolides: synthesis of 8-deoxy-pseudo-ascidiatrienolide C |
| **Philip C. Bulman Page, Robin D. Wilkes, Ernest S. Namwindwa and Michael J. Witty** | 2125 | Enantioselective preparation of 2-substituted-1,3-dithiane 1-oxides using modified Sharpless sulphoxidation procedures |
| **Vincenzo Caló, Vito Fiandanese, Angelo Nacci and Angela Volpe** | 2155 | Allylated ketosulphides of benzothiazole as intermediates for stereoselective synthesis of allyl ketones, allyl thiiranes and dienes |
| **M. Teresa Mujica, María M. Afonso, Antonio Galindo and J. Antonio Palenzuela** | 2167 | Hetero Diels–Alder versus Mukaiyama aldol pathways in the reaction of monoactivated dienes and aldehydes. A Lewis acid study |
| **José Luis García Ruano, Amelia Tito and Rafael Culebras** | 2177 | Stereoselective addition of organometallic reagents to β-hydroxyketones |
| **Guo-qiang Lin and Zhi-cai Shi** | 2187 | A facile formal synthesis of D-ribo-$C_{18}$-phytosphingosine |
| **Subhas Chandra Roy and Pijus Kumar Mandal** | 2193 | Regio- and stereoselective formation of dihydrofurans by ceric ammonium nitrate mediated oxidative [3 + 2] cycloaddition of 1,3-diketones to cinnamic esters |
| **Joseph P. Michael and Andrew S. Parsons** | 2199 | Chemoselective reactions of vinylogous amides, and the synthesis of two *Peripentadenia* alkaloids |
| **Modachur G. Murugesh, Kandasamy Subburaj and Girish K. Trivedi** | 2217 | Regioselective synthesis of substituted pterocarpans and pterocarpenes. Lewis acid Ti(IV) promoted formal (3 + 2) cycloaddition reactions |
| **Alethea B. Tabor** | 2229 | Synthesis of a peptide–intercalator hybrid based on the bZIP motif from GCN4 |
| **Derek N. Hickman, Kevin J. Hodgetts, Peter S. Mackman, Timothy W. Wallace and J. Michael Wardleworth** | 2235 | The preparation of substituted 3,4-dihydro-1(2*H*)-naphthalenones from benzocyclobutenones via sequential thermal electrocyclic reactions |
| **Deevi Basavaiah and Subramanian Pandiaraju** | 2261 | Nucleophilic addition of triethyl phosphite to acetates of the Baylis–Hillman adducts: stereoselective synthesis of (*E*)- and (*Z*)-allylphosphonates |
| | I | Instructions to Contributors |


# NUMBER 7

## Contents


| | | |
|---|---|---|
| | iii | Contributors to this Issue |
| | v | Graphical Abstracts |
| | 2269 | Corrigendum |
| **Boulos Zacharie, Timothy P. Connolly, Rabindra Rej, Giorgio Attardo and Christopher L. Penney** | 2271 | A short synthesis of 4-substituted 1-(hydroxyalkyl)-1*H*-pyrazolo[3,4-*d*]pyrimidines |

| | | |
|---|---|---|
| **John C. Gilbert and Steven Kirschner** | 2279 | Pericyclic reactions of cyclobutyne: an exception to orbital symmetry considerations |
| **Qi Gao and William L. Parker** | 2291 | The 'hydrophobic collapse' conformation of paclitaxel (Taxol®) has been observed in a non-aqueous environment: crystal structure of 10-deacetyl-7-epitaxol |
| **Yoshimasa Fukazawa, Kousaku Yoshimura, Shigeru Sasaki, Masumi Yamazaki and Toshiya Okajima** | 2301 | Conformational isomers of the trimethyl ethers of monodeoxycalix[4]-arenes |
| **Masashi Tsuda, Kenjiro Inaba, Naoko Kawasaki, Kaori Honma and Jun'ichi Kobayashi** | 2319 | Chiral resolution of (±)-keramaphidin B and isolation of manzamine L, a new β-carboline alkaloid from a sponge *Amphimedon* sp. |
| **Yanyan Yang, Takeharu Haino, Shuji Usui and Yoshimasa Fukazawa** | 2325 | Shielding effect of ether C–O bond obtained from proton chemical shifts of 4-oxa-5α- and 4-oxa-5β-androstan-17-ones |
| **Xiao-xia Wang, Hideyuki Shigemori and Jun'ichi Kobayashi** | 2337 | Taxuspines K, L, and M, new taxoids from Japanese yew *Taxus cuspidata* |
| **Hideo Tanaka, Ryo Kikuchi and Sigeru Torii** | 2343 | Chemoselective aerobic oxidation of penicillin and cephalosporin derivatives into sulfoxides |
| **Tsuyoshi Satoh and Koji Takano** | 2349 | A method for generation of α-halo carbanions (carbenoids) from aryl α-haloalkyl sulfoxides with alkylmetals |
| **Hiroshi Hirota, Yasuhiko Tomono and Nobuhiro Fusetani** | 2359 | Terpenoids with antifouling activity against barnacle larvae from the marine sponge *Acanthella cavernosa* |
| **Yoshiaki Kamano, Hui-ping Zhang, Hiroshi Morita, Hideji Itokawa, Osamu Shirota, George R. Pettit, Delbert L. Herald and Cherry L. Herald** | 2369 | Conformational analysis of a marine antineoplastic macrolide, bryostatin 10 |
| **Waldemar Adam, Claus van Barneveld and Dieter Golsch** | 2377 | Direct synthesis of 3-aryl-1,2,4,5-tetrazine *N*-1-oxides by the oxidation with methyl(trifluoromethyl)dioxirane |
| **Markus Albrecht** | 2385 | Linear ($CH_2$)-bridged oligo(catechol) compounds for metal-directed self-organization processes |
| **Astrid Zervosen, Andreas Stein, Holger Adrian and Lothar Elling** | 2395 | Combined enzymatic synthesis of nucleotide (deoxy) sugars from sucrose and nucleoside monophosphates |
| **Aïcha Amougay, Olivier Letsch, Jean-Pierre Pete and Olivier Piva** | 2405 | Photorearrangement of *N*-alkanoyl β-enaminones. Application to the synthesis of α-amino-β,γ-unsaturated acid derivatives |
| **Fabrice Vergne, Karolin Partogyan, David J. Aitken and Henri-Philippe Husson** | 2421 | An original synthesis of *trans*-1,2-diaminocyclobutane |
| **D. Michel and M. Schlosser** | 2429 | α-Fluorocarbonyl compounds by isomerization of 2-fluorooxiranes |
| **Carme Brosa, Joan Miquel Capdevila and Ismael Zamora** | 2435 | Brassinosteroids: a new way to define the structural requirements |
| **János Marton, Zoltán Szabó, István Csorvássy, Csaba Simon, Sándor Hosztafi and Sándor Makleit** | 2449 | Reaction of morphinan-6,8-dienes with azadienophiles |
| **Giorgio Cerichelli, Luciana Luchetti and Giovanna Mancini** | 2465 | Surfactant control of the *ortho*/*para* ratio in the bromination of anilines—III |
| **Daniele Casarini, Lodovico Lunazzi and Richard Verbeek** | 2471 | Conformational studies by dynamic NMR—LVI. Enantiotopomerization and conformational analysis of hindered aryl alkyl ketones investigated by dynamic and solid state NMR |
| **Abraham Thomas, Gopinathan Anilkumar and Vijay Nair** | 2481 | Photolytic double decarbonylation route to highly substituted indenes and benzene derivatives |

| | | |
|---|---|---|
| **Soyfur Miah, Alexandra M. Z. Slawin, Christopher J. Moody, Scott M. Sheehan, Joseph P. Marino, Jr, Mark A. Semones, Albert Padwa and Ian C. Richards** | 2489 | Ligand effects in the rhodium(II) catalysed reactions of diazoamides and diazoimides |
| **Jack E. Baldwin, Robert M. Adlington, Daniel G. Marquess, Andrew R. Pitt, Michael J. Porter and Andrew T. Russell** | 2515 | Evidence for an insertion–homolysis mechanism for carbon–sulphur bond formation in penicillin biosynthesis—I. Synthesis of tripeptide probes |
| **Jack E. Baldwin, Robert M. Adlington, Daniel G. Marquess, Andrew R. Pitt, Michael J. Porter and Andrew T. Russell** | 2537 | Evidence for an insertion–homolysis mechanism for carbon–sulphur bond formation in penicillin biosynthesis—II. Incubation and interpretation |
| **Maria Cervera, Jordi Marquet and Xavier Martín** | 2557 | Charge control in the $S_NAr$ reaction. *meta* Substitution with respect to the activating nitro group in 3,4-dihalogenonitrobenzenes |
| **Gert-Jan M. Gruter, Otto S. Akkerman and Friedrich Bickelhaupt** | 2565 | The formation of catenanes. The Möbius strip approach revisited |
| **Rita Annunziata, Mauro Cinquini, Franco Cozzi, Valentina Molteni and Olaf Schupp** | 2573 | Stereoselective one-pot synthesis of β-lactams by Lewis acid promoted condensation of silylketene thioacetals with imines |
| **Rita Annunziata, Maurizio Benaglia, Mauro Cinquini, Franco Cozzi, Oscar Martini and Valentina Molteni** | 2583 | Stereoselective one-pot synthesis of β-lactams by reaction of 2-pyridylthioesters with imines in the presence of $AlBr_3$ or $EtAlCl_2$ |
| **Kristof J. Dubois, Christine C. Fannes, Frans Compernolle and Georges J. Hoornaert** | 2591 | 4,6-Dichloro-2-oxa-5-azabicyclo[2.2.2]oct-5-en-3-ones and their use in the synthesis of 1,6-dihydro-6-oxo-2-pyridine- and 6-oxo-2-piperidinecarboxylates |
| **Saskia Louwrier, Martin Ostendorf, Arnoud Boom, Henk Hiemstra and W. Nico Speckamp** | 2603 | Studies towards the synthesis of (+)-ptilomycalin A; stereoselective *N*-acyliminium ion coupling reactions to enantiopure C-2 substituted lactams |
| **Saskia Louwrier, Antonin Tuynman and Henk Hiemstra** | 2629 | Synthesis of bicyclic guanidines from pyrrolidin-2-one |
| **Joost T. M. van Dijk, Berit J. van de Panne, Annemarie C. Bleeker, Johan Lugtenburg and Jan Cornelisse** | 2647 | Spectrometry and reactivity of benzanthrenyl and 1-hydroperylenyl anions |
| | I | Instructions to Contributors |


# NUMBER 8

## Contents


| | | |
|---|---|---|
| | iii | Contributors to this Issue |
| | v | Graphical Abstracts |
| | | **TETRAHEDRON REPORT NUMBER 390** |
| **Peter Timmerman, Willem Verboom and David N. Reinhoudt** | 2663 | Resorcinarenes |
| | | **ARTICLES** |
| **Derek H. R. Barton, Giovanni Fontana and Yun Yang** | 2705 | The invention of radical reactions—XXXV. A novel radical fission reaction of *N*-sulfonylthioxocarbamates |
| **Derek H. R. Barton, Joseph Cs. Jaszberenyi, Wansheng Liu and Tetsuro Shinada** | 2717 | The invention of radical reactions—XXXVI. Synthetic studies related to 3-deoxy-D-*manno*-2-octulosonic acid (KDO) |

| | | |
|---|---|---|
| **Jorge A. Palermo, María Florencia Rodríguez Brasco and Alicia M. Seldes** | 2727 | Storniamides A–D: alkaloids from a Patagonian sponge *Cliona* sp. |
| **Vassilios Roussis, William Fenical, Constantinos Vagias, Jean-Michel Kornprobst and Joseph Miralles** | 2735 | Labiatamides A, B, and other eunicellan diterpenoids from the Senegalese gorgonian *Eunicella labiata* |
| **Richard C. Larock and Eul Kgun Yum** | 2743 | Palladium-catalyzed annulation of vinylic cyclopropanes and cyclobutanes |
| **Dinesh Rele, Ning Zhao, Koji Nakanishi and Nina Berova** | 2759 | Acyclic 1,2-/1,3-mixed pentols. Synthesis and general trends in bichromophoric exciton coupled circular dichroic spectra |
| **Ning Zhao, Nina Berova, Koji Nakanishi, Michel Rohmer, Pascale Mougenot and Uwe J. Jürgens** | 2777 | Structures of two bacteriohopanoids with acyclic pentol side-chains from the cyanobacterium *Nostoc* PCC 6720 |
| **Lakshmi B. Akella and Robert Vince** | 2789 | Palladium-catalyzed synthesis of *cis*-2-[4-(9*H*-purin-9-yl)-2-cyclopenten-1-yl]ethanol analogues |
| **Hiroshi Morita, Natsuko Yoshida, Koichi Takeya, Hideji Itokawa and Osamu Shirota** | 2795 | Configurational and conformational analyses of a cyclic octapeptide, lyciumin A, from *Lycium chinense* Mill. |
| **Shuki Araki, Tsunehisa Hirashita, Ken Shimizu, Takahiro Ikeda and Yasuo Butsugan** | 2803 | Reaction of α-halo organoindium reagents with carbonyl compounds and electron-deficient alkenes |
| **Tomoyuki Imada, Hideomi Kijima, Masayuki Takeuchi and Seiji Shinkai** | 2817 | Selective binding of glucose-6-phosphate, 3,4-dihydroxyphenylalanine (DOPA) and their analogs with a boronic acid appended metalloporphyrin |
| **Masanori Watanabe, Hiroshi Okada, Takayuki Teshima, Michihiko Noguchi and Akikazu Kakehi** | 2827 | A facile and regio- and stereo-selective preparation of bicyclic guanidines by iodocyclization of 3-(alk-2-enyl)-2-(substituted amino)-1-imidazolin-4-ones |
| **Toshiaki Murai, Kaori Kakami, Naoshi Itoh, Takahiro Kanda and Shinzi Kato** | 2839 | Stereoselective generation and trapping of lithium eneselenolates leading to ketene selenothioacetals and selenothioesters |
| **Yoshimasa Fukazawa, Yanyan Yang, Tatsuhiko Hayashibara and Shuji Usui** | 2847 | Shielding effect of carbonyl group and its application to the conformational analysis of 1,1,10,10-tetramethyl[3.3]metacyclophane-2,11-dione |
| **Akio Kakefuda, Akira Masuda, Yoshihito Ueno, Akira Ono and Akira Matsuda** | 2863 | Nucleosides and nucleotides—CXLVII. Synthesis of DNA dodecamers containing oxetanocin A and (2*R*,3*R*)-2-*C*-(adenin-9-yl)-1,4-anhydro-2,3-dideoxy-3-*C*-hydroxymethyl-D-arabitol |
| **Yimin Jiang and Minoru Isobe** | 2877 | Pseudoenantiomeric heteroconjugate addition approach for synthesis of spiro segment of tautomycin |
| **Dieter Enders, Olivier Piva and Frank Burkamp** | 2893 | Asymmetric synthesis of vicinal thioether alcohols by diastereoselective 1,2-addition of carbon nucleophiles to enantiomerically enriched α-sulfenylated aldehydes |
| **Dieter Enders, Peter Hecker and Oliver Meyer** | 2909 | A novel approach to 2-amino-1,3-dienes by coupling of α-chloro enamines and alkenyl lithium compounds |
| **Gunter Schüle and Thomas Ziegler** | 2925 | Efficient convergent block synthesis of a pyruvated tetrasaccharide 5-aminopentyl glycoside related to *Streptococcus pneumoniae* type 27 |
| **Peter Belser, Stefan Bernhard and Urs Guerig** | 2937 | Synthesis of mono- and dialkylsubstituted 1,10-phenanthrolines |
| **Andreas Schick, Thomas Kolter, Athanassios Giannis and Konrad Sandhoff** | 2945 | Synthesis of phosphoramide analogues of sphinganine-1-phosphate |
| **R. Kluge, M. Schulz and S. Liebsch** | 2957 | Diastereoselective epoxidation of olefins by organo sulfonic peracids—II |
| **Sergej V. Pasenok, Marijn E. de Roos and Wolfgang K. Appel** | 2977 | New method of preparation of fluoro compounds via utilisation of ammonium and phosphonium perfluorocyclobutane ylides as fluorination reagents |
| **E. Desarbre, L. Savelon, O. Cornec and J. Y. Mérour** | 2983 | Oxidation of indoles and 1,2-dihydro-3*H*-indol-3-ones |

| | | |
|---|---|---|
| **N. Oget, F. Chuburu, J. J. Yaouanc and H. Handel** | 2995 | Cyclenphosphine sulfide: fluxional behaviour and ambident reactivity |
| **Jean-Christophe Truffert, Ulysse Asseline, André Brack and Nguyen T. Thuong** | 3005 | Synthesis, purification and characterization of two peptide–oligonucleotide conjugates as potential artificial nucleases |
| **Xi-Kui Jiang, Guo-Zhen Ji and John Rong-Yuan Xie** | 3017 | In search of the spin-delocalization effect from the correlation analysis of relative rates of the trichloromethyl-bromo-addition reactions to fourteen *p*-Y-substituted phenylacetylenes |
| **Egle M. Beccalli, Alessandro Marchesini and Tullio Pilati** | 3029 | Diels–Alder reactions of (*Z*)-ethyl 3-[(1-ethoxycarbonyloxy-2-methoxy)-ethenyl]-2-(ethoxycarbonyloxy)indole-1-carboxylate. Synthesis of the carbazole alkaloid carbazomycin B |
| **José Mª Quintela, María J. Moreira and Carlos Peinador** | 3037 | A ready one-pot preparation for pyrrolo[2,1-*f*][1,2,4]triazine and pyrazolo-[5,1-*c*]pyrimido[4,5-*e*][1,2,4]triazine derivatives |
| **Kalman Vogel, Jeffrey Sterling, Yaakov Herzig and Abraham Nudelman** | 3049 | α-1-Tributyltin-*O*-2,3-bisacetyl-4,6-ethylidene-glucose as a convenient glycosidation reagent: an efficient synthesis of etoposide |
| | I | Tetrahedron Reports on Organic Chemistry |
| | XXIII | Instructions to Contributors |


# NUMBER 9

## Contents

TETRAHEDRON SYMPOSIA-IN-PRINT NUMBER 59

# NOVEL APPLICATIONS OF HETEROCYCLES IN SYNTHESIS

*Guest Editor:* A. R. KATRITZKY

University of Florida, Gainesville, Florida, USA


| | | |
|---|---|---|
| | iii | Contributors to this Issue |
| | vii | Announcement: Tetrahedron Symposia-in-Print |
| | xiii | Preface |
| | xv | Graphical Abstracts |
| **Alessandro Dondoni, Alberto Marra, Isabel Rojo and Marie-Christine Scherrmann** | 3057 | Thiazolylketol acetates as glycosyl donors. Stereoselective synthesis of α-linked ketodisaccharides |
| **Leo A. Paquette, Tina M. Morwick, Joanna T. Negri and Robin D. Rogers** | 3075 | Addition of 2,3-dihydro-5-furanyllithium to diisopropyl squarate as a means for the rapid generation of structurally complex oxygen-containing tetraquinane networks |
| **José Barluenga, Miguel Tomás, Alfredo Ballesteros and Jian-She Kong** | 3095 | Simple synthesis of 2*H*-1,3-oxazines and their stereoselective transformation into 1,3-aminoalcohols and azetidines |
| **Jeffrey M. Schkeryantz and William H. Pearson** | 3107 | An efficient synthesis of (±)-crinane using an intramolecular azide–olefin cycloaddition |
| **Lindsay A. White and Richard C. Storr** | 3117 | Dihydrothiophenes as precursors to fused quinolines, quinolones and coumarins via *o*-quinodimethane intermediates |

| | | |
|---|---|---|
| **John P. Cherkauskas, Andrew M. Klos, Robert M. Borzilleri, Joseph Sisko, Steven M. Weinreb and Masood Parvez** | 3135 | A new method for preparation of 3,6-dihydro-2*H*-1,3-oxazines and explorations of their use in stereoselective synthesis of 1,3-amino alcohol derivatives |
| **Ruey-Fen Liao, Joseph W. Lauher and Frank W. Fowler** | 3153 | The application of the 2-amino-4-pyrimidones to supramolecular synthesis |
| **Hamish McNab and Kirsti Withell** | 3163 | Synthesis of 2-substituted 1,3-oxazin-6-ones by gas-phase pyrolysis |
| **Rasmus P. Clausen and Jan Becher** | 3171 | The 1,2,3-thiadiazole route to new vinylogue tetrathiafulvalenes |
| **Mieczysław Makosza, Michał Sypniewski and Tomasz Glinka** | 3189 | Vicarious nucleophilic substitution of hydrogen proceeding via heterocyclic ring opening |
| **Seock-Kyu Khim, Ericka Cederstrom, Dino C. Ferri and Patrick S. Mariano** | 3195 | SET-photosensitized reactions of α-silylamino-enones and ynones proceeding by 6-*endo* α-amino radical cyclization pathways |
| **Ursula Mävers, France Berruex and Manfred Schlosser** | 3223 | 3-Fluoro-2-quinolones from anilines |
| **Stephen F. Martin, Jeffrey A. Dodge, Laurence E. Burgess, Chris Limberakis and Michael Hartmann** | 3229 | Novel approach to the ansamycin antibiotics macbecin I and herbimycin A. A formal total synthesis of (+)-macbecin I |
| **Albert Padwa, David J. Austin, Alan T. Price and M. David Weingarten** | 3247 | Studies on the intramolecular cycloaddition reaction of isomünchnones derived from *N*-alkenyl substituted diazoimides |
| **Jacek Z. Brzezinski, Henryk B. Bzowski and Jan Epsztajn** | 3261 | A concise regioselective synthesis of hydroxyazaisoindolinones and their conversion into pyridopyridazinones |
| **Lucjan Strekowski, Lubomir Janda, Steven E. Patterson and Johnny Nguyen** | 3273 | Amination by lithium alkylamide reagents of ketimines derived from 2-(trifluoromethyl)anilines and methyl halophenyl ketones and their cyclization products 2-(halophenyl)quinolin-4-amines |
| **Jean-Bernard Behr, Albert Defoin, Joaquim Pires, Jacques Streith, Ludwig Macko and Margaretha Zehnder** | 3283 | Chiral *N*-dienyl-L-pyroglutamic esters in asymmetric hetero-Diels–Alder reactions with acylnitroso dienophiles |
| **Norbert De Kimpe, Christian Stevens and Miklos Virag** | 3303 | Rearrangement of α,δ-dichloroaldimines to 2-formylpyrrolidines: α,α-azacyclobisalkylation of aldehydes |
| **Carlo Dell'Erba, Marino Novi, Giovanni Petrillo, Domenico Spinelli and Cinzia Tavani** | 3313 | Synthetic exploitation of the ring-opening of 3,4-dinitrothiophene. Access to 1,4-disubstituted 2,3-dinitro-1,3-butadienes and 2,3-diaminobutanes |
| **P. E. Maligres, S. A. Weissman, V. Upadhyay, S. J. Cianciosi, R. A. Reamer, R. M. Purick, J. Sager, K. Rossen, K. K. Eng, D. Askin, R. P. Volante and P. J. Reider** | 3327 | Cyclic imidate salts in acyclic stereochemistry: diastereoselective *syn*-epoxidation of 2-alkyl-4-enamides to epoxyamides |
| **Rudolph A. Abramovitch, Ichiro Shinkai, B. J. Mavunkel, K. M. More, Sean O'Connor, Gino H. Ooi, William T. Pennington, P. C. Srinivasan and James R. Stowers** | 3339 | New ring systems from 1,2-benzisothiazole-1,1-dioxides and related compounds |
| **Jason Nichols, Tara Tralka, Bradley K. Goering, Charles F. Wilcox and Bruce Ganem** | 3355 | Heterocyclic routes to polysubstituted cyclopentanes: molecular modelling of electrophilic additions to di- and trisubstituted cyclopentenes |
| **Igor D. Sadekov, Alexander A. Maksimenko and Vladimir I. Minkin** | 3365 | 3*H*(3*R*)-Benzo-2,1-oxatelluroles as synthons in synthesis of *o*-alkyltellurophenyl carbonyl compounds |
| | I | Instructions to Contributors |

# NUMBER 10

## Contents


| | | |
|---|---|---|
| | iii | Contributors to this Issue |
| | v | Graphical Abstracts |
| | 3375 | Corrigendum |
| | | **TETRAHEDRON REPORT NUMBER 391** |
| **Marcial Moreno-Mañas, Jordi Marquet and Adelina Vallribera** | 3377 | Transformations of β-dicarbonyl compounds by reactions of their transition metal complexes with carbon and oxygen electrophiles |
| | | **ARTICLES** |
| **Craig J. Mossman and Jeffrey Aubé** | 3403 | Intramolecular Schmidt reactions of alkyl azides with ketals and enol ethers |
| **Ahmad R. Al Dulayymi, Juma'a R. Al Dulayymi, Mark S. Baird, Michelle E. Gerrard, Gani Koza, Samantha D. Harkins and Evan Roberts** | 3409 | 1,2,2-Tribromocyclopropanecarboxylic acid and derivatives—valuable intermediates for four carbon cyclopropane and cyclopropene synthons |
| **Suresh Das, J. S. Dileep Kumar, Kalchar Shivaramayya and Manapurathu V. George** | 3425 | Formation of lactams via photoelectron-transfer catalyzed reactions of *N*-allylamines with α,β-unsaturated esters |
| **A. Nangia and G. Prasuna** | 3435 | Studies on Horner–Wadsworth–Emmons reaction in base sensitive ketones: synthesis of (–)-mitsugashiwalactone and formal synthesis of (+)-iridomyrmecin, (–)-isoiridomyrmecin and (+)-teucriumlactone |
| **Nehal M. Elwan, Hyam A. Abdelhadi, Taysser A. Abdallah and Hamdi M. Hassaneen** | 3451 | Synthesis of [1,2,4]triazolo[3,4-*a*]isoquinolines and pyrrolo[2,1-*a*]isoquinolines using α-keto hydrazonoyl halides |
| **Raquel Alguacil, Francisco Fariña and M. Victoria Martín** | 3457 | 1,3-Dipolar cycloaddition of nitrile oxides to 2(5*H*)-furanones substituted at the 5-position by sulphur bearing groups |
| **Harry Heaney and George Papageorgiou** | 3473 | The use of bis(aminol) ethers derived from aliphatic primary amines in the synthesis of secondary and tertiary amines |
| **Ponnusamy Velusamy, Kasi Pitchumani and Chockalingam Srinivasan** | 3487 | Selectivity in bromination of aniline and N-substituted anilines encapsulated in β-cyclodextrin |
| **Anna Bernardi, Chiara Marchionni, Barbara Novo, Katia Karamfilova, Donatella Potenza, Carlo Scolastico and Pietro Roversi** | 3497 | Stereoselective conjugate addition of lithium and titanium enolates to γ-alkoxy enones |
| **Giancarlo Doddi, Maria Cristina Fazio, Loredana Luvidi, Paolo Mencarelli and Gianfranco Ercolani** | 3509 | Effect of alkali cations on the methoxide ion addition to corands incorporating a thiopyrylium subunit |
| **Minze T. Rispens, Onko Jan Gelling, André H. M. de Vries, Auke Meetsma, Fré van Bolhuis and Ben L. Feringa** | 3521 | Catalytic epoxidation of unfunctionalized alkenes by dinuclear nickel(II) complexes |
| **Giancarlo Fantin, Marco Fogagnolo, Pier Paolo Giovannini, Alessandro Medici, Paola Pedrini, Fausto Gardini and Rosalba Lanciotti** | 3547 | Anti-Prelog microbial reduction of prochiral carbonyl compounds |
| **Bianca F. Bonini, Enza Masi, Stefano Masiero, Germana Mazzanti and Paolo Zani** | 3553 | Protiodesilylation of 3-trimethylsilyl-2-thiabicyclo[2.2.1]hept-5-enes and derivatives: a stereochemical study |
| **Pilar Forns, Anna Diez, Mario Rubiralta, Xavier Solans and Mercè Font-Bardia** | 3563 | Synthetic applications of 2-(1,3-dithian-2-yl)indoles—VI. Synthesis of 20-epidasycarpidone |

| | | |
|---|---|---|
| **Korien Zegelaar-Jaarsveld, Howard I. Duynstee, Gijs A. van der Marel and Jacques H. van Boom** | 3575 | Iodonium ion-assisted synthesis of tetrameric fragments corresponding to the cell wall phenolic glycolipids of *Mycobacterium kansasii* serovars II and IV |
| **Korien Zegelaar-Jaarsveld, Sander A. W. Smits, Nicole C. R. van Straten, Gijs A. van der Marel and Jacques H. van Boom** | 3593 | Iodonium ion-assisted synthesis of a tetrameric fragment corresponding to the cell wall phenolic glycolipids of *Mycobacterium kansasii* serovar I |
| **Duncan M. Gill, Neil A. Pegg and Christopher M. Rayner** | 3609 | Lewis acid induced rearrangement of 2,3-epoxy sulfides; regiospecific trapping of thiiranium ion intermediates with nitrogen heterocycles and amides. Use of imines as nucleophilic equivalents for the selective mono-alkylation of primary amines |
| **Falmai Binns, Roy Hayes, Kevin J. Hodgetts, Suthiweth T. Saengchantara, Timothy W. Wallace and Christopher J. Wallis** | 3631 | The preparation and electrocyclic ring-opening of cyclobutenes: stereo-controlled approaches to substituted conjugated dienes and trienes |
| **Veejendra K. Yadav and Kamal K. Kapoor** | 3659 | KF adsorbed on alumina effectively promotes the epoxidation of electron deficient alkenes by anhydrous *t*-BuOOH |
| **K. C. Rajanna, Florence Solomon, Mir Moazzam Ali and P. K. Saiprakash** | 3669 | Kinetics and mechanism of Vilsmeier–Haack synthesis of 3-formyl chromones derived from *o*-hydroxy aryl alkyl ketones: a structure–reactivity study |
| **Ana M. Costero, C. Andreu, M. Pitarch and R. Andreu** | 3683 | Macrolactones and crown ethers derived from biphenyl. Electronic and steric influence of substituents on its complexation ability |
| **Vishwakarma Singh and B. Jagadish** | 3693 | Rearrangement in *endo* annulated bicyclo[2.2.2]octenone framework: a new route to functionalized tricyclo[5.3.1.$0^{2,6}$] ring system and *cis*:*syn*:*cis* tricyclopentanoids |
| **Norbert De Kimpe and Marian Keppens** | 3705 | Novel routes to indoles, indolines, quinolines and tetrahydroquinolines from *N*-(cyclohexylidene)amines |
| **Mark J. Beard, Jonathan H. Bailey, David T. Cherry, Mark G. Moloney, Sung Bo Shim, Kathryn A. Statham, Mark J. Bamford and R. Brian Lamont** | 3719 | Functionalised pyrrolidinones derived from (*S*)-pyroglutamic acid |
| **M. Jayaraman, V. Srirajan, A. R. A. S. Deshmukh and B. M. Bhawal** | 3741 | Modulating steric effects in diastereoselective Staudinger reaction: synthesis of optically pure *cis*-β-lactams |
| **Anthony Murray, George R. Proctor and P. John Murray** | 3757 | An efficient route to the pyrrolizidine ring system via an *N*-acyl anion cyclisation process |
| | I | Instructions to Contributors |


# NUMBER 11

## Contents


| | | |
|---|---|---|
| | iii | Contributors to this Issue |
| | v | Graphical Abstracts |
| | 3767 | Corrigendum |
| | | **TETRAHEDRON REPORT NUMBER 392** |
| **Elke Schoffers, Adam Golebiowski and Carl R. Johnson** | 3769 | Enantioselective synthesis through enzymatic asymmetrization |
| | | **ARTICLES** |
| **Dustin L. McMinn and Marc M. Greenberg** | 3827 | Novel solid phase synthesis supports for the preparation of oligonucleotides containing 3'-alkyl amines |

| | | |
|---|---|---|
| **David J. Hart and Anthony Mannino** | 3841 | Synthesis of defucogilvocarcin V isosteres via MAD-mediated conjugate addition of carbanions to naphthoquinone ketals |
| **Peter W. K. Woo and J. Ronald Rubin** | 3857 | Chalcomycin: single-crystal X-ray crystallographic analysis; biosynthetic and stereochemical correlations with other polyoxo macrolide antibiotics |
| **Jeongrim Lee and Rawle I. Hollingsworth** | 3873 | Isolation and characterization of a β-1-O-acyl-β-1,2-diglucosyl glycoside from the membranes of a Gram positive bacterium *Sarcina ventriculi* |
| **Hugo J. Monteiro and Julio Zukerman-Schpector** | 3879 | A new practical synthesis of (+)-grandisol from (+)-citronellol using an intramolecular carbenoid cyclization |
| **Kazuo Fujimoto, Yuichiro Tokuda, Hirofumi Maekawa, Yoshiharu Matsubara, Takumi Mizuno and Ikuzo Nishiguchi** | 3889 | Selective and one-pot formation of phenols by anodic oxidation |
| **Koichi Fukase, Ikuko Kinoshita, Takeshi Kanoh, Yoshihiko Nakai, Atsushi Hasuoka and Shoichi Kusumoto** | 3897 | A novel method for stereoselective glycosidation with thioglycosides: promotion by hypervalent iodine reagents prepared from PhIO and various acids |
| **Katsuji Ito, Miwa Yoshitake and Tsutomu Katsuki** | 3905 | Chiral bipyrindine and biquinoline ligands: their asymmetric synthesis and application to the synthesis of *trans*-whisky lactone |
| **Nobuo Kato, Hiroaki Okamoto and Hitoshi Takeshita** | 3921 | Total synthesis of optically active cotylenol, a fungal metabolite having a leaf growth activity. Intramolecular ene reaction for an eight-membered ring formation |
| **Carlos García-Echeverría and Robert Häner** | 3933 | A convenient method for the preparation of oligonucleotide 5'-phosphates |
| **Monika Mazik, Roland Boese and Reiner Sustmann** | 3939 | Reaction of 1,2-diketones with *N,N*-dimethylcyanamide in the presence of titanium(IV) chloride |
| **Christoph Kroesche and Martin G. Peter** | 3947 | Detection of melanochromes by MALDI–TOF mass spectrometry |
| **Valérie Meille, Emmanuelle Schulz, Marc Lemaire, René Faure and Michel Vrinat** | 3953 | An efficient synthesis of pure 4,6-dimethyldibenzothiophene |
| **W. Russell Bowman, J. Anthony Forshaw, Kevin P. Hall, Jonathan P. Kitchin and Andrew W. Mott** | 3961 | Reduction of Ag(I) by 1-acyl-2-arylhydrazines: mechanism of photographic infectious development |
| **Anna-Maria Lluch, Mariona Gibert, Francisco Sánchez-Baeza and Angel Messeguer** | 3973 | Studies on dioxirane chemoselectivity: the oxidation of an enamino moiety present in a Fischer carbene complex |
| **Vladimir V. Kovalev, Andrey K. Rozov and Elvira A. Shokova** | 3983 | Novel approach to trisubstituted adamantanes |
| **Mohammad Ilyas and Mehtab Parveen** | 3991 | Biomimetic synthesis of some novel coumarin dimers |
| **Antonio Arcadi, Orazio A. Attanasi, Lucia De Crescentini, Elisabetta Rossi and Franco Serra-Zanetti** | 3997 | Synthesis and transition metal catalysed reactions of 1-ureido-3-propargyl-2,3-dihydropyrrol-2-ols, 1-ureido-3-propargylpyrroles and 1-ureido-3-propargyl-3-phosphono-1*H*-pyrrol-2(3*H*)-ones |
| **Daniel Solé, Joan Bosch and Josep Bonjoch** | 4013 | 3a-(*o*-Nitrophenyl)octahydroindol-4-ones: synthesis and spectroscopic analysis |
| **Vijay Nair and Sasi Kumar** | 4029 | [4π + 2π]Cycloaddition reactions of *o*-benzoquinones with symmetrical 6,6-dialkyl and cycloalkylfulvenes: formation of bicyclo[2.2.2]octene diones and cyclopenta[*b*][1,4]benzodioxins. Some novel observations |
| **Giovanni Fronza, Claudio Fuganti, Monica Mendozza, Roberta S. Rallo, Gianluca Ottolina and Daniel Joulain** | 4041 | Stereochemistry of the double bond saturation in the formation in baker's yeast of 4-(4-hydroxyphenyl)-2-butanone (raspberry ketone) |
| **Tushar K. Chakraborty and Khaja Azhar Hussain** | 4053 | Synthesis of rapamycin–peptide hybrid molecule (RAP–P): high affinity FKBP12 ligand |

| | | |
|---|---|---|
| **Carlos Alvarez-Ibarra, Maria L. Quiroga and Emilio Toledano** | 4065 | Synthesis of polysubstituted 3-thiofurans by regiospecific mono-*ipso*-substitution and *ortho*-metallation from 3,4-dibromofuran |
| **Malcolm R. Banks, Alexander J. Blake, J. I. G. Cadogan, Allan A. Doyle, Ian Gosney, Philip K. G. Hodgson and Paul Thorburn** | 4079 | Asymmetric Diels–Alder reactions employing modified camphor-derived oxazolidin-2-one chiral auxiliaries |
| **Renzo Rossi, Fabio Bellina, Adriano Carpita and Felice Mazzarella** | 4095 | Palladium-mediated cross-coupling reactions involving 3-substituted alkyl (*E*)-2,3-dibromopropenoates and arylzinc or aryltin derivatives |
| **Pedro Bonete and Carmen Nájera** | 4111 | Dilithiated 3-tosylpropanal dimethyl acetal as β,β-acylvinyl dianion or homoenolate dianion equivalent |
| **Francisco Palacios, Domitila Aparicio and Jesus M. de los Santos** | 4123 | An efficient and general strategy for the synthesis of 4-phosphorylated pyrazoles from β-hydrazono phosphine oxides |
| **Keith Jones, Roger F. Newton and Christopher J. Yarnold** | 4133 | Synthetic studies on the ceveratrum alkaloid skeleton |
| **Antonio Arcelli, Gianni Porzi and Sergio Sandri** | 4141 | Unusual ammonolysis of a secondary amide assisted by unsubstituted vicinal amide group |
| | I | Instructions to Contributors |


# NUMBER 12

## Contents


| | | |
|---|---|---|
| | iii | Contributors to this Issue |
| | v | Graphical Abstracts |
| | | **TETRAHEDRON REPORT NUMBER 393** |
| **Andrew F. Parsons** | 4149 | Recent developments in kainoid amino acid chemistry |
| | | **ARTICLES** |
| **Jean-Marc Chapuzet, Sophie Beauchemin, Benoit Daoust and Jean Lessard** | 4175 | On the mechanism of alcoholysis of allylic and benzylic alcohols and of epoxides in the presence of ceric ammonium nitrate |
| **Ned A. Porter, Randall L. Carter, Christopher L. Mero, Michael G. Roepel and Dennis P. Curran** | 4181 | Penultimate group effects in free radical telomerizations of acrylamides |
| **Ernesto Occhiato and J. Bryan Jones** | 4199 | Probing enzyme stereospecificity. Inhibition of α-chymotrypsin and subtilisin Carlsberg by chiral amine- and aminoalcohol-derivatives |
| **Dorothée Alfonso, Trina Colman-Saizarbitoria, Geng-Xian Zhao, Guoen Shi, Qing Ye, Jon T. Schwedler and Jerry L. McLaughlin** | 4215 | Aromin and aromicin, two new bioactive annonaceous acetogenins, possessing an unusual bis-THF ring structure, from *Xylopia aromatica* (Annonaceae) |
| **Manuka Ghosh and Marvin J. Miller** | 4225 | Synthesis of a bicyclic oxamazin. A novel heteroatom activated β-lactam |
| **John A. Zoltewicz, Michael P. Cruskie, Jr and Carlton D. Dill** | 4239 | Use of pyridine *N*-oxide and pyridinium ion synthons in the preparation of oligopyridines. Two new unsymmetrical quaterpyridines with 2,2'-bipyridine units |
| **David H. Williams and D. John Faulkner** | 4245 | Two practical syntheses of an anti-inflammatory sesquiterpene furoic acid from *Sinularia* spp. |
| **Tetsuaki Tanaka, Kimiya Maeda, Hidenori Mikamiyama, Yousuke Funakoshi, Kenji Uenaka and Chuzo Iwata** | 4257 | Synthetic studies on aromadendrane-type compounds—III. Stereoselective total syntheses of (+)-aromadendrene and (–)-alloaromadendrene |

| | | |
|---|---|---|
| **Sadao Miki, Jun Ito, Ryuki Noda, Nariaki Nishijima and Koushi Fukunishi** | 4269 | Synthesis of 1,2,3-tri-*t*-butyl-6,13- and 8,9,10-tri-*t*-butyl-5,14-pentacenequinones and their photochromic behaviors: new photochromic molecules |
| **Hak-Fun Chow, Ida Yuk-Kit Chan, Chi Ching Mak and Man-Kit Ng** | 4277 | Synthesis and properties of a new class of polyether dendritic fragments: useful building blocks for functional dendrimers |
| **Shun-ya Onozawa, Toshiyasu Sakakura, Masato Tanaka and Motoo Shiro** | 4291 | Lanthanoid-catalysed Tishchenko reaction of mono- or di-aldehydes |
| **Makoto Kimura, Kazutaka Kobayashi, Yasushi Yamamoto and Yasuhiko Sawaki** | 4303 | Electrooxidative pinacol-type rearrangement of β-hydroxy sulfides. Efficient C–S cleavage mediated by chloride ion oxidation |
| **Atsuhiro Osuka, Yukihisa Wada and Satoshi Shinoda** | 4311 | Covalently linked pyropheophorbide dimers as models of the special pair in the photosynthetic reaction center |
| **Toru Kurome, Kaoru Inami, Tetsuya Inoue, Katsushige Ikai, Kazutoh Takesako, Ikunoshin Kato and Tetsuo Shiba** | 4327 | Total synthesis of an antifungal cyclic depsipeptide aureobasidin A |
| **Werner Kern and Gerhard Spiteller** | 4347 | Synthesis and properties of natural occurring α-hydroxyaldehydes |
| **Wladislaw Ivancev, Vassil I. Ognyanov and Manfred Hesse** | 4363 | Synthesis of macrocyclic enaminolactams by ring expansion reaction of 2-oxocyclododecane-1-carbonitrile with diarylcarbodiimides |
| **Jan Szymoniak, Didier Felix, Jack Besançon and Claude Moïse** | 4377 | A simple and practical synthesis of 3,10-disubstituted β-pinene derivatives |
| **Marie-Aimée Plancquaert, Martine Redon, Zdenek Janousek and Heinz G. Viehe** | 4383 | 2-Phenylthio-3,3,3-trifluoropropene, its sulfoxide and sulfone: synthesis and reactivity in 1,3-dipolar cycloadditions |
| **Eryka Guibé-Jampel, Zbigniew Chalecki, Mohamed Bassir and Mirjana Gelo-Pujic** | 4397 | Lipase catalyzed resolution of chiral acids or alcohols using mixed carboxylic–carbonic anhydrides |
| **Guo-qiang Shi, Qian Wang and Manfred Schlosser** | 4403 | Versatile 2-fluoroacrylic building blocks for the synthesis of fluorinated heterocyclic compounds |
| **Wang-Qing Liu, François Carreaux, Hervé Meudal, Bernard P. Roques and Christiane Garbay-Jaureguiberry** | 4411 | Synthesis of constrained 4-(phosphonomethyl)phenylalanine derivatives as hydrolytically stable analogs of *O*-phosphotyrosine |
| **B. Kharraz, P. Uriac, S. Sinbandhit and L. Toupet** | 4423 | Oxidation of 2,3- and 2,5-dihydro-1*H*-1-benzazepines by hydride transfer to an iminium ion: synthesis of 3*H*-1-benzazepines |
| **Axel Couture, Eric Deniau, Pierre Grandclaudon and Patrice Woisel** | 4433 | A new synthetic route to 2-alkyl-4-aryl-1(2*H*)-isoquinolones and 2-alkyl-4-aryl-1,2,3,4-tetrahydroisoquinolines |
| **Tahar Douadi, Michel Cariou and Jacques Simonet** | 4449 | Anodic oxidation of hexamethoxybiphenyls into either stable cation radical salt or spiro(fluorene-9,1'-cyclohexadienones) |
| **J. S. Yadav and D. K. Barma** | 4457 | Zinc mediated deoxygenation of 4-hydroxy-2-butenoic acid moiety. An application for the synthesis of multifunctional chiral synthon |
| **Leon A. G. M. van den Broek** | 4467 | 1,3-Dipolar cycloaddition reactions of homochiral cyclic nitrones derived from 1-deoxynojirimycin |
| **Sushil Raina and Vinod K. Singh** | 4479 | Asymmetric synthesis of 5-hexadecanolide, pheromone of the queen of the Oriental hornet, *Vespa orientalis* |
| **Jonathan Cobb, Ioannis N. Demetropoulos, Demetrios Korakas, Stavroula Skoulika and George Varvounis** | 4485 | Synthesis and reactions of 1-aryl-2-nitropyrroles. Structural and conformational study of ethyl *N*-[2'-[1'-(2-nitropyrrolyl)]phenyl]-*N*-toluene-4-sulfonamide glycinate |
| **Li-Gong Liu, Tong Zhang and Zhen-Su Li** | 4495 | Regio- and stereo-selective hydrogenation of 17-substituted 13β-ethyl-11β-hydroxy-gona-4,9-dien-3-ones and NMR study |
| **Teris A. van Beek and Peter P. Lankhorst** | 4505 | Confirmation of the C-1 stereochemistry of ginkgolides by NMR |

**S. Baskaran, J. Vasu, Ram Prasad K. Kodukulla, Girish K. Trivedi and J. Chandrasekhar** 4515 1,3-Dipolar cycloaddition reaction of α,β-unsaturated esters and lactones with diazomethane

I Instructions to Contributors

# NUMBER 13

## Contents

iii Contributors to this Issue

v Graphical Abstracts

**TETRAHEDRON REPORT NUMBER 394**

**Pedro H. H. Hermkens, Harry C. J. Ottenheijm and David Rees** 4527 Solid-phase organic reactions: a review of the recent literature

**ARTICLES**

**Wayland E. Noland, Guang-Ming Xia, Kyle R. Gee, Michael J. Konkel, Mary J. Wahlstrom, John J. Condoluci and Dale L. Rieger** 4555 *In situ* vinylindole synthesis. Diels–Alder reactions with maleic anhydride and maleic acid to give tetrahydrocarbazoles and carbazoles

**Yukiko Doi, Masami Ishibashi and Jun'ichi Kobayashi** 4573 Total synthesis of pseudodistomin C, a sphingosine-related piperidine alkaloid from tunicate *Pseudodistoma kanoko*

**Birgit Bollbuck, Philip Kraft and Werner Tochtermann** 4581 Nature-like odorants by stereoselective ring enlargement of cyclohexanone and cyclododecanone

**S. Pedragosa-Moreau, A. Archelas and R. Furstoss** 4593 Microbiological transformations—XXXII. Use of epoxide hydrolase mediated biohydrolysis as a way to enantiopure epoxides and vicinal diols: application to substituted styrene oxide derivatives

**Moncef Bellassoued and Malika Salemkour** 4607 Exclusive γ-regio functionalization of crotonaldehyde using γ-trimethylsilyl crotonaldimine. Application to the one pot synthesis of conjugated dienals

**Frederic Alessi, Alain Doutheau, Daniel Anker, Guy Condemine and Janine Robert-Baudouy** 4625 Synthesis of methyl esters of 3-deoxy-D-*erythro*-2-hexulosonic acid (KDG) analogs, inducers of the expression of pectinase genes in bacteria *Erwinia chrysanthemi*

**Holger Keller and Manfred Schlosser** 4637 2-(Trifluoromethyl)quinolines from anilines: a novel mode of isomerization and cyclization

**Maurus Marty, Helen Stoeckli-Evans and Reinhard Neier** 4645 Diastereoselective synthesis of (1*S*,2*S*,3*R*,6*S*) 3-chloro-3-methyl-6-isopropenyl-1,2-cyclohexanediol via Prins reaction induced by zinc and trimethylsilyl chloride

**Catherine Caris, Paul Baret, Jean-Louis Pierre and Guy Serratrice** 4659 Synthesis and NMR study of two lipophilic iron(III) sequestering agents based on 8-hydroxyquinoline; H-bonding and conformational changes

**Yee-Hing Lai, Lin Ma and K. F. Mok** 4673 12,13,25,26-Tetraaza-2,15-dithia[3.3]phenanthrolinophane. Synthesis, conformational study and complexation reactions

**K. Mallik Yadav, Joghee R. Suresh, Balaram Patro, Hiriyakkanavar Ila and Hiriyakkanavar Junjappa** 4679 Stepwise controlled reduction of α-oxoketene dithioacetals with $Zn/ZnCl_2$–TMEDA in ethanol

**David StC. Black, Michael C. Bowyer, Andrew J. Ivory, Katrina A. Jolliffe and Naresh Kumar** 4687 Synthesis of 7-indolyl-imines by the reaction of 4,6-dimethoxyindoles with secondary amides and phosphoryl chloride

**David StC. Black, Andrew J. Ivory and Naresh Kumar** 4697 Synthesis of biindolyls by the reaction of indoles with indolin-2-ones and phosphoryl chloride or trifluoromethanesulfonic anhydride

**E. J. P. Malar** 4709 SINDO1 investigations on the low-lying states of some three-membered antiaromatic systems

**Achille Barco, Simonetta Benetti, Carmela De Risi, Gian P. Pollini, Giampiero Spalluto and Vinicio Zanirato** 4719 4-Isopropyl-2-oxazolin-5-one anion as masked umpoled synthon for both formyl and hydroxycarbonyl anions: generation, reactivity and synthetic applications

| | | |
|---|---|---|
| **Peter J. Scammells, Stephen P. Baker, Luiz Bellardinelli, Ray A. Olsson, Richard A. Russell and Denis M. J. Wright** | 4735 | The synthesis of the novel adenosine agonists, *exo*- and *endo*-$N^6$-(5,6-epoxynorborn-2-yl)adenosine |
| **James M. Lovell, Roy L. Beddoes and John A. Joule** | 4745 | Synthesis of 4,6-disubstituted thianthrenes; X-ray crystal structures of 4,6-diphenylthianthrene and 1-tetrathiafulvalenylnaphthalene |
| **Francisco Sarabia-García and F. Jorge López-Herrera** | 4757 | Studies on the synthesis of tunicamycin. The preparation of 7-deoxy-2-deamino-6-hydroxy tunicamine and related products |
| **Martin C. Clasby, Donald Craig, Albert A. Jaxa-Chamiec, Justine Y. Q. Lai, Andrew Marsh, Alexandra M. Z. Slawin, Andrew J. P. White and David J. Williams** | 4769 | Vitamin $D_3$ synthetic studies. Intramolecular Diels–Alder approaches to the CD-ring fragment |
| **Bianca F. Bonini, Mauro Comes-Franchini, Mariafrancesca Fochi, Germana Mazzanti and Alfredo Ricci** | 4803 | Chemistry of silyl thioketones—IX. A new selective synthesis of 1-silyl-1-enethiols and of 2-silyl-thiacycloalk-2-enes of common to large ring size |
| **Alfonso Fernández-Mateos, Gustavo Pascual Coca, Rosa Rubio González and Carolina Tapia Hernández** | 4817 | Model insect antifeedants. Synthesis of azadiradione fragments through acyl radicals cyclizations and stannane coupling reactions |
| **Pietro Spanu, Gloria Rassu, Fausta Ulgheri, Franca Zanardi, Lucia Battistini and Giovanni Casiraghi** | 4829 | Divergent synthesis of 3-amino-3-deoxy- and 4-amino-4-deoxyhexoses |
| **Alberto Avenoza, Carlos Cativiela, Miguel París and Jesús M. Peregrina** | 4839 | The use of 1-amino-2-phenyl-1-cyclohexanecarboxylic acids as chiral auxiliaries in asymmetric Diels–Alder reactions |
| **Clara Baldoli, Paola Del Buttero, Emanuela Licandro, Antonio Papagni and Tullio Pilati** | 4849 | Tricarbonyl($\eta^6$arene)chromium(0) complexes as chiral auxiliaries: asymmetric synthesis of β-aminoesters and β-lactams by Reformatsky condensation |
| **Francisco Palacios, Domitila Aparicio and Jesús M. de los Santos** | 4857 | Reaction of *N*-vinylic phosphazenes with carbonyl compounds. Reactivity of the vinyl side chain versus aza-Wittig reaction |
| **Cynthia Ebert, Lucia Gardossi, Paolo Linda, Regina Vesnaver and Marco Bosco** | 4867 | Influence of organic solvents on enzyme chemoselectivity and their role in enzyme–substrate interaction |
| **Kandasamy Sakthivel and Tanmaya Pathak** | 4877 | One-pot deoxygenative conversion of a ribonucleoside to enaminonucleosides involving 1,2-hydride shift rearrangement |
| **Hervé Corlay, William B. Motherwell, Andrew M. K. Pennell, Michael Shipman, Alexandra M. Z. Slawin, David J. Williams, Paul Binger and Michael Stepp** | 4883 | Stereochemical aspects of intramolecular palladium catalysed [3 + 2] cycloadditions of methylenecyclopropanes |
| **José L. López-Pérez, Esther del Olmo, Beatriz de Pascual-Teresa, Marta Merino and Arturo San Feliciano** | 4903 | The stereochemistry of thuriferic and epithuriferic acids |
| **Pablo Gaviña, Natividad López Lavernia, Ramón Mestres and Miguel A. Miranda** | 4911 | Deacetalization by photoinduced electron transfer with a pyrylium salt: effect of limiting the amounts of water, oxygen and sensitizer |
| **M. C. de la Fuente, Luis Castedo and Domingo Domínguez** | 4917 | Total synthesis of (±)-*O*-methylclavizepine |
| | I | Instructions to Contributors |

# NUMBER 14

## Contents

TETRAHEDRON SYMPOSIA-IN-PRINT NUMBER 60

# FULLERENE CHEMISTRY

*Guest Editor:* AMOS B. SMITH, III

University of Pennsylvania, Philadelphia, Pennsylvania, USA


| | | |
|---|---|---|
| | iii | Contributors to this Issue |
| | vii | Announcement: Tetrahedron Symposia-in-Print |
| | xiii | Preface |
| | xv | Graphical Abstracts |
| **Peter Timmerman, Harry L. Anderson, Rüdiger Faust, Jean-François Nierengarten, Tilo Habicher, Paul Seiler and François Diederich** | 4925 | Fullerene–acetylene hybrids: towards a novel class of molecular carbon allotropes |
| **J. Osterodt, A. Zett and F. Vögtle** | 4949 | Fullerenes by pyrolysis of hydrocarbons and synthesis of isomeric methanofullerenes |
| **Long Y. Chiang, J. B. Bhonsle, Leeyih Wang, S. F. Shu, T. M. Chang and Jih Ru Hwu** | 4963 | Efficient one-flask synthesis of water-soluble [60]fullerenols |
| **Toshiyasu Suzuki, Koichi Kikuchi, Fumihiro Oguri, Yasuhiko Nakao, Shinzo Suzuki, Yohji Achiba, Kazunori Yamamoto, Hideyuki Funasaka and Takeshi Takahashi** | 4973 | Electrochemical properties of fullerenolanthanides |
| **Masatomi Ohno, Toshihiro Azuma, Satoshi Kojima, Yuri Shirakawa and Shoji Eguchi** | 4983 | An efficient functionalization of [60]fullerene. Diels–Alder reaction using 1,3-butadienes substituted with electron-withdrawing and electron-donating (silyloxy) groups |
| **Takahiro Kusukawa, Akihiko Shike and Wataru Ando** | 4995 | Photochemical functionalization of $C_{60}$ with cyclosilanes and cyclogermane |
| **Andreas Gügel, Pavel Belik, Michael Walter, Alexander Kraus, Eva Harth, Manfred Wagner, Jochen Spickermann and Klaus Müllen** | 5007 | The repetitive Diels–Alder reaction: a new approach to [60]fullerene main-chain polymers |
| **Takeshi Akasaka, Tatsuhisa Kato, Shigeru Nagase, Kaoru Kobayashi, Kazunori Yamamoto, Hideyuki Funasaka and Takeshi Takahashi** | 5015 | Chemical derivatization of endohedral metallofullerene La@$C_{82}$ with digermirane |
| **Alan L. Balch, Arwa S. Ginwalla, Marilyn M. Olmstead and Regine Herbst-Irmer** | 5021 | Structural analysis of products from the $C_{60}$–piperazine reaction. Consistent geometric distortions of the fullerene core upon adduct formation |
| **Bernhard Kräutler and Josef Maynollo** | 5033 | Diels–Alder reactions of the [60]fullerene: functionalizing a carbon sphere with flexibly and with rigidly bound addends |

| | | |
|---|---|---|
| **Mark S. Meier and Magdalena Poplawska** | 5043 | The addition of nitrile oxides to $C_{60}$ |
| **Hideo Nagashima, Masayuki Saito, Yoshiyuki Kato, Hitoshi Goto, Eiji Osawa, Masaaki Haga and Kenji Itoh** | 5053 | Electronic structures and redox properties of silylmethylated $C_{60}$ |
| **I. Lamparth, A. Herzog and A. Hirsch** | 5065 | Synthesis of [60]fullerene derivatives with an octahedral addition pattern |
| **Yasujiro Murata, Kiyoto Motoyama, Koichi Komatsu and Terence S. M. Wan** | 5077 | Synthesis, properties, and reactions of a stable carbanion derived from alkynyldihydrofullerene: 1-octynyl-$C_{60}$ carbanion |
| **Shigeru Yamago, Masao Yanagawa, Hideyuki Mukai and Eiichi Nakamura** | 5091 | Tertiary phosphines, P-chiral phosphinites and phosphonic acid esters bearing fullerene substituent. Metal complexes and redox properties |
| **Takayuki Ishida, Koji Shinozuka, Takashi Nogami, Masayuki Kubota and Mamoru Ohashi** | 5103 | Synthesis and characterization of $C_{60}$ derivatives possessing TEMPO radicals |
| **Chad A. Mirkin and W. Brett Caldwell** | 5113 | Thin film, fullerene-based materials |
| **Stephen R. Wilson, Qingyi Lu, Jingrong Cao, Yunhui Wu, Christopher J. Welch and David I. Schuster** | 5131 | Chiral non-racemic $C_{60}$ derivatives: a proposed sector rule for fullerene absolute configuration |
| **R. Shimshi, A. Khong, H. A. Jiménez-Vázquez, R. J. Cross and M. Saunders** | 5143 | Release of noble gas atoms from inside fullerenes |
| **Majid Keshavarz-K., Brian Knight, Robert C. Haddon and Fred Wudl** | 5149 | Linear free energy relation of methanofullerene $C_{61}$-substituents with cyclic voltammetry: strong electron withdrawal anomaly |
| **Christopher J. Pope and Jack B. Howard** | 5161 | Thermodynamic limitations for fullerene formation in flames |
| **Yi-Zhong An, Chi-Hong B. Chen, Jamey L. Anderson, David S. Sigman, Christopher S. Foote and Yves Rubin** | 5179 | Sequence-specific modification of guanosine in DNA by a $C_{60}$-linked deoxyoligonucleotide: evidence for a non-singlet oxygen mechanism |
| **J. Wang, G. Javahery, V. Baranov and D. K. Bohme** | 5191 | Reactions of $C_{60}^{\bullet+}$, $C_{60}^{2+}$ and $C_{60}^{\bullet 3+}$ with $C_2H_2$ and $C_2H_4$ in the gas phase: polymerization initiated by $C_{60}^{\bullet 3+}$ |
| **R. C. Haddon and K. Raghavachari** | 5207 | Electronic structure of the fulleroids: homoconjugation in bridged $C_{60}$ derivatives |
| **Maurizio Prato, Michele Maggini, Cristina Giacometti, Gianfranco Scorrano, Giancarlo Sandonà and Giuseppe Farnia** | 5221 | Synthesis and electrochemical properties of substituted fulleropyrrolidines |
| **Anthony G. Avent, Paul R. Birkett, Adam D. Darwish, Harold W. Kroto, Roger Taylor and David R. M. Walton** | 5235 | Formation of $C_{70}Ph_{10}$ and $C_{70}Ph_8$ from the electrophile $C_{70}Cl_{10}$ |
| **Paul A. Cahill and Celeste M. Rohlfing** | 5247 | Theoretical studies of derivatized buckyballs and buckytubes |
| **Amos B. Smith, III and Hidetoshi Tokuyama** | 5257 | Nitrene additions to [60]fullerene do not generate [6,5] aziridines |
| | I | Instructions to Contributors |

# NUMBER 15

## Contents


| | | |
|---|---|---|
| | iii | Contributors to this Issue |
| | v | Graphical Abstracts |
| | | **TETRAHEDRON REPORT NUMBER 395** |
| **Benjamin W. Gung** | 5263 | Diastereofacial selection in nucleophilic additions to unsymmetrically substituted trigonal carbons |
| | | **ARTICLES** |
| **Seunguk Paik and Emil H. White** | 5303 | α-Aminosulfonopeptides as possible functional analogs of penicillin; evidence for their extreme instability |
| **Darren L. Holmes and David A. Lightner** | 5319 | Synthesis and acidity constants of $^{13}CO_2H$-labelled dicarboxylic acids. p$K_a$s from $^{13}C$ NMR |
| **Martha S. Morales-Ríos, María A. Bucio and Pedro Joseph-Nathan** | 5339 | Formal synthesis of (±)-physostigmine |
| **Ravindra K. Pandey, Nadine Jagerovic, Joseph M. Ryan, Thomas J. Dougherty and Kevin M. Smith** | 5349 | Syntheses and preliminary *in vivo* photodynamic efficacy of benzoporphyrin derivatives from phylloerythrin and rhodoporphyrin XV methyl esters and aspartyl amides |
| **Rahul Jain and Louis A. Cohen** | 5363 | Regiospecific alkylation of histidine and histamine at N-1 (τ) |
| **Antonio M. Montanari, William Fenical, Niels Lindquist, Angela Y. Lee and Jon Clardy** | 5371 | Volutamides A–E, halogenated alkaloids with antifeedant properties from the Atlantic bryozoan *Amathia convoluta* |
| **David H. Williams and D. John Faulkner** | 5381 | *N*-Methylated ageliferins from the sponge *Astrosclera willeyana* from Pohnpei |
| **Jun'ichi Kobayashi, Hirokazu Hosoyama, Takie Katsui, Naotoshi Yoshida and Hideyuki Shigemori** | 5391 | Taxuspines N, O and P, new taxoids from Japanese yew *Taxus cuspidata* |
| **Masamichi Kinoshita and Atsuyoshi Ohno** | 5397 | Factors influencing enantioselectivity of lipase-catalyzed hydrolysis |
| **Johannes Averdung and Jochen Mattay** | 5407 | Exohedral functionalization of [60]fullerene by [3 + 2] cycloadditions: syntheses and chemical properties of triazolino-[60]fullerenes and 1,2-(3,4-dihydro-2*H*-pyrrolo)-[60]fullerenes |
| **Gregorio Torres-García and Jochen Mattay** | 5421 | Exohedral functionalization of [60]fullerene by [4 + 2] cycloadditions. Diels–Alder reactions of [60]fullerene with electron rich 2,3-dioxy-substituted-1,3-butadienes |
| **G. Kollenz, G. Penn, R. Theuer, W. M. F. Fabian, H. A. Abd El-Nabi, Xiong Zhang, K. Peters, E.-M. Peters and H. G. von Schnering** | 5427 | Reactions of cyclic oxalyl compounds—XXXVIII. New isoindigoide dyes from heterocyclic 2,3-diones—synthesis and thermal rearrangement |
| **Hermann K. Hombrecher, Stefan Ohm and Daniela Koll** | 5441 | Synthesis of galactopyranosyl substituted porphyrins |
| **Gregor Tewes, Andreas Hirschfelder and Peter Eilbracht** | 5449 | Stereoselective synthesis of 2-*exo*-functionalized bicyclo[3.2.1]oct-3-en-8-ones by iron mediated carbonylation of bicyclo[4.1.0]hept-2-enes |
| **Dirk P. Dygutsch and Peter Eilbracht** | 5461 | Synthesis of cyclopentanone derivatives with polystyrene-supported cyclopentadienyl rhodium catalysts |
| **Andreas Sattler and Günter Haufe** | 5469 | A facile two-step synthesis of (ω-1)-fluoroalkan-ω-olides: influence of a vicinal fluorine substituent in nucleophilic substitutions |
| **Peter Laackmann and Willy Friedrichsen** | 5475 | Bis-(pyrimidiniumolates) |

| | | |
|---|---|---|
| **Waldemar Adam and Marion N. Korb** | 5487 | Diastereoselective oxidation of lithium and chlorotitanocene enolates derived from camphor |
| **Olivier Lavastre, Laurence Ollivier, Pierre H. Dixneuf and Sourisak Sibandhit** | 5495 | Sequential catalytic synthesis of rod-like conjugated poly-ynes |
| **D. Stuerga and P. Gaillard** | 5505 | Microwave heating as a new way to induce localized enhancements of reaction rate. Non-isothermal and heterogeneous kinetics |
| **Sylvie Dérien, Dominique Jan and Pierre H. Dixneuf** | 5511 | Ruthenium-catalysed coupling of allyl alcohol with alkynes: a new route to γ,δ-unsaturated acetals and aldehydes |
| **Frédéric Werner, Gilles Parmentier, Bang Luu and Laurence Dinan** | 5525 | A convenient stereoselective synthesis of castasterone and its analogues using arsenic ylides |
| **Mariella Mella, Mauro Freccero and Angelo Albini** | 5533 | The photochemical approach to the functionalization of open-chain and cyclic alkanes—I. Single electron transfer oxidation |
| **Mariella Mella, Mauro Freccero and Angelo Albini** | 5549 | The photochemical approach to the functionalization of open-chain and cyclic alkanes—II. Hydrogen abstraction |
| **Nafizal Hossain, Norbert Blaton, Oswald Peeters, Jef Rozenski and Piet A. Herdewijn** | 5563 | Synthesis of homo-N-nucleosides, a series of C1' branched-chain nucleosides |
| **V. Srirajan, Vedavati G. Puranik, A. R. A. S. Deshmukh and Baburao M. Bhawal** | 5579 | An efficient use of Oppolzer sultam for diastereospecific synthesis of *cis*-β-lactams |
| **V. Srirajan, A. R. A. S. Deshmukh and B. M. Bhawal** | 5585 | An efficient synthesis of *cis*-3-hydroxy-4-phenyl-β-lactams: precursor for taxol side chain |
| **Jacqueline Marchand-Brynaert, Michèle Bouchet, Roland Touillaux, Cécile Beauve and Jacques Fastrez** | 5591 | Design and synthesis of a bifunctional label for selection of β-lactamase displayed on filamentous bacteriophage by catalytic activity |
| **Pejakala K. Vasudeva and Madhavarao Nagarajan** | 5607 | Ring opening reactions of benzyl 2,3-anhydro-α-D-ribopyranoside with nucleophiles |
| **Joel P. Mackay, Cathryn J. Shelton and Margaret M. Harding** | 5617 | Assignment of the $^1$H NMR spectrum and solution conformation of the antitumour antibiotic ditrisarubicin B |
| **Geir Langli, Lise-Lotte Gundersen and Frode Rise** | 5625 | Regiochemistry in Stille couplings of 2,6-dihalopurines |
| **Anthony J. Bellamy and P. Nick Hudson** | 5639 | Chloro- and bromo-demethoxylation of methoxypolynitroaryl systems |
| | I | Instructions to Contributors |


# NUMBER 16

## Contents


| | | |
|---|---|---|
| | iii | Contributors to this Issue |
| | v | Graphical Abstracts |
| | | **TETRAHEDRON REPORT NUMBER 396** |
| **Chao-Jun Li** | 5643 | Aqueous Barbier–Grignard type reaction: scope, mechanism, and synthetic applications |
| | | **ARTICLES** |
| **Scott McN. Sieburth, Joseph J. Somers and Heather K. O'Hare** | 5669 | α-Alkyl-α-aminosilanes—I. Metalation and alkylation between silicon and nitrogen |
| **Scott McN. Sieburth and Joseph J. Somers** | 5683 | α-Alkyl-α-aminosilanes—II. A $^2$H NMR study of organolithium stabilization by silicon and by phenyl in solution |

| | | |
|---|---|---|
| **Eugene P. Mazzola, Saleh A. Turujman, Sandra J. Bell, Julie N. Barrows, John E. Bailey, Jr, Ely G. Mouchahoir, Steven Prescott, Mark D. Archer, Mark Oliver, William F. Reynolds and Kathy W. Nielsen** | 5691 | Nuclear magnetic resonance investigations of azo–hydrazone, acid–base equilibria of FD&C Yellow No. 6 |
| **Fillmore Freeman, Jeong Doo Kim, Mark Yun Lee and Xiaojing Wang** | 5699 | Rearrangement of bis[(2,4,6-trimethylphenyl)methanoyl]bicyclo[2.2.1]hept-5-enes to 2-oxabicyclo[3.3.0]octa-3,7-dienes |
| **Michael C. Pirrung and David S. Nunn** | 5707 | Photochemical rearrangements of quinone monoketals |
| **Michael L. Miller and Partha S. Ray** | 5739 | An intramolecular 1,3-dipolar cycloaddition approach to a pyrimidoazepinone derivative. A potentially useful intermediate towards the synthesis of pyrimidoazepine based folic acid derivatives |
| **Jun'ichi Kobayashi, Kyoko Yuasa, Takayuki Kobayashi, Takuma Sasaki and Masashi Tsuda** | 5745 | Jaspiferals A–G, new cytotoxic isomalabaricane-type nortriterpenoids from Okinawan marine sponge *Jaspis stellifera* |
| **Masaki Yamada, Kazuya Nakao, Toshio Fukui and Ken-ichi Nunami** | 5751 | (*Z*)-Selective β-bromination of *N*-formyl-α,β-dehydroamino acid esters |
| **Kohei Tamao, Atsushi Kawachi, Yoko Tanaka, Hitoshi Ohtani and Yoshihiko Ito** | 5765 | Synthetic applications of functionalized silyl anions: aminosilyl anions as hydroxy anion equivalent |
| **R. Kluge, M. Schulz and S. Liebsch** | 5773 | Sulfonic peracids—III. Heteroatom oxidation and chemoselectivity |
| **Thomas Schanding, Pia D. Vogel, Wolfgang E. Trommer and John G. Wise** | 5783 | Synthesis of a pH-sensitive spin-labeled cyclohexylcarbodiimide derivative for probing protonation reactions in proton-pumping enzymes |
| **Yang Ye, Ingrid Josten, Norbert Arnold, Bert Steffan and Wolfgang Steglich** | 5793 | Isolation of a fluorone pigment from the Indian paint fungus *Echinodontium tinctorium* and *Pyrofomes albomarginatus* |
| **Waldemar Adam and Alexander K. Smerz** | 5799 | Nickel-catalyzed hydroxylation of 1,3-dicarbonyl compounds by dimethyldioxirane |
| **Dieter Enders and Monika Knopp** | 5805 | Novel asymmetric syntheses of (–)-malyngolide and (+)-*epi*-malyngolide |
| **Sandrine Jolivet, Loïc Toupet, Francoise Texier-Boullet and Jack Hamelin** | 5819 | Unusual and stereoselective ring closure of unsaturated monohydrazones with β-ketoesters in a solvent-free reaction |
| **Pedro Molina, Julián Alcántara and Carmen López-Leonardo** | 5833 | Regiospecific preparation of γ-carbolines and pyrimido[3,4-*a*]indole derivatives by intramolecular ring-closure of heterocumulene-substituted indoles |
| **Justo Cobo, Manuel Melguizo, Adolfo Sánchez, Manuel Nogueras and Erik De Clercq** | 5845 | A new method for the synthesis of 2-glycosylaminopyridines |
| **Andrey A. Fokin, Pavel A. Gunchenko, Natalya I. Kulik, Svetlana V. Iksanova, Pavel A. Krasutsky, Igor' V. Gogoman and Alexander G. Yurchenko** | 5857 | $NO_2^+$-Containing reagents in the electrophilic and oxidative addition to propellanic C–C bond |
| **Pelayo Camps, Rachid El Achab, Mercè Font-Bardia, Diana Görbig, Jordi Morral, Diego Muñoz-Torrero, Xavier Solans and Montserrat Simon** | 5867 | Easy synthesis of 7-alkylbicyclo[3.3.1]non-6-en-3-ones by silica gel-promoted fragmentation of 3-alkyl-2-oxaadamant-1-yl mesylates |
| **Carlos Cativiela, Maria D. Diaz-de-Villegas and Ana I. Jiménez** | 5881 | Wittig olefination of methyl (1*S*,2*R*)-1-benzamido-2-formylcyclopropanecarboxylate. A powerful tool for the synthesis of new conformationally constrained cyclopropyl amino acids |
| **Carlo Dell'Erba, Marino Novi, Giovanni Petrillo and Cinzia Tavani** | 5889 | Electrophilic α-*p*-tolylhydrazonylation of *tert*-butyl alkanoates and tertiary alkanamides with *tert*-butyl *p*-tolylazo sulfide |
| **Mercedes Cueto and José Darias** | 5899 | Uncommon tetrahydrofuran monoterpenes from Antarctic *Pantoneura plocamioides* |
| **Guo-Qiang Lin and Wei-Chu Xu** | 5907 | A convergent and stereoselective synthesis of the sex pheromone of *Macrocentrus grandii* |

| | | |
|---|---|---|
| **David E. Fenton and George Papageorgiou** | 5913 | Synthesis of unsymmetrical dinucleating ligands bearing nitrogen and oxygen donor atoms |
| **Alberto García, Luis Castedo and Domingo Domínguez** | 5929 | Revision of the structures of linaresine and dihydrolinaresine |
| **Mª del Mar Blanco, Miguel Ángel Alonso, Carmen Avendaño and J. Carlos Menéndez** | 5933 | New findings in hetero Diels–Alder reactions of quinolinetriones |
| **Nynke M. Spijker, Cor A. Keuning, Mariska Hooglugt, Gerrit H. Veeneman and Constant A. A. van Boeckel** | 5945 | Synthesis of a hexasaccharide corresponding to a porcine zona pellucida fragment that inhibits porcine sperm–oocyte interaction *in vitro* |
| **Takatoshi Matsumoto, Takayuki Shioiri and Eiji Osawa** | 5961 | Computational studies of effective asymmetric alkylation utilizing a chiral Schiff base derived from 2-hydroxy-3-pinanone—I |
| **Takatoshi Matsumoto, Takayuki Shioiri and Eiji Osawa** | 5971 | Computational studies of effective asymmetric alkylation utilizing a chiral Schiff base derived from 2-hydroxy-3-pinanone—II |
| **Rikki P. Alexander, Robert W. Bates, Andrew J. Pratt and James A. E. Kraunsoe** | 5983 | An *N*-nitrosochloroethyl-cephalosporin carbamate prodrug for antibody-directed enzyme prodrug therapy (ADEPT) |
| **Vanda Cerè, Salvatore Pollicino and Antonino Fava** | 5989 | Formation of cyclic sulfonium salts by $Me_3Sil$-promoted intramolecular displacement of hydroxide or methoxide by sulfide. Ring contraction thiepane → thiolane |
| **Florencio Zaragoza and Susanne Vejle Petersen** | 5999 | Generation of rhodium carbenoids on a polystyrene support and their OH-insertion reaction with alcohols |
| **Catharina M. Saunders, Susanna L. Bonnet, Jan P. Steynberg and Daneel Ferreira** | 6003 | Oligomeric flavanoids—XXIV. Controlled biomimetic synthesis of profisetinidin triflavanoid related phlobatannins |
| **Arturo Arduini, Leonardo Mirone, Daniela Paganuzzi, Alessandra Pinalli, Andrea Pochini, Andrea Secchi and Rocco Ungaro** | 6011 | New calix[4]arenes having electron donating groups at the upper rim as molecular platforms and host molecules |
| **Bartłomiej Furman, Zbigniew Kałuza and Marek Chmielewski** | 6019 | Stereochemical course of [2 + 2]cycloaddition of chlorosulfonyl isocyanate to *cis* and *trans* 3-*O*-but-1'-enyl-1,2-*O*-isopropylidene-α-D-xylofuranose |
| | I | Instructions to Contributors |


# NUMBER 17

## Contents


| | | |
|---|---|---|
| | iii | Contributors to this Issue |
| | v | Graphical Abstracts |
| | | **TETRAHEDRON REPORT NUMBER 397** |
| **Howard L. Mansell** | 6025 | Synthetic approaches to anatoxin-*a* |
| | | **ARTICLES** |
| **Alan P. Marchand, Yanjun Wang, Chien-tai Ren, Vuligonda Vidyasagar and Dongqing Wang** | 6063 | On the mechanism of acid promoted ring opening of a pentacyclo-[5.4.0.0$^{2,6}$.0$^{3,10}$.0$^{5,9}$]undecane-spiroannulated oxetane |
| **Barry B. Snider and Eugenia Y. Kiselgof** | 6073 | Mn(III)-based oxidative free radical cyclizations of unsaturated 2-cyclohexenones and aldehydes |
| **Derrick L. J. Clive, Xianglong Kong and Christine Chua Paul** | 6085 | Further model studies related to fredericamycin A: analogues in which ring C is expanded to six atoms, and an examination of the diastereoselectivity of radical spirocyclization |
| **Alirica I. Suarez, Jing Lin and Charles M. Thompson** | 6117 | Synthesis and p$K_a$ evaluation of model phosphonamidic, phosphonamidothioic and phosphonamidodithioic acids |

| | | |
|---|---|---|
| **Hisanori Senboku, Megumi Takashima, Masayoshi Suzuki, Kazuhiro Kobayashi and Hiroshi Suginome** | 6125 | Photoinduced molecular transformations—CLIX. Formation of some furonaphthyridinones by selective β-scission of cyclobutanoxyl radicals generated from [2 + 2] photoadducts of 4-hydroxy-1-phenyl[1,8]naphthyridin-2(1*H*)-one with alkenes |
| **Takashi Kitayama** | 6139 | Asymmetric syntheses of pheromones for *Bactrocera nigrotibialis*, *Andrena wilkella*, and *Andrena haemorrhoa* F from a chiral nitro alcohol |
| **Adalbert Maercker, Hans Wunderlich and Ulrich Girreser** | 6149 | Polylithiumorganic compounds—XXIII. 3,4-Dilithio-1,2-butadienes by addition of lithium metal to 1,4-unsymmetrically substituted butatrienes |
| **Florine Cavelier, Robert Jacquier, Jean-Luc Mercadier and Jean Verducci** | 6173 | Destruxin analogues: depsi peptidic bond replacement by amide bond |
| **Gaëlle Foulard, Thierry Brigaud and Charles Portella** | 6187 | Sequential radical perfluoroalkylation–nucleophilic cyclization. Synthesis of 2-perfluoroalkylidenemethyl and 2-perfluoroalkylmethyl-1,4-dioxanes from 1-*O*-allyl-1,2-diols |
| **Théophile Tschamber, Charles J. Craig, Marc Muller and Jacques Streith** | 6201 | Stereoselective synthesis of D,L-erythrose- and of D,L-1,4-dideoxy-4-aminoerythrose derivatives bearing a β-lactam at C-4 |
| **Siméon Arseniyadis, Dmitry V. Yashunsky, Manuel Muñoz Dorado, Rosemeire Brondi Alves, Qian Wang, Pierre Potier and Loïc Toupet** | 6215 | A chemoenzymatic approach to the taxoid BC-substructure |
| **L. Beyer, J. J. Criado, E. García, F. Leßmann, M. Medarde, R. Richter and E. Rodriguez** | 6233 | Synthesis and characterization of thiourea derivatives of α-aminoacids. Crystal structure of methyl L-valinate and L-leucinate derivatives |
| **Giovanni Desimoni, Giuseppe Faita, Stefano Garau and PierPaolo Righetti** | 6241 | Solvent effect in pericyclic reactions—X. The cheletropic reaction |
| | I | Instructions to Contributors |


# NUMBER 18

## Contents


| | | |
|---|---|---|
| | iii | Contributors to this Issue |
| | v | Graphical Abstracts |
| | 6249 | Corrigendum |
| | | **TETRAHEDRON REPORT NUMBER 398** |
| **Scott McN. Sieburth and Nicholas T. Cunard** | 6251 | The [4 + 4] cycloaddition and its strategic application in natural product synthesis |
| | | **ARTICLES** |
| **Philip Magnus, Rich Carter, Martin Davies, Jason Elliott and Thomas Pitterna** | 6283 | Studies on the synthesis of the core structures of the antitumor agents neocarzinostatin, kedarcidin, C-1027 and maduropeptin |
| **Thomas Money and Michael K. C. Wong** | 6307 | A formal, enantiospecific synthesis of pseudoguaianolides |
| **Teh-Chang Chou, Pao-Chiung Hong, Yane-Fong Wu, Wen-Yean Chang, Cheng-Tung Lin and Kuan-Jiuh Lin** | 6325 | Diels–Alder reactions of a cage-annulated cyclohexa-1,3-diene. Synthesis and crystal structure of a doubly-caged sterically-congested tetraol |
| **Motoo Tori, Katsuyuki Nakashima, Tomoko Takeda, Yukiko Kan, Shigeru Takaoka and Yoshinori Asakawa** | 6339 | Novel sesquiterpenoids from the Colombian liverwort *Porella swartziana* |
| **Jun'ichi Kobayashi, Takemichi Nakamura and Masashi Tsuda** | 6355 | Hymenamide F, new cyclic heptapeptide from marine sponge *Hymeniacidon* sp. |

| | | |
|---|---|---|
| **Bin Ye, Hideshi Nakamura and Akio Murai** | 6361 | Total synthesis of (±)-halipanicine |
| **Sioavosh Mahboobi, Sabine Kuhr and Markus Koller** | 6373 | Synthesis of carbazole derivatives—III. Synthesis of new pyrrolidino[3,4-*c*]carbazoles by intramolecular Michael addition |
| **René Csuk and Yvonne von Scholz** | 6383 | Enantiomerically pure cyclopropanoid nucleoside analogues: synthesis and analysis |
| **René Csuk, Martina Schaade and Claus Krieger** | 6397 | Synthesis of *C*-glycosides from glycals or vinylogous lactones and trimethylsilyl ketene acetals |
| **Claus Herdeis, Walter A. Held, Armin Kirfel and Franz Schwabenländer** | 6409 | Diastereoselective synthesis of (2*S*,5*S*)- and (2*R*,5*S*)-5-hydroxyhomopipecolic acid from *S*-glutamic acid. An entry to streptolutine stereoisomers |
| **Antonino Corsaro, Giancarlo Perrini, Venerando Pistarà, Paolo Quadrelli, Anna Gamba Invernizzi and Pierluigi Caramella** | 6421 | Cycloaddition of benzonitrile oxide to pyridazine, pyrimidine and pyrazine |
| **Subramanian Baskaran, Mirza Hamed A. Baig, Sharmila Banerjee, Chitra Baskaran, Kanchinadham Bhanu, Sonali P. Deshpande and Girish K. Trivedi** | 6437 | An efficient and stereoselective synthesis of (2*R*,2'*S*)-1-*O*-(2'-hydroxyhexadecyl)glycerol and its oxo analogs: potential antitumour compounds from shark liver oil |
| | I | Instructions to Contributors |


# NUMBER 19

## Contents


| | | |
|---|---|---|
| | iii | Contributors to this Issue |
| | v | Graphical Abstracts |
| | | **TETRAHEDRON REPORT NUMBER 399** |
| **Janet Wisniewski Grissom, Gamini U. Gunawardena, Detlef Klingberg and Dahai Huang** | 6453 | The chemistry of enediynes, enyne allenes and related compounds |
| | | **ARTICLES** |
| **Ronald C. Bernotas, Ginette Adams and Albert A. Carr** | 6519 | Synthesis of benzazepine-based nitrones as radical traps |
| **Naoyoshi Maezaki, Motohiro Soejima, Miwako Takeda, Atsunobu Sakamoto, Yûki Matsumori, Tetsuaki Tanaka and Chuzo Iwata** | 6527 | Novel asymmetric desymmetrization of *meso*-1,2-diols via diastereoselective β-elimination of chiral α-arylsulfinyl acetals |
| **Chisato Mukai, Syuichi Hirai, In Jong Kim, Masaru Kido and Miyoji Hanaoka** | 6547 | Studies on total syntheses of antitumor styryllactones: stereoselective total syntheses of (+)-goniofufurone, (+)-goniobutenolide A, and (−)-goniobutenolide B |
| **Shoei-Sheng Lee, Chien-Kuang Chen and Chung-Hsiung Chen** | 6561 | Chemical constituents from *Dehaasia triandra*—II. Five new alkaloids, secoxanthoplanine, dehydroisocorydione, 11,8'-*O*-bisisocorydine, (8,8'-*R*)- and (8,8'-*S*)-bisisocorydine, isolated from the leaves |
| **Kazuhiro Nagata, Takashi Itoh, Mamiko Okada and Akio Ohsawa** | 6569 | The reaction of benzimidazolium derivatives with superoxide |
| **Michihiko Noguchi, Hiroshi Okada, Masanori Watanabe, Kumi Okuda and Osamu Nakamura** | 6581 | Iodocyclization of 3-alkynyl- and 3-allenyl-2-(substituted amino)-1-imidazolin-4-ones |
| **Jürgen Wagner, Huong L. Pham and Werner Döpke** | 6591 | Alkaloids from *Hippeastrum equestre* Herb.—V. Circular dichroism studies |

| | | |
|---|---|---|
| **Martin Veith, Konrad Dettner and Wilhelm Boland** | 6601 | Stereochemistry of an alcohol oxidase from the defensive secretion of larvae of the leaf beetle *Phaedon armoraciae* (Coleoptera: Chrysomelidae) |
| **Valérie Fargeas, Patrick Le Ménez, Isabelle Berque, Janick Ardisson and Ange Pancrazi** | 6613 | Studies in cuprate rearrangement and stannylcupration: application to the stereo- and enantiospecific synthesis of a stannyldiene $C_{10}$–$C_{15}$ fragment of des-epoxy-rosaramycin |
| **Sylvie Gueugnot, Mouâd Alami, Gérard Linstrumelle, Lengo Mambu, Yves Petit and Marc Larchevêque** | 6635 | An efficient total synthesis of 5-(*S*)-HETE |
| **Philippe Compain, Jacques Goré and Jean-Michel Vatèle** | 6647 | Rearrangement of α-hydroxy imines to α-amino ketones: mechanistic aspects and synthetic applications |
| **Didier Collomb, Christian Deshayes and Alain Doutheau** | 6665 | Synthesis of functionalized phenolic derivatives via the benzannulation of dienylketenes formed by a thermal Wolff rearrangement of α-diazo-β-keto compounds |
| **Honoré Monti, Gérard Audran, Michel Feraud, Jean-Pierre Monti and Gilbert Léandri** | 6685 | Chemo- and regioselectivity in the Lewis acid-induced reaction of sterically unhindered isocyclic allylsilanes with 3-butyn-2-one |
| **Pierre Ducrot, Robert Bucourt, Claude Thal, Bernard Marçot, Joëlle Mayrargue and Henri Moskowitz** | 6699 | Conformational analysis of stereoselective epoxidations in flexible systems |
| **André Loupy, Philippe Pigeon and Mohamed Ramdani** | 6705 | Synthesis of long chain aromatic esters in a solvent-free procedure under microwaves |
| **Béla Ágai, Valéria Németh, Zsolt Böcskei, Kálmán Simon, István Bitter and László Toke** | 6713 | Synthesis of dibenzo-monoazacrown ethers |
| **Elisabeth Cheng, Jens Botzem, Martin J. Wanner, Brigitte E. A. Burm and Gerrit-Jan Koomen** | 6725 | Enzyme catalysed oxidation of nazlinin and nazlinin derivatives. Characterisation of the reaction products |
| **Nadine Jagerovic, José Elguero and Jean-Louis Aubagnac** | 6733 | Reaction of 2-azidobenzothiazole and 1-azido-4-(3',5'-dimethyl-1'-pyrazolyl)tetrafluorobenzene with [60]fullerene and characterization of the adducts by fast-atom bombardment mass spectrometry |
| **Karen Goodall and Andrew F. Parsons** | 6739 | A radical cyclisation approach to pyroglutamates |
| **Raffaele Saladino, Enrico Mincione, Claudia Crestini and Maurizio Mezzetti** | 6759 | Transformations of thiopyrimidine and thiopurine nucleosides following oxidation with dimethyldioxirane |
| **Salomé Rodríguez-Morgade, Purificación Vázquez and Tomás Torres** | 6781 | Synthetic applications of functionalized phosphoranylideneamino-1,4-benzoquinones: preparation of oxazolo[5,4-*b*]phenoxazine, 4*H*-[3,1]benzoxazino-5,8-quinone and benzoxazole derivatives |
| **Paolo Bruni, Patricia Carloni, Carla Conti, Elisabetta Giorgini, Lucedio Greci, Marco Iacussi, Pierluigi Stipa and Giorgio Tosi** | 6795 | Competition between nucleophilic addition and electron-transfer process in the reaction of 9-diazo-10-anthrone with Grignard reagents |
| **Mauri Lounasmaa, Reija Jokela, Ulla Anttila, Pirjo Hanhinen and Christiane Laine** | 6803 | Short synthetic route to (±)-geissoschizine |
| **Marcello Tiecco, Lorenzo Testaferri and Luana Bagnoli** | 6811 | Alkenyl nitrones cyclizations induced by phenylselenenyl bromide. A convenient synthetic route to 1,2-oxazines |
| | I | Instructions to Contributors |

# NUMBER 20

## Contents


| | | |
|---|---|---|
| | iii | Publisher's Announcement |
| | v | Contributors to this Issue |
| | vii | Graphical Abstracts |
| | | **TETRAHEDRON REPORT NUMBER 400** |
| **Robert A. McClelland** | 6823 | Flash photolysis generation and reactivities of carbenium ions and nitrenium ions |
| | | **ARTICLES** |
| **Xiongwei Shi, Athula B. Attygalle, Shang-Cheng Xu, Viqar U. Ahmad and Jerrold Meinwald** | 6859 | Synthesis and absolute configuration of 2-(12'-aminotridecyl)-pyrrolidine, a defensive alkaloid from the Mexican bean beetle, *Epilachna varivestis* |
| **Edmund I. Graziani, Raymond J. Andersen, Patrick J. Krug and D. John Faulkner** | 6869 | Stable isotope incorporation evidence for the *de novo* biosynthesis of terpenoic acid glycerides by dorid nudibranchs |
| **John T. Gupton, Scott A. Petrich, Lana L. Smith, Marc A. Bruce, Phong Vu, Karen X. Du, Eric E. Dueno, Claude R. Jones and James A. Sikorski** | 6879 | The application of vinylogous iminium salts and related synthons to the regiocontrolled preparation of 2,3- and 2,5-disubstituted pyrroles |
| **Takeyuki Akita and Keiji Kobayashi** | 6893 | Intramolecular spin interactions between two nitronyl nitroxide or imino nitroxide radical units linked to thieno[2,3-*b*]thiophene and thieno[2,3-*b*]thieno[3',2'-*d*]thiophene chromophores |
| **Barry M. Trost and David Barrett** | 6903 | Synthesis and alkylation of cyclopentane β-ketoxime sulfones. α,α-Methylation–alkynylation of cyclopentanone |
| **Eckart Leikauf, Frank Barnekow and Hubert Köster** | 6913 | A combinatorial protecting group strategy for oligonucleotide synthesis |
| **Vincent Dumontet, Odile Thoison, Olamrewaju R. Omobuwajo, Marie-Thérèse Martin, Guillaume Perromat, Angèle Chiaroni, Claude Riche, Mary Païs, Thierry Sévenet and A. Hamid A. Hadi** | 6931 | New nitrogenous and aromatic derivatives from *Aglaia argentea* and *A. forbesii* |
| **Christophe Cinquin, Michel Bortolussi and Robert Bloch** | 6943 | A novel synthesis of 2,5-dihydropyrrole derivatives as enantiomerically enriched building blocks |
| **Vadim A. Soloshonok and Valery P. Kukhar** | 6953 | Biomimetic base-catalyzed [1,3]-proton shift reaction. A practical synthesis of β-fluoroalkyl-β-amino acids |
| **Theo Lescrinier, Roger Busson, Jef Rozenski, Gerard Janssen, Arthur Van Aerschot and Piet Herdewijn** | 6965 | Incorporation of 5-hydroxytryptophan in oligopeptides |
| **Yongsong Huang, Martin Murray, Pierre Metzger and Geoffrey Eglinton** | 6973 | Novel unsaturated triterpenoid hydrocarbons from sediments of Sacred Lake, Mt. Kenya, Kenya |
| **Antonio Arcadi, Sandro Cacchi, Giancarlo Fabrizi, Fabio Marinelli and Paola Pace** | 6983 | The palladium-catalysed vinylic substitution of vinyl triflates with β-substituted-α,β-unsaturated carbonyl compounds. An application to the synthesis of cardenolides |
| **Kristof J. Dubois and Georges J. Hoornaert** | 6997 | A new pathway to substituted 6-chloro-2-pyridinecarboxylic acid derivatives from the reaction of 4,6-dichloro-2-oxa-5-azabicyclo[2.2.2]oct-5-en-3-ones with nucleophiles |
| **David StC. Black, Andrew J. Ivory and Naresh Kumar** | 7003 | Reactivity of 3-substituted indolin-2-ones in Vilsmeier-type reactions of 4,6-dimethoxyindoles |

| | | |
|---|---|---|
| **José Carilla, Lluís Fajarí, Luis Juliá, Joan Sañé and Jordi Rius** | 7013 | (2,6-Dichlorophenyl)bis(2,4,6-trichlorophenyl)methyl radical. Synthesis, magnetic behaviour and crystal structure |
| **Christopher J. Easton, Craig A. Hutton, Martin C. Merrett and Edward R. T. Tiekink** | 7025 | Neighbouring group effects promote substitution reactions over elimination and provide a stereocontrolled route to chloramphenicol |
| **Julie Ince, Tracey M. Ross, Michael Shipman, Alexandra M. Z. Slawin and David S. Ennis** | 7037 | Observations on the synthesis of functionalised methyleneaziridines |
| **Federico Junquera, Francisco L. Merchán, Pedro Merino and Tomas Tejero** | 7045 | A straightforward synthesis of L-isoserinal |
| **Giovanni Ghigo, Glauco Tonachini and Paolo Venturello** | 7053 | *Ab initio* theoretical investigation on the reactivity as bases of mixed LiMe/KOMe complexes. A model for Schlosser LICKOR superbase |
| **Patricia Castejón, Albert Moyano, Miquel A. Pericàs and Antoni Riera** | 7063 | Ready access to stereodefined β-hydroxy-γ-amino acids. Enantioselective synthesis of fully protected cyclohexylstatine |
| **Vishwakarma Singh and Mini Porinchu** | 7087 | Sigmatropic 1,2- and 1,3-acyl shifts in excited states: a novel, general protocol for the synthesis of tricyclopentanoids and protoilludanes |
| **Carolyn V. Coulter, Juliet A. Gerrard, James A. E. Kraunsoe, Deborah J. Moore and Andrew J. Pratt** | 7127 | (*S*)-Aspartate semi-aldehyde: synthetic and structural studies |
| **Angelo G. Giumanini, Giancarlo Verardo, Paola Geatti and Paolo Strazzolini** | 7137 | Aprotic diazotization in the presence of cuprous cyanide |
| **Manat Pohmakotr, Auntika Takampon and Jantima Ratchataphusit** | 7149 | 1,1-Diphenoxy-2-(phenylsulfonyl)cyclopropane as a furan annulating agent |
| **V. H. Deshpande, Beena Rai and R. A. Khan** | 7159 | Simple syntheses of (+)-orthosporin and (–)-semivioxanthin methyl ether |
| **Michael Bennett, Anthony J. Burke and W. Ivo O'Sullivan** | 7163 | Aspects of the Algar–Flynn–Oyamada (AFO) reaction |
| **Chiara B. Vicentini, Augusto C. Veronese, Maurizio Manfrini and Mario Guarneri** | 7179 | Imidazo[4,5-*c*]pyrazoles: synthesis of 4-, 5- and 6-substituted derivatives |
| **Francesca Clerici, Franco Galletti, Donato Pocar and Pietro Roversi** | 7183 | Isothiazoles—VI. Cycloaddition of azides to isothiazole dioxides: synthesis of thiadiazabicyclo[3.1.0]hexene derivatives and their thermal rearrangement to thiazete dioxides, 1,2,6-thiadiazine dioxides and pyrazoles |
| | I | Instructions to Contributors |


# NUMBER 21

## Contents

TETRAHEDRON SYMPOSIA-IN-PRINT NUMBER 61

## NEW SYNTHETIC METHODS—IV. ORGANOMETALLICS IN ORGANIC CHEMISTRY

*Guest Editor:* ISTVÁN E. MARKÓ

Université catholique de Louvain, Louvain-la-Neuve, Belgium

| | | |
|---|---|---|
| | iii | Contributors to this Issue |
| | vii | Announcement: Tetrahedron Symposia-in-Print |
| | xiii | Preface |
| | xv | Graphical Abstracts |
| **Ingo Klement, Mario Rottländer, Charles E. Tucker, Tahir N. Majid, Paul Knochel, Patricia Venegas and Gérard Cahiez** | 7201 | Preparation of polyfunctional aryl and alkenyl zinc halides from functionalized unsaturated organolithiums and their reactivity in cross-coupling and conjugated addition reactions |
| **Mark Lautens, Robert N. Ben and Patrick H. M. Delanghe** | 7221 | Allyl 1,1-bimetallic species: their preparation and reactivity profile |
| **Denis Brasseur, Ilane Marek and Jean-F. Normant** | 7235 | Diastereoselective synthesis of heterosubstituted organogembismetallic reagents. Application to a new propargylmetalation reaction of vinyl metals |
| **Stephen F. Martin, Hui-Ju Chen, Anne K. Courtney, Yusheng Liao, Michael Pätzel, Melissa N. Ramser and Allan S. Wagman** | 7251 | Ring-closing olefin metathesis for the synthesis of fused nitrogen heterocycles |
| **Bruce H. Lipshutz, Gerd Bülow, Richard F. Lowe and Kirk L. Stevens** | 7265 | Allylated aromatics via Ni-catalyzed couplings of benzylic chlorides and vinylic organometallics |
| **Shu Kobayashi and Mineko Horibe** | 7277 | Preparation of both enantiomers of 2-methyl-3-hydroxythioesters based on chiral Lewis acid-controlled synthesis |
| **Koichi Mikami and Masaki Shimizu** | 7287 | Prins cyclization to tetrahydrofuran units of polyether antibiotics: remarkable siloxy effect for stereocontrolled cyclization |
| **Naoyuki Hanaki, Kazuaki Ishihara, Makoto Kaino, Yuji Naruse and Hisashi Yamamoto** | 7297 | Stereospecific annulation of hydroxy vinyl ethers. Synthetic application to polyfunctionalized cyclic compounds |
| **Mogens Johannsen and Karl Anker Jørgensen** | 7321 | Solvent effects in asymmetric hetero Diels–Alder and ene reactions |
| **Alois Fürstner, Andreas Ernst, Helga Krause and Arne Ptock** | 7329 | Low-valent titanium induced indole formation: syntheses of secofascaplysin, indolopyridocoline and an endothelin receptor antagonist |
| **Hans-Joachim Knölker, Gerhard Baum and Jörn-Bernd Pannek** | 7345 | Transition metal–diene complexes in organic synthesis—XXVII. Synthesis and reactivity of 4a,9a-dihydro-9*H*-carbazoles |
| **E. Peter Kündig, James Leresche, Lionel Saudan and Gérald Bernardinelli** | 7363 | Chiral tricarbonyl($\eta^6$-cyclobutabenzene)chromium complexes. Diastereoselective synthesis and use in asymmetric cycloaddition reactions |
| **Paola Ciapetti, Massimo Falorni and Maurizio Taddei** | 7379 | $CrCl_2$ Mediated addition of allylic halides or phosphates to *N*-protected α-amino aldehydes. Stereocontrolled synthesis of a new core for $C_2$ symmetric HIV-protease inhibitors |
| **Johannes G. Donkervoort, Alison R. Gordon, Craig Johnstone, William J. Kerr and Udo Lange** | 7391 | Development of modified Pauson–Khand reactions with ethylene and utilisation in the total synthesis of (+)-taylorione |
| **Reinhard W. Hoffmann, Hans-Christian Stiasny and Jochen Krüger** | 7421 | Diastereoselective bromine/lithium exchange reactions of 3-alkoxy-1,1-dibromo-alkanes |
| **Alain Krief, Benoît Kenda and Bruno Remacle** | 7435 | Stereoselective syntheses of 1,2-dialkyl-1-phenyl cyclopentanes involving intramolecular carbolithiation of α-thioalkenes |
| **Alain Krief, Benoît Kenda, Christophe Maertens and Bruno Remacle** | 7465 | Stereoselective syntheses of 1,2-dialkyl-1-phenyl cyclopentanes involving intramolecular carbolithiation of olefins |
| **Dieter Schinzer and Kerstin Ringe** | 7475 | Total syntheses of (±)-β-pinguisene and (±)-pinguisenol |
| **Franck Le Bideau, Fabienne Gilloir, Ylva Nilsson, Corinne Aubert and Max Malacria** | 7487 | Stereocontrolled synthesis of α-trialkylsilyl-β,γ-unsaturated aldehydes via palladium(0) catalysis. Synthetic usefulness |

| | | |
|---|---|---|
| **Ylva I. M. Nilsson, Roberto G. P. Gatti, Pher G. Andersson and Jan-E. Bäckvall** | 7511 | Palladium(II)-catalyzed carbocyclization: vinylpalladium in 1,4-oxidation of conjugated dienes |
| **John P. Wolfe, Roger A. Rennels and Stephen L. Buchwald** | 7525 | Intramolecular palladium-catalyzed aryl amination and aryl amidation |
| **Markus Peer, Johannes C. de Jong, Matthias Kiefer, Thomas Langer, Heiko Rieck, Heico Schell, Peter Sennhenn, Jürgen Sprinz, Henning Steinhagen, Burkhard Wiese and Günter Helmchen** | 7547 | Preparation of chiral phosphorus-, sulfur- and selenium-containing 2-aryl-oxazolines |
| **V. Gouverneur and L. Ghosez** | 7585 | Electrophilic amination of 2-azadienes |
| | I | Instructions to Contributors |


# NUMBER 22

## Contents


| | | |
|---|---|---|
| | iii | Contributors to this Issue |
| | v | Graphical Abstracts |
| | | **TETRAHEDRON REPORT NUMBER 401** |
| **Graeme R. Jones and Yannick Landais** | 7599 | The oxidation of the carbon–silicon bond |
| | | **ARTICLES** |
| **Robert Rodebaugh and Bert Fraser-Reid** | 7663 | Evidence for cyclic bromonium ion transfer in electrophilic bromination of alkenes: reaction of ω-alkenyl glycosides with aqueous *N*-bromosuccinimide |
| **Sean D. Derrick, Richard Boehme, Ken M. Wong, Frank Nemeth, Kelly Tanaka, Brian Rumberg, Richard A. Beekman and Peter W. Dibble** | 7679 | Steric and electronic effects in imine–hemiaminal ring–chain tautomerism |
| **Thomas Oberhauser and Vladimir Meduna** | 7691 | On the stereochemical purity of (+)-7-aminocephalosporanic acid |
| **M. Leclaire, R. Levet, F. Péricaud, L. Ricard and J. Y. Lallemand** | 7703 | Studies on the preparation of the 'Ziegler intermediate', a key intermediate in the total synthesis of forskolin |
| **Laurent Micouin, Martine Bonin, Marie-Pierre Cherrier, Alain Mazurier, Alain Tomas, Jean-Charles Quirion and Henri-Philippe Husson** | 7719 | Asymmetric synthesis—XXXIX. Synthesis of 3-substituted piperidin-2-ones from chiral non-racemic lactams |
| **Ricardo Rodríguez, M. Angels Estiarte, Anna Diez, Mario Rubiralta, Anna Colell, Carmen García-Ruiz and José C. Fernández-Checa** | 7727 | Conformationally restricted analogues of methionine: synthesis of chiral 3-amino-5-methylthio-2-piperidones |
| **Ponnusamy Shanmugam and Krishnamoorthy Rajagopalan** | 7737 | Synthesis of linearly fused tricyclic compounds via thermal oxy-Cope rearrangement |
| **Antonio Garofalo, Giuseppe Campiani, Silvia M. Ciani, Isabella Fiorini and Vito Nacci** | 7745 | Polycondensed heterocycles—IX. Pyrrolo[2,1-*c*][1,4]benzothiazepines. Synthesis of 3-(dimethylamino)methyl derivatives |
| **Vicente Fornés, Hermenegildo García, Miguel A. Miranda, Fatemeh Mojarrad, María-José Sabater and Nadia N. E. Suliman** | 7755 | Zeolite-based heterogeneous photosensitizers containing triphenylpyrylium and dibenzotropylium cations. Modifications of the product selectivity in the cyclodimerization of 1,3-cyclohexadiene |
| **Mette Lene Falck-Pedersen and Kjell Undheim** | 7761 | Asymmetric synthesis of phenylbis(glycines) |

| | | |
|---|---|---|
| **Erada Oguntoye, Sabine Szunerits, James H. P. Utley and Peter B. Wyatt** | 7771 | Electro-organic reactions—XLVI. Diels–Alder trapping of *o*-quinodimethane generated by redox-mediated cathodic reduction of α,α'-dibromo-*o*-xylene in the presence of hindered dienophiles |
| **Gavin L. Edwards, Craig A. Muldoon and David J. Sinclair** | 7779 | Cyclic enol ether synthesis via arenesulfonyl iodide additions to alkynols |
| **István Hermecz, József Kökösi, Benjamin Podányi and Zsuzsanna Liko** | 7789 | Nitrogen bridgehead compounds—LXXXVII. Synthesis of 3-azarutecarpine (14-azanauclefine) and its 7-methyl derivative |
| **Mª Isabel Matheu, Raouf Echarri, Cèlia Domènech and Sergio Castillón** | 7797 | 2-Alkoxy-2-fluoro-glycosyl fluorides as 1,2-dielectrophilic synthons for the synthesis of naphtho- and benzo-dihydrofuran derivatives |
| | I | Tetrahedron Reports on Organic Chemistry |
| | XXIII | Instructions to Contributors |


# NUMBER 23

## Contents


| | | |
|---|---|---|
| | iii | Contributors to this Issue |
| | v | Graphical Abstracts |
| | 7807 | Corrigenda |
| **Rong-Liang Chen and Robert S. H. Liu** | 7809 | New hindered isomers of 3-dehydroretinal (vitamin $A_2$) |
| **Masahiko Hayashi, Kazuyuki Ono, Haruhisa Hoshimi and Nobuki Oguni** | 7817 | Asymmetric ring opening reactions of symmetrical *N*-acylaziridines with thiols catalyzed by chiral dialkyl tartrate–diethylzinc complexes |
| **Michael Schmidt, Stephanie Hervé, Norbert Klempier and Herfried Griengl** | 7833 | Preparation of optically active cyanohydrins using the (*S*)-hydroxynitrile lyase from *Hevea brasiliensis* |
| **Loïk Viallon, Olivia Reinaud, Patrice Capdevielle and Michel Maumy** | 7841 | Reactions of 4-dialkylamino-5-methoxy-1,2-benzoquinones in acidic media: selective C-alkylation or N-dealkylation |
| **Pranab Mandal, Asok Nath and R. V. Venkateswaran** | 7855 | Facile photolytic demethoxylation of 3-methoxychromones |
| **M. Teresa Barros, M. Odile Januario-Charmier, Christopher D. Maycock and Mariana Pires** | 7861 | Chemoselectivity in the manipulation of polyhydroxylated compounds derived from the diastereoselective dihydroxylation of optically active allylic enoate alcohols |
| **Ugo Chiacchio, Antonino Corsaro, Venerando Pistarà, Antonio Rescifina, Giovanni Romeo and Roberto Romeo** | 7875 | An asymmetric approach to pyrrolidinone and pyrrolizidinone systems by intramolecular oxime–olefin cycloaddition |
| **Antonino Corsaro, Giuseppe Buemi, Ugo Chiacchio, Giancarlo Perrini, Venerando Pistarà and Roberto Romeo** | 7885 | The role of the hydrogen bonding in cycloadditions of benzonitrile oxide with cyanophenols |
| **Ahmad M. Farag, Kamal M. Dawood and Zaghloul E. Kandeel** | 7893 | Synthesis and reactivity of 3-(benzothiazol-2-yl)-3-oxopropanenitrile |
| **Frank J. A. D. Bakkeren, Antonius J. H. Klunder and Binne Zwanenburg** | 7901 | Kinetic resolution of mono- and bicyclic Diels–Alder adducts via Sharpless asymmetric dihydroxylation |
| **Alessandro Pezzella, Alessandra Napolitano, Marco d'Ischia and Giuseppe Prota** | 7913 | Oxidative polymerisation of 5,6-dihydroxyindole-2-carboxylic acid to melanin: a new insight |
| **Rivka Goobes, Amira Rudi, Yoel Kashman, Micha Ilan and Yossi Loya** | 7921 | Three new glycolipids from a Red Sea sponge of the genus *Erylus* |
| **Pawel J. Serafinowski and Colin L. Barnes** | 7929 | New method for the preparation of 3'- and 2'-phosphoramidites of 2'- and 3'-difluoromethyleneuridine |

| | | |
|---|---|---|
| **Elisabetta Rossi and Elena Pini** | 7939 | *N*-Halocamidines—VII. 4-Amino-5-chloroimidazoles and 4-amino-5-unsubstituted imidazoles from *N*-chloro-*N'*-arylbenzamidines and 1,1-diaminoethenes |
| **Anna Berlin, Augusto Canavesi, Gilberto Schiavon, Sandro Zecchin and Gianni Zotti** | 7947 | Electrooxidation products of methylindoles: mechanisms and structures |
| **Isidro G. Collado, James R. Hanson and Antonio J. Macías-Sánchez** | 7961 | The cleavage of caryophyllene oxide catalysed by tetracyanoethylene |
| **Antonio García Martínez, Antonio Herrera Fernández, Florencio Moreno Jiménez, Pablo J. Muñoz Martínez, Cristina Alonso Martín and Laksminarayanapuran R. Subramanian** | 7973 | New procedures for the synthesis of heterocyclic substituted and 2,4-difunctionalized pyrimidines |
| **Tatjana Vuljanic, Karl-Erik Bergquist, Henrik Clausen, Sarbari Roy and Jan Kihlberg** | 7983 | Piperidine is preferred to morpholine for Fmoc cleavage in solid-phase glycopeptide synthesis as exemplified by preparation of glycopeptides related to HIV gp120 and mucins |
| | I | Instructions to Contributors |


# NUMBER 24

## Contents


| | | |
|---|---|---|
| | iii | Contributors to this Issue |
| | v | Graphical Abstracts |
| | | **TETRAHEDRON REPORT NUMBER 402** |
| **Deevi Basavaiah, Polisetti Dharma Rao and Rachakonda Suguna Hyma** | 8001 | The Baylis–Hillman reaction: a novel carbon–carbon bond forming reaction |
| | | **ARTICLES** |
| **I. Wesley Elliott, Milton J. Sloan and Earl Tate** | 8063 | Synthetic entry to dibenzo[*b,f*]oxinin and dibenzo[*b,f*]azonine derivatives through a dibenzo[*a,e*]cycloocten-5-one |
| **Namthip Sitachitta, Madhavi Gadepalli and Bradley S. Davidson** | 8073 | New α-pyrone-containing metabolites from a marine-derived actinomycete |
| **Yasushi Todoroki, Sei-ichi Nakano, Nobuhiro Hirai and Hajime Ohigashi** | 8081 | Ring conformational requirement for biological activity of abscisic acid probed by the cyclopropane analogues |
| **Mitsuru Ohkubo, Teruyuki Nishimura, Hideki Jona, Teruki Honma and Hajime Morishima** | 8099 | Practical synthesis of indolopyrrolocarbazoles |
| **Hajime Ikeda, Eriko Sato, Takeshi Sugai and Hiromichi Ohta** | 8113 | Yeast-mediated synthesis of optically active diols with $C_2$ symmetry and (*R*)-4-pentanolide |
| **Takeshi Sugai, Hajime Ikeda and Hiromichi Ohta** | 8123 | Biocatalytic approaches to both enantiomers of (2*R**,3*S**)-2-allyloxy-3,4,5,6-tetrahydro-2*H*-pyran-3-ol |
| **Midori Okada, Osamu Kitagawa, Masao Fujita and Takeo Taguchi** | 8135 | A mild method for generation of *p*-methoxybenzyl cation through NIS-mediated activation of *p*-methoxybenzyl 4-pentenyl ether |
| **Hiroki Sato, Naohiro Isono, Irie Miyoshi and Miwako Mori** | 8143 | 1,1-, 1,2-, and 1,4-eliminations from the corresponding dihalogenated compounds using $Bu_3SnSiMe_3$-$F^-$ |
| **Hee Jae Shin, Masahiro Murakami, Hisashi Matsuda and Katsumi Yamaguchi** | 8159 | Microviridins D–F, serine protease inhibitors from the cyanobacterium *Oscillatoria agardhii* (NIES-204) |
| **Mase Lee, Hiroyuki Moritomo and Ken Kanematsu** | 8169 | Construction of three types of fused isoindoles via furan–pyrrole ring exchange reaction |
| **Sachiko Tsukamoto, Haruko Kato, Hiroshi Hirota and Nobuhiro Fusetani** | 8181 | Ceratinamides A and B: new antifouling dibromotyrosine derivatives from the marine sponge *Pseudoceratina purpurea* |

| | | |
|---|---|---|
| **Tomofumi Miyamoto, Kenichiro Sakamoto, Kazuyoshi Arao, Tetsuya Komori, Ryuichi Higuchi and Takuma Sasaki** | 8187 | Dorisenones, cytotoxic spongian diterpenoids, from the nudibranch *Chromodoris obsoleta* |
| **Kenzi Hori, Takayuki Inoue and Hiroshi Tsukube** | 8199 | Theoretical study on crown compounds as a building block of the molecule with function II. Density functional approach to analyze $Li^+$ selectivity of aza-12-crown-4 with a functionalized arm |
| **Janos Sapi, Seloua Dridi, Jacqueline Laronze, Françoise Sigaut, Dominique Patigny, Jean-Yves Laronze, Jean Lévy and Loïc Toupet** | 8209 | Indole as a tool in synthesis. Indolenine approach to 4,5-epoxy-10-normorphinans |
| **L. Hecquet, J. Bolte and C. Demuynck** | 8223 | Enzymatic synthesis of 'natural-labeled' 6-deoxy-L-sorbose precursor of an important food flavor |
| **Derek H. R. Barton, Stephane D. Gero, Pascale Holliday and Béatrice Quiclet-Sire** | 8233 | Exploratory experiments with aryl telluride carbohydrates. Synthesis of carbocycles using intramolecular radical cyclization |
| **B. Abribat, Y. Le Bigot et A. Gaset** | 8245 | Ethérification sélective et sans solvant de fonctions hydroxyles de polyoxyalkylenes |
| **Manfred Schlosser, Dominique Michel, Zhi-wei Guo and Charles J. Sih** | 8257 | α-Fluoro analogues of inflammation inhibiting α-arylpropionic acids |
| **Catherine Helgorsky, Annie Saux, Marie Degueil-Castaing et Bernard Maillard** | 8263 | Etude de la thermolyse de peroxyacétals et peroxycétals |
| **Carlos Alemán, Antxon Martínez de Ilarduya, Ernest Giralt and Sebastián Muñoz-Guerra** | 8275 | Analysis of the conformational preferences of (4*R*,5*R*)-4,5-bis(alkylcarbamoyl)-1,3-dioxolanes |
| **Giovanni Sartori, Andrea Pastorio, Raimondo Maggi and Franca Bigi** | 8287 | Dehydration–hydration of α-alkynols over zeolite catalyst. Selective synthesis of conjugated enynes and α,β-unsaturated ketones |
| **Yasumasa Hamada, Fumiaki Yokokawa, Mototsugu Kabeya, Keiichiro Hatano, Yukihisa Kurono and Takayuki Shioiri** | 8297 | An efficient synthesis of $C_{20}$–$C_{25}$ building blocks for calyculin A |
| **Ruud J. W. Schuurman, André v.d. Linden, Reinier P. F. Grimbergen, Roeland J. M. Nolte and Hans W. Scheeren** | 8307 | Effect of branching in alkyl groups of tertiary amines on their performance as catalysts in the high pressure promoted Baylis–Hillman reaction |
| **Patrick J. Murphy, Harri Lloyd Williams, David E. Hibbs, Michael B. Hursthouse and K. M. Abdul Malik** | 8315 | Biomimetic model studies towards ptilomycalin A |
| **Fernando F. Huerta, Cecilia Gómez and Miguel Yus** | 8333 | Ketalised 3,4-dihydroxybutyllithiums: new intermediates to transfer four-carbon diol functionality to electrophilic reagents |
| **Yuewei Guo, Anna Madaio, Enrico Trivellone, Gennaro Scognamiglio and Guido Cimino** | 8341 | Structural and stereochemical studies of saraines: macrocyclic alkaloids of the sponge *Reniera sarai* |
| **Waël Baidossi, Herbert Schumann and Jochanan Blum** | 8349 | Selective transformations of phenylated diynes to polycyclic compounds by the $RhCl_3$- and $PtCl_4$-Aliquat 336® ion pair catalysts |
| **Anna López, Marcial Moreno-Mañas, Roser Pleixats, Anna Roglans, Jesús Ezquerra and Concepción Pedregal** | 8365 | Ethyl *N*-(diphenylmethylene)glycinate as anionic glycine equivalent. Monoalkylation, dialkylation and Michael additions under solid–liquid phase-transfer catalysis |
| | I | Instructions to Contributors |

# NUMBER 25

## Contents


| | | |
|---|---|---|
| | iii | Contributors to this Issue |
| | v | Graphical Abstracts |
| **Mitchell D. Refvik and Adrian L. Schwan** | 8387 | Preparation of *N,N*-bis(trimethylsilyl)-1-alkenesulfenamides and their desilylative conversion to 1-alkenesulfenimines. New stable 1-alkenesulfenic acid derivatives |
| **Peter K. Freeman, Jung-suk Jang and Christian M. Haugen** | 8397 | The photochemistry of polyhaloarenes—XIII. The photohydrodehalogenation of 3,4-dibromobiphenyl |
| **Lakshmi B. Akella and Robert Vince** | 8407 | Enantioselective synthesis of 2-[5-(9*H*-purin-9-yl)-2-cyclopenten-1-yl]-ethanol analogues as potential antiviral agents |
| **Sei-Hyun Choi and Kyongtae Kim** | 8413 | Novel preparation of *N'*-arylthiocarbamoyl-*N,N*-dialkylamidines and their synthetic utilities |
| **Tsutomu Minato, Shinichi Yamabe, Toshio Hasegawa and Takahisa Machiguchi** | 8439 | Why are the troponoid rings of the mesylate and tosylate of tropone oxime cleaved easily by nucleophiles? |
| **Harumi Kaga, Kouhei Goto, Tomiki Takahashi, Masao Hino, Takashi Tokuhashi and Kazuhiko Orito** | 8451 | A general and stereoselective synthesis of the capsaicinoids via the orthoester Claisen rearrangement |
| **David Barrett, Hiroshi Sasaki, Takayoshi Kinoshita, Akihiko Fujikawa and Kazuo Sakane** | 8471 | A novel synthesis of the pyrazolo[1,5-*a*]quinoline ring system. New N1–C2 bridged DNA gyrase inhibitors via a novel tandem 1,4-conjugate addition–Michael [3 + 2] annulation process |
| **Oliver Mogck, Volker Böhmer and Walter Vogt** | 8489 | Hydrogen bonded homo- and heterodimers of tetra urea derivatives of calix[4]arenes |
| **Helga Szelinski, Dominique Niethammer, Peizhu Tian and Harry Kurreck** | 8497 | Porphyrins linked to high acceptor strength cyano quinones as models for the photosynthetic reaction center |
| **Hervé Dulphy, Jean-Louis Gras and Tore Lejon** | 8517 | Methoxymethylation of tartrate as a strategy for the synthesis of chiral building blocks |
| **Joël Moyroud, Jacques Gelin, Alain Chêne et Jacques Mortier** | 8525 | Synthèse d'analogues structuraux de thaxtomines, phytotoxines responsables de la gale de la pomme de terre |
| **Komandla Mallareddy and S. Prahlada Rao** | 8535 | A concise enantiospecific synthesis of analogues of monocerin |
| **Juan Almena, Francisco Foubelo and Miguel Yus** | 8545 | Nitrogen-containing remote functionalised organolithium compounds by reductive opening of five- and six-membered heterocycles |
| **Harry Adams, Neil A. Bailey, Roger Brettle, Richard Cross, Martyn Frederickson, Edwin Haslam, Fiona S. MacBeath and Gareth M. Davies** | 8565 | The shikimate pathway—VIII. Synthesis of (–)-3(*R*)-amino-4(*R*),5(*R*)-dihydroxy-1-cyclohexene-1-carboxylic acid: the 3(*R*)-amino analogue of (–)-shikimic acid |
| **Isabel López, Anna Diez and Mario Rubiralta** | 8581 | Synthetic applications of 2-aryl-4-piperidones—XI. A new synthesis of the E-azaeburnamine skeleton |
| **M.-Lluïsa Bennasar, Ester Zulaica, Bilal A. Sufi and Joan Bosch** | 8601 | Construction of the pentacyclic ring system of apogeissoschizine |
| **Gonzalo Blay, Luz Cardona, Begoña García, Luisa Lahoz and José R. Pedro** | 8611 | The reduction of α,β-unsaturated nitriles and α-halonitriles with sodium hydrogen telluride |
| | I | Instructions to Contributors |

# NUMBER 26

## Contents


| | | |
|---|---|---|
| | iii | Contributors to this Issue |
| | v | Graphical Abstracts |
| | | **TETRAHEDRON REPORT NUMBER 403** |
| **Matthew J. Tozer and Timothée F. Herpin** | 8619 | Methods for the synthesis of *gem*-difluoromethylene compounds |
| | | **ARTICLES** |
| **Mikaela N. Keynes, Marion A. Earle, Manjula Sudharshan and Philip G. Hultin** | 8685 | Synthesis and asymmetric alkylation of glucose-derived bicyclic oxazinones: an evaluation of their use as 'chiral glycines' |
| **John A. Zoltewicz, Norbert M. Maier and Walter M. F. Fabian** | 8703 | Atropisomerism of cofacial pyridine rings. Synthesis, proton NMR spectra and conformations of 1,8-di(3'-pyridyl)naphthalene |
| **R. Alan Jones, Marielena Karatza, Tevita N. Voro, Pervin U. Civcir, Annete Franck, Orhan Ozturk, John P. Seaman, Alexander P. Whitmore and David J. Williamson** | 8707 | Extended heterocyclic systems—I. The synthesis and characterisation of pyrrolylpyridines, alternating pyrrole:pyridine oligomers and polymers, and related systems |
| **Gerhard Riehs, Ernst Urban and Horst Völlenkle** | 8725 | A key step towards EPC synthesis of (+)-heptelidic acid |
| **Wolfram Duczek, Franz Tittelbach, Burkhard Costisella and Hans-Joachim Niclas** | 8733 | Reaction of [60]fullerene with 5-imino-1,2,4-thiadiazolidine-3-ones: formation of new $C_{60}$-fused heterocycles |
| **Shanghui Hu, Xufang Tian, Weihua Zhu and Qicheng Fang** | 8739 | Microbial transformation of taxoids: selective deacetylation and hydroxylation of 2α,5α,10β,14β-tetra-acetoxy-4(20),11-taxadiene by the fungus *Cunninghamella echinulata* |
| **Yong Tang, Zheng-Fa Chi, Yao-Zeng Huang, Li-Xin Dai and Yi-Hua Yu** | 8747 | Highly stereoselective synthesis of vinyl and ethynylcyclopropane 1,1-dicarboxylic esters via semi-stabilized telluronium ylides |
| **Sharmila K. Thakur and Bhaskar D. Hosangadi** | 8755 | Synthesis of photochromic spiroindolinopyrans with extended conjugation |
| **Paolo Tavecchia, Michael Kurz, Luigi Colombo, Riccardo Bonfichi, Enrico Selva, Sergio Lociuro, Ettore Marzorati and Romeo Ciabatti** | 8763 | Chemical modification of the GE 2270A macrocycle (MDL 62,879) |
| **Alessandra Napolitano, Alessandro Pezzella, Marco d'Ischia and Giuseppe Prota** | 8775 | New pyrrole acids by oxidative degradation of eumelanins with hydrogen peroxide. Further hints to the mechanism of pigment breakdown |
| **Ronny Neumann and David Juwiler** | 8781 | Oxidations with hydrogen peroxide catalysed by the $[WZnMn(II)_2(ZnW_9O_{34})_2]^{12-}$ polyoxometalate |
| **Andrzej Zwierzak and Anna Napieraj** | 8789 | The thermally induced synthesis of *N*-(diethoxyphosphoryl)aldimines |
| **Mark A. Collins and D. Neville Jones** | 8795 | Efficient synthesis of bicyclo[2.2.1]heptane derivatives via stereoselective intramolecular Michael reactions of vinyl sulfones |
| **Bjørg S. Møller, Tore Benneche and Kjell Undheim** | 8807 | Palladium catalysis in bridge-forming reactions between stereoselectively substituted glycine auxiliaries |
| **Bart P. Medaer, Koen J. Van Aken and Georges J. Hoornaert** | 8813 | Synthesis of new 1*H*-tetrazoles and 1,2,3-triazoles via reactions of 3(,5)-(di)chloro-2*H*-1,4-(benz)oxazin-2-ones with sodium azide or diazocompounds |
| **Osman Achmatowicz and Ewa Białecka-Florjanczyk** | 8827 | Mechanism of the carbonyl–ene reaction |

| | | |
|---|---|---|
| **Luc Van Meervelt, Oleg B. Smolii, Nikolai I. Mishchenko, Dmitrii B. Shakhnin, Evgenii A. Romanenko and Boris S. Drach** | 8835 | A challenging synthetic approach to phosphonium ylide–betaines of the pyrimidine series |
| **Ionel I. Mangalagiu, Ion I. Druta, Mircea A. Constantinescu, Ionel V. Humelnicu and Magda C. Petrovanu** | 8853 | Pyridazinium ylides. Regiochemistry |
| **Hussni A. Muathen** | 8863 | Mild chlorination of aromatic compounds with tin(IV) chloride and lead tetraacetate |
| **Roberta Cacciapaglia, Luigi Mandolini and Francesco Spadola** | 8867 | The Ba(II) complex of a crown ether bearing a sulphydryl side-arm as turnover catalyst of ester cleavage |
| **Juma'a R. Al-Dulayymi, Mark S. Baird, Valeriy A. Pavlov and Alexander I. Kurdjukov** | 8877 | Dipolar cycloaddition of a phosphorylnitrile oxide to functionalised cyclopropenes |
| **Ugo Chiacchio, Giuseppe Gumina, Antonio Rescifina, Roberto Romeo, Nicola Uccella, Francesco Casuscelli, Anna Piperno and Giovanni Romeo** | 8889 | Modified dideoxynucleosides: synthesis of 2'-*N*-alkyl-3'-hydroxyalkyl-1',2'-isoxazolidinyl thymidine and 5-fluorouridine derivatives |
| **Michele D'Ambrosio, Antonio Guerriero, Giuseppe Chiasera, Francesco Pietra and Marco Tatò** | 8899 | Epinardins A–D, new pyrroloiminoquinone alkaloids of undetermined deep-water green demosponges from pre-antarctic Indian Ocean |
| **J. Campos, M. J. Pineda, J. A. Gómez, A. Entrena, M. A. Trujillo, M. A. Gallo and A. Espinosa** | 8907 | 5-fluorouracil derivatives—I. Acyclonucleosides through a tin(IV) chloride-mediated regiospecific ring opening of alkoxy-1,4-diheteroepanes |
| **David StC. Black, Naresh Kumar and Darryl B. McConnell** | 8925 | Reaction of some 4,6-dimethoxyindoles with oxalyl chloride |
| **Peter J. Ainsworth, Donald Craig, Andrew J. P. White and David J. Williams** | 8937 | Intramolecular Diels–Alder reactions of carbon acetal-tethered trienes |
| **Victor Martínez-Merino, José I. García, José A. Mayoral, María J. Gil, José M. Zabalza, Jean P. Fayet, Marie C. Vertut, Alain Carpy and Alberto González** | 8947 | Molecular modelling of the isothiazolo[5,4-*b*]pyridin-3(2*H*)-one derivatives |
| | I | Instructions to Contributors |


# NUMBER 27

## Contents


| | | |
|---|---|---|
| | iii | Contributors to this Issue |
| | v | Graphical Abstracts |
| **Yvan Boulanger, Abdesslem Khiat, Zhen-Hua Zhou, Gaétan Caron and Lolita O. Zamir** | 8957 | NMR and molecular modeling study of paclitaxel putative precursors |
| **Michael J. Konkel and Robert Vince** | 8969 | Cyclohexenyl nucleosides: synthesis and biological activity of *trans*-3-(purin-9-yl)-4-cyclohexenylcarbinols |
| **Richard A. Bartsch, Mark D. Eley, Alan P. Marchand, Rajesh Shukla, Kaipenchery A. Kumar and G. Madhusudhan Reddy** | 8979 | Syntheses of bis- and tetra-crowned clefts and studies of their selectivities in metal ion complexation |

| | | |
|---|---|---|
| **Muthusamy Jayaraman, Abdul Rakeep Deshmukh and Baburao M. Bhawal** | 8989 | Application of (+)-(1*S*,2*S*)-2-amino-1-phenylpropan-1,3-diol in the formal total synthesis of carbapenems, novel 4-cyano-β-lactams and β-hydroxy aspartates |
| **Muthusamy Jayaraman, Vedavati G. Puranik and Baburao M. Bhawal** | 9005 | Stereoselective synthesis of homochiral pyrrolidinones and *cis,cis*-bis-β-lactams from (+)-(1*S*,2*S*)-2-amino-1-phenylpropan-1,3-diol |
| **Naoko Morisaki, Kazuhiko Inoue, Hisayoshi Kobayashi, Ryuichi Shirai, Masuo Morisaki and Shigeo Iwasaki** | 9017 | Coordination of alkali metal cation to oxygen functions to form adduct ion in fast atom bombardment mass spectrometry |
| **Keishi Ishida, Hisashi Matsuda, Masahiro Murakami and Katsumi Yamaguchi** | 9025 | Kawaguchipeptin A, a novel cyclic undecapeptide from cyanobacterium *Microcystis aeruginosa* (NIES-88) |
| **Hideyuki Shigemori, Yasushi Tanaka, Katsukiyo Yazawa, Yuzuru Mikami and Jun'ichi Kobayashi** | 9031 | Brasilinolide A, new immunosuppressive macrolide from actinomycete *Nocardia brasiliensis* |
| **Heike Faltz, Jörg Bohrisch, Wilko Wohlauf, Michael Pätzel, Peter G. Jones and Jürgen Liebscher** | 9035 | Synthesis of chiral condensed *S*-heterocycles via stereoselective Michael-like addition to butenolides and α,β-unsaturated lactams |
| **Kassoum Nacro, Michel Baltas, Jean-Marc Escudier and Liliane Gorrichon** | 9047 | Enhanced diastereoselectivity in the addition of ester enolate to optically active α,β-epoxyaldehydes obtained from nerol and geraniol |
| **Jean-Pierre Praly, Christian Bonnevie, Peter Haug and Gérard Descotes** | 9057 | Synthesis and photolysis of protected D-hex-2-ulopyranosyl azides |
| **Daniel Royer, Michèle Doé de Maindreville, Jean-Yves Laronze, Jean Lévy and Ren Wen** | 9069 | Reductive methylations of 2,7-dihydro derivatives of some oxygenated indole alkaloids like reserpine |
| **Claude Agami, Dominique Bihan and Catherine Puchot-Kadouri** | 9079 | Reactions of glyoxal-derived iminium ions with unsaturated silyl and silyloxy reagents |
| **Catherine Kuehm-Caubère, Sandrine Adach-Becker, Yves Fort and Paul Caubère** | 9087 | Expeditious and efficient syntheses of pure 4-methyl and 4,6-disubstituted dibenzothiophenes |
| **Hélène Pellissier and Maurice Santelli** | 9093 | Dialkylation of 2,3-butanedione diketal with 1,8-bis(trimethylsilyl)-2,6-octadiene (BISTRO). Application to the synthesis of estrone derivatives |
| **Nicolas Vicart, Bernard Cazes and Jacques Gore** | 9101 | Carbopalladation–sulphonylation of allene: a versatile preparation of 2-vinyl or 2-aryl allyl sulphones |
| **Romila D. Charan, Mary J. Garson, Ian M. Brereton, Anthony C. Willis and John N. A. Hooper** | 9111 | Haliclonacyclamines A and B, cytotoxic alkaloids from the tropical marine sponge *Haliclona* sp. |
| **László Somsák, Erzsébet Sós, Zoltán Györgydeák, Jean-Pierre Praly and Gérard Descotes** | 9121 | Synthesis and some transformations of 1-azido-glycopyranosyl cyanides—precursors of anomeric α-amino acids |
| **K. S. Ravikumar and Srinivasan Chandrasekaran** | 9137 | Chemo- and stereoselective reduction of α,β-epoxyketones with diisopropoxytitanium(III) tetrahydroborate |
| **José-María Lassaletta, Rosario Fernández, Consolación Gasch and Juan Vázquez** | 9143 | Formaldehyde dimethylhydrazone: a new neutral reagent for nucleophilic hydroformylation and hydrocyanation |
| **Kris J. Buysens, Didier M. Vandenberghe and Georges J. Hoornaert** | 9161 | Synthesis of new pyrrolo[3,4-*b*]- and [3,4-*c*]pyridin(on)es and related 1,7-naphthyridinones and 2,7-naphthyridines via intramolecular Diels–Alder reactions of 2(1*H*)-pyrazinones |
| **Giuseppe Bartoli, Marcella Bosco, Renato Dalpozzo, Antonio De Nino, Emma Iantorno, Antonio Tagarelli and Gianni Palmieri** | 9179 | Reaction of dianions of acyclic β-enamino ketones with electrophiles—VIII. Synthesis of trialkylsilylenaminones and α'-silylated β-diketones |
| **Andrea Goti** | 9187 | Synthesis and cycloaddition reactions of *N*-methylcyclobutylideneamine *N*-oxide |

| | | |
|---|---|---|
| **Luis A. Bañuelos, Purificación Cuadrado, Ana M. González-Nogal, Isabel López-Solera, Francisco J. Pulido and Paul R. Raithby** | 9193 | The reduction of functionalized pyrazolium salts as a stereoselective route to functionalized pyrazolidines |
| **Jonas Malmquist and Stefan Sjöberg** | 9207 | Asymmetric synthesis of *p*-carboranylalanine (*p*-Car) and 2-methyl-*o*-carboranylalanine (Me-*o*-Car) |
| **A. Scott Frame, Richard H. Wightman and Grahame Mackenzie** | 9219 | Synthesis of 5-amino-4-sulfonamidoimidazole nucleosides as potential inhibitors of purine nucleotide biosynthesis, and of an imidazothiadiazine dioxide analogue of adenosine |
| **Angel Díaz-Ortiz, José R. Carrillo, Enrique Díez-Barra, Antonio de la Hoz, María J. Gómez-Escalonilla, Andrés Moreno and Fernando Langa** | 9237 | Diels–Alder cycloaddition of vinylpyrazoles. Synergy between microwave irradiation and solvent-free conditions |
| **Ingrid Luyten and Piet Herdewijn** | 9249 | Synthesis and conformational behavior of purine and pyrimidine β-D-*threo*-hex-3'-enopyranosyl nucleosides |
| **Martín Avalos, Reyes Babiano, Pedro Cintas, Carlos J. Durán, José L. Jiménez and Juan C. Palacios** | 9263 | NMR studies and semiempirical calculations on the structure of glycoamidines |
| **Achille Barco, Simonetta Benetti, Carmela De Risi, Carlo F. Morelli, Gian P. Pollini and Vinicio Zanirato** | 9275 | Generation and cycloaddition reactions of substituted 2-nitro-1,3-dienes |
| | I | Instructions to Contributors |


# NUMBER 28

## Contents


| | | |
|---|---|---|
| | iii | Contributors to this Issue |
| | v | Graphical Abstracts |
| | | **TETRAHEDRON REPORT NUMBER 404** |
| **Andreas Heumann and Marius Réglier** | 9289 | The stereochemistry of palladium catalysed cyclisation reactions—C. Cascade reactions |
| | | **ARTICLES** |
| **Derek H. R. Barton and J. Albert Ferreira** | 9347 | *N*-Hydroxypyridine-2(1*H*)-thione derivatives of carboxylic acids as activated esters—I. The synthesis of carboxamides |
| **Derek H. R. Barton and J. Albert Ferreira** | 9367 | *N*-Hydroxypyridine-2(1*H*)-thione derivatives of carboxylic acids as activated esters—II. Applications in peptide synthesis |
| **Yoshihiko Matsumoto, Keisuke Mita, Keiji Hashimoto, Hideo Iio and Takashi Tokoroyama** | 9387 | Selective cleavage of ethers using silica–alumina gel catalysts prepared by the sol–gel method |
| **Hiroyuki Konno, Hidefumi Makabe, Akira Tanaka and Takayuki Oritani** | 9399 | Syntheses of two possible diastereoisomers of the epoxy lactone proposed for an annonaceous acetogenin, epoxyrollin A |
| **Junzo Otera, Yukihiro Fujita and Shunichi Fukuzumi** | 9409 | The design of diastereoselective Mukaiyama–Michael reaction of ketene silyl acetal |
| **Yukihiro Fujita, Junzo Otera and Shunichi Fukuzumi** | 9419 | Diastereoselective Mukaiyama–Michael reaction of *O,S*-ketene silyl acetal |
| **Kazuhiko Nakatani, Akimitsu Okamoto and Isao Saito** | 9427 | 6-*endo*- and 5-*exo*-digonal cyclizations of *o*-hydroxyphenyl ethynyl ketones: a key step for highly selective benzopyranone formation |
| **Tatsufumi Okino, Erina Yoshimura, Hiroshi Hirota and Nobuhiro Fusetani** | 9447 | New antifouling sesquiterpenes from four nudibranchs of the family Phyllidiidae |

| | | |
|---|---|---|
| **Victor Lee, Man-Ki Cheung, Wing-Tak Wong and Kin-Fai Cheng** | 9455 | Studies on the acid-catalyzed dimerization of 2-prenylindoles |
| **Kazuhiro Haraguchi, Hiromichi Tanaka, Shigeru Saito, Satomi Kinoshima, Motoi Hosoe, Kazuhiro Kanmuri, Kentaro Yamaguchi and Tadashi Miyasaka** | 9469 | Uridine 5'-monoselenoacetals as substrates for diastereoselective homolytic C–C bond formation |
| **Folkert Boße, Ashok Rao Tunoori, André J. Niestroj, Oliver Gronwald and Martin E. Maier** | 9485 | Palladium-catalyzed cross-coupling reactions of arylmetal compounds with β-substituted α-iodoenones and a cyclohexyl triflate |
| **Omar Cherkaoui, Pascal Nebois, Houda Fillion, Monique Domard and Bernard Fenet** | 9499 | Regiospecific hetero Diels–Alder synthesis of furo[2,3-*g*] and furo[3,2-*g*]quinoline-4,9-diones |
| **Jean-Marie Coustard** | 9509 | 1-Arylamino-1-methylthio-2-nitroethene in superacids: NMR study and reactivity of the formed hydroxynitrilium ions |
| **Catherine Goux, Silvana Sigismondi, Denis Sinou, Montserrat Pérez, Marcial Moreno-Mañas, Roser Pleixats and Mercè Villarroya** | 9521 | Palladium(0)-catalysed allylation of uracils and thiouracils. Influence of the solvent on the regioselectivity of the allylation |
| **Giancarlo Fantin, Marco Fogagnolo, Mario Gleria, Alessandro Medici, Francesco Minto and Paola Pedrini** | 9535 | Cyclophosphazenes containing acetyl salicylic (aspirin) substituents |
| **Jerzy Suwinski, Paweł Wagner and Elizabeth M. Holt** | 9541 | Reduction of aromatic nitrocompounds by sodium borohydride in methanol in the presence of sodium methoxide |
| **Margaret A. Brimble and Stuart G. Robinson** | 9553 | Synthesis of tricyclic aryl spiroacetals related to the papulacandins |
| **Carlos Cativiela, María D. Díaz-de-Villegas, José A. Gálvez and José I. García** | 9563 | Diastereoselective Strecker reaction of D-glyceraldehyde derivatives. A novel route to (2*S*,3*S*)- and (2*R*,3*S*)-2-amino-3,4-dihydroxybutyric acid |
| **Mieczysław Makosza, Karol Grela and Wojciech Fabianowski** | 9575 | Active metals prepared in liquid ammonia. Zinc and tin-promoted synthesis of β-hydroxyesters, homoallylic and homopropargylic alcohols |
| **Diana I. Ivanova, Sergey V. Eremin and Vitali I. Shvets** | 9581 | The synthesis of a coumarin analogue of retinal |
| **M. Valeria D'Auria, Angela Zampella, Luigi Gomez Paloma, Luigi Minale, Cécile Debitus, Christos Roussakis and Valérie Le Bert** | 9589 | Callipeltins B and C; bioactive peptides from a marine Lithistida sponge *Callipelta* sp. |
| **Antonio G. González, Nelson L. Alvarenga, Ana Estévez-Braun, Angel G. Ravelo, Isabel L. Bazzocchi and Laila Moujir** | 9597 | Structure and absolute configuration of triterpene dimers from *Maytenus scutioides* |
| **Francisco Palacios, Domitila Aparicio and Jesús García** | 9609 | Synthesis of secondary *E*-allylamines and β-aminophosphorylated compounds from β-functionalized enamines derived from phosphonium salts, phosphine oxides and phosphonates |
| **Pedro Molina, Carmen López-Leonardo, Javier Llamas-Botía, Concepción Foces-Foces and Cristina Fernández-Castaño** | 9629 | Unexpected Staudinger reaction of α-azidoacetonitriles α-phenyl substituted with triphenylphosphine. Preparation, X-ray crystal and molecular structures of a phosphazine, an aminophosphonium carbanion salt and a phosphazide, with (*Z*)-configuration |
| | I | Instructions to Contributors |

# NUMBER 29

## Contents


| | | |
|---|---|---|
| | iii | Contributors to this Issue |
| | v | Graphical Abstracts |
| **Rolf Wagner, Teresa A. Rhoades, Yat Sun Or, Benjamin C. Lane and Jay R. Luly** | 9643 | Selective epimerization and skeletal resection in the ascomycin framework: a study of the biological consequences of lactam rotamer selection |
| **Robert D. Chapman, Richard A. O'Brien and Paul A. Kondracki** | 9655 | N-Denitration of nitramines by dihydronicotinamides |
| **Robert B. Palmer and Niels H. Andersen** | 9665 | Conformational dynamics of 4-aryl-1,4-dihydropyridine calcium channel antagonists—I. Quantitation of C4–C1' bond rotational barriers |
| **Christina M. Szabo, Yoichi Nakao, Wesley Y. Yoshida and Paul J. Scheuer** | 9681 | Two diverse constituents of the cephalaspidean mollusk *Smaragdinella calyculata* |
| **João V. Comasseto, Paulo H. Menezes, Helio A. Stefani, Gilson Zeni and Antônio L. Braga** | 9687 | Addition of hydrogen halides to acetylenic selenides. Synthesis of 1-halo-1-selenoalkenes |
| **Alan P. Marchand, D. Vidyanand, Zenghui Liu, Kaipenchery A. Kumar, Florencio Zaragoza, L. Kathleen Talafuse, Simon G. Bott, William H. Watson, Ram P. Kashyap, Herman L. Ammon and Zuyue Du** | 9703 | Synthesis, characterization and crystal density modeling of polycarbocyclic oxiranes |
| **Atsushi Nishida, Norio Kawahara, Mayumi Nishida and Osamu Yonemitsu** | 9713 | Radical cyclization using a thioacetal group for radical generation |
| **Wing-Yan Tsui and Geoffrey D. Brown** | 9735 | Unusual metabolites of *Baeckea frutescens* |
| **Karsten Danielmeier, Kerstin Schierle and Eberhard Steckhan** | 9743 | Electrochemical oxidation of chiral 5-substituted 2-oxazolidinones: a key building block for dichiral β-amino alcohols |
| **Sergej V. Pasenok, Marijn E. de Roos and Wolfgang K. Appel** | 9755 | Utilisation of ammonium and phosphonium perfluorocyclobutane ylides as fluoride anion source |
| **René Csuk, Ulrike Höring and Martina Schaade** | 9759 | Chain extension of aldonolactones by samarium iodide mediated Dreiding–Schmidt reactions and samarium assisted Imamoto reactions |
| **Fabienne Fache, Frédéric Valot, Alexandra Milenkovic and Marc Lemaire** | 9777 | Catalytic reductive N-alkylation of anilines. Application to the synthesis of *N*-aryl aminoacid precursors |
| **Abdellah Miloudi, Douniazad El Abed, Jean-Marc Pons and Maurice Santelli** | 9785 | Synthesis of indenone by self-condensation of 1-acetyl-2-methylcyclopentene and subsequent unusual autoxidation |
| **Bernard Cathala, Khadija Raouf-Benchekroun, Chantal Galaup, Claude Picard, Louis Cazaux and Pierre Tisnès** | 9793 | Synthesis and structure of macrocyclic dioxa-, dithia-, diazatetralactams and derivatives |
| **Chun-mei Shu, Tai-sheng Yuan, Ming-chung Ku, Zong-chia Ho, Wen-chin Liu, Fa-shin Tang and Lee-gin Lin** | 9805 | Diallylbis(arylazo)calix[4]arenes: the syntheses of calix[4]arenes with two different *para*-substituents |
| **Liu-Sheng Zhu, Zhi-Zhen Huang and Xian Huang** | 9819 | Stereoselective synthesis of (*E*,*E*)-1-arylselenobutadienes by cross-coupling reactions in the presence of palladium catalyst |
| **Subramania Ranganathan, Natarajan Tamilarasu and Raja Roy** | 9823 | Protein folding: the synthesis and conformational studies on cystinyl-cystinyl-cystine [-C*SSCCSSCCSSC*-] a novel cross linking motif |

| | | |
|---|---|---|
| **Volodymyr A. Kovtunenko, Konstantin G. Nazarenko and Anatoly M. Demchenko** | 9835 | The derivatives of the 2a,4a-diazacyclopenta[*c,d*]azulene |
| **Elizabeth Tyrrell, Michael W. H. Tsang, George A. Skinner and John Fawcett** | 9841 | The application of $^1$H nuclear magnetic resonance spectroscopy for the determination of the absolute configuration of chiral carboxylic acids |
| **José M. Fraile, José A. Mayoral, Ana J. Royo, Rosa V. Salvador, Belén Altava, Santiago V. Luis and María I. Burguete** | 9853 | Supported chiral amino alcohols and diols functionalized with aluminium and titanium as catalysts of Diels–Alder reaction |
| **Patrizia Ciminiello, Carmela Dell'Aversano, Ernesto Fattorusso, Silvana Magno, Lucia Carrano and Maurizio Pansini** | 9863 | Chemistry of Verongida sponges—VII. Bromocompounds from the Caribbean sponge *Aplysina archeri* |
| **Antonio Cipiciani, Francesco Fringuelli and Anna Maria Scappini** | 9869 | Enzymatic hydrolyses of acetoxy- and phenethylbenzoates by *Candida cylindracea* lipase |
| **Lionel R. Milgrom, Philip J. F. Dempsey and Gokhan Yahioglu** | 9877 | 5,10,15,20-Tetrakis(N-protected-imidazol-2-yl)porphyrins |
| **Kenneth J. M. Beresford and Douglas W. Young** | 9891 | Versatile synthesis of L-α-amino acids stereospecifically labelled on the β-carbon atom |
| **Daniele Donati, Aaron Garzon-Aburbeh, Benedetto Natalini, Carla Marchioro and Roberto Pellicciari** | 9901 | Conformationally constrained tryptophan analogs. Synthesis of (±)-(*Z*)- and (±)-(*E*)-2-amino-2,3-methano-3-(indol-3-yl)-propanoic acids |
| **Ikuo Funaki, Lambertus Thijs and Binne Zwanenburg** | 9909 | Synthesis of 3-aminopyrrolidin-2-ones by an intramolecular reaction of aziridinecarboxamides |
| **Mauri Lounasmaa, Lars Miikki and Arto Tolvanen** | 9925 | Acid-catalysed epimerization of 1-substituted indolo[2,3-*a*]quinolizidines: stereoselective routes to *cis*- and *trans*-deethyleburnamonine starting from the same ester intermediate |
| **Annika Kers, Inger Kers, Jacek Stawinski, Michał Sobkowski and Adam Kraszewski** | 9931 | Studies on aryl H-phosphonates—III. Mechanistic investigations related to the disproportionation of diphenyl H-phosphonate under anhydrous basic conditions |
| **Clive W. Bird** | 9945 | The relationship of classical and magnetic criteria of aromaticity |
| | I | Instructions to Contributors |


# NUMBER 30

## Contents


| | | |
|---|---|---|
| | iii | Contributors to this Issue |
| | v | Graphical Abstracts |
| **B. S. Mootoo, R. Ramsewak, R. Sharma, W. F. Tinto, A. J. Lough, S. McLean, W. F. Reynolds, J.-P. Yang and M. Yu** | 9953 | Further briareolate esters and briareolides from the Caribbean gorgonian octocoral *Briareum asbestinum* |
| **Bin Ye and Terrence R. Burke, Jr** | 9963 | Synthesis of a difluorophosphonomethyl-containing phosphatase inhibitor designed from the X-ray structure of a PTP1B-bound ligand |
| **Kosaku Hirota, Hironao Sajiki, Keiko Kubo, Masaru Kido and Kazuyuki Nakagawa** | 9971 | Stable thioaldehydes: synthesis, structure assignment and stability of 6-amino-5-thioformyluracils |
| **Masakazu Ohkita, Osamu Nishizawa, Toshiro Imai, Shinya Nishida and Takashi Tsuji** | 9979 | Direct synthesis of 2-norbornanone dithioacetals from 2-cyclopentenone dithioacetals and dienophiles. Synthetic application of thermal interconversion between cyclic dithioacetals and the ring-opened vinyl sulfide forms |

| | | |
|---|---|---|
| **Junko Ito and Masatake Niwa** | 9991 | Absolute structures of new hydroxystilbenoids, vitisin C and viniferal, from *Vitis vinifera* 'Kyohou' |
| **Motoo Tori, Masayo Ikawa, Tetsuya Sagawa, Hirosuke Furuta, Masakazu Sono and Yoshinori Asakawa** | 9999 | Synthesis of isovalerenenol, a sesquiterpene alcohol isolated from a soft coral, and the stability of related hydrindanone derivatives |
| **Matthias Mag, Kerstin Jahn, Gerhard Kretzschmar, Anusch Peyman and Eugen Uhlmann** | 10011 | Synthesis and duplex stability of oligodeoxynucleotides containing stereoregular or stereorandom octylphosphonate linkages |
| **Christian Mück-Lichtenfeld and Hubertus Ahlbrecht** | 10025 | On the reason for opposite diastereoselectivities of benzyllithium compounds containing lithium amide and lithium alkoxide functionalities |
| **Ivo Pischel, Martin Nieger, Andreas Archut and Fritz Vögtle** | 10043 | Chiral dithia[*n*]paracyclophanes—synthesis, crystal structure and chiroptical properties |
| **Berthold Manz and Gerhard Maas** | 10053 | Synthesis of 5-alkylidene-4,5-dihydro-3*H*-1,2,4($\lambda^3$)-diazaphospholes from α-silyl-α-diazoketones and phosphaalkenes |
| **Georg Pohnert and Wilhelm Boland** | 10073 | Biosynthesis of the algal pheromone hormosirene by the freshwater diatom *Gomphonema parvulum* (Bacillariophyceae) |
| **Marie-Claude Roux, Lya Wartski, Martine Nierlich and Monique Lance** | 10083 | Enantioselective synthesis of unsubstituted and 3-substituted-4-aroyl-δ-lactones. Easy way to enantiopure bicyclic lactone systems |
| **Georges Morel, Evelyne Marchand, Jean-Paul Pradère, Loic Toupet and Sourisak Sinbandhit** | 10095 | 2-Aza-1,3-dienes with electron-releasing substituents at the 1,3 positions. Reagents for the construction of pyridine and pyrimidine derivatives |
| **Tuyet Jeffery** | 10113 | On the efficiency of tetraalkylammonium salts in Heck-type reactions |
| **Wei Huang, Jian Pei, Bingzi Chen, Weiwei Pei and Xiulin Ye** | 10131 | A novel improved procedure for the synthesis of oxazoles |
| **M.-Pia Calcagno, Francisco Camps, Josep Coll, Enric Melé and Francisco Sánchez-Baeza** | 10137 | New phytoecdysteroids from roots of *Ajuga reptans* varieties |
| **Hanafi H. Zoorob, Mohamed M. Abou-El Zahab, Mamdouh Abdel-Mogib and Mohamed A. Ismail** | 10147 | Peculiar reaction behaviour of barbituric acid derivatives towards aromatic amines |
| **Denise McKinnell, Ivan Basnak, Thomas A. Hamor, Neil Spencer, Peter R. Ashton and Richard T. Walker** | 10159 | The synthesis, structure and properties of a 1,2-dihydropyrimidin-2-one formed by UV irradiation of 5-*t*-butyl-1-methyluracil |
| **Le Thanh Giang, József Fetter, Károly Lempert, Mária Kajtár-Peredy and Ágnes Gömöry** | 10169 | Simple and condensed β-lactams—XXVII. Reaction of 1-(4-methoxyphenyl)-4-(tetrazol-5-yl)azetidin-2-one and 1-(4-methoxyphenyl)-5-(tetrazol-5-ylmethyl)pyrrolidin-2-one with cerium(IV) ammonium nitrate (CAN) |
| **Parviz Gharagozloo, Masao Miyauchi and Nigel J. M. Birdsall** | 10185 | 3-(Tetrahydropyridinyl)indoles |
| **Brian Beagley, Nicholas C. Edge, Nongnuj Jaiboon, Jeffrey J. James, Charles A. McAuliffe, Marc S. Thorp, Michael Watkinson, Andrew Whiting and David C. Wright** | 10193 | MM2 force field parameterisation, modelling and structure prediction of salen-type monomeric and hydrogen bonded dimeric manganese complexes |
| **Maurizio Botta, Marcello Crucianelli, Raffaele Saladino, Cristina Mozzetti and Rosario Nicoletti** | 10205 | Studies on the reactivity of cephalosporins—VI. Ozonolysis of $\Delta^2$-cephem derivatives as a new entry to highly functionalized 2-oxoazetidine and 2-oxoazetidine-4-sulfenic acid derivatives |
| **Donovan Green, Said Elgendy, Geeta Patel, Jehan A. Baban, Emmanuel Skordalakes, Wahid Husman, Vijay V. Kakkar and John Deadman** | 10215 | The facile synthesis of *O,O*-dialkyl α-halobenzylphosphonates from *O,O*-dialkyl α-hydroxybenzylphosphonates |
| **Sandro Cacchi, Giancarlo Fabrizi, Fabio Marinelli, Leonardo Moro and Paola Pace** | 10225 | Palladium-catalysed hydroarylation and hydrovinylation of 3,3-dialkoxy-1-aryl-1-propynes. An approach to 3-aryl- and 3-vinylquinolines |

| | | |
|---|---|---|
| **Angelo Alberti, Maria A. Della Bona, Dante Macciantelli, Francesca Pelizzoni, Guido Sello, Giangiacomo Torri and Elena Vismara** | 10241 | Reactivity of glucosyl radical in the presence of phenols |
| **Rudong Shan, Heidrun Anke, Marc Stadler and Olov Sterner** | 10249 | Papyracillic acid, a new penicillic acid analogue from the ascomycete *Lachnum papyraceum* |
| **Tadeusz Marek Krygowski and Michał Cyranski** | 10255 | Separation of the energetic and geometric contributions to the aromaticity—IV. A general model for the π-electron systems |
| | I | Instructions to Contributors |


# NUMBER 31

## Contents


| | | |
|---|---|---|
| | iii | Contributors to this Issue |
| | v | Graphical Abstracts |
| | 10265 | Corrigendum |
| **Xavier Herault and Edward Mc Nelis** | 10267 | Ring expansions of 1-haloethynyl-2-methylcyclopentanols |
| **Francis M. Rossi, Evan T. Powers, Richard Yoon, Liliana Rosenberg and Jerrold Meinwald** | 10279 | Preparation of 2,3-diamino acids: stereocontrolled synthesis of an aminated analog of the taxol side chain |
| **Derek H. R. Barton and Béatrice M. Chabot** | 10287 | The selective functionalization of saturated hydrocarbons—XXXIII. Further reactions which take place in the $Fe^{II}$–$Fe^{IV}$ manifold |
| **Derek H. R. Barton, Béatrice M. Chabot and Bin Hu** | 10301 | The functionalization of saturated hydrocarbons—XXXIV. A study on the mechanism of Tempo trapping in Gif-type systems |
| **Derek H. R. Barton and Bin Hu** | 10313 | The functionalization of saturated hydrocarbons—XXXV. On the intermediates in an $Fe^{III}$ catalase model in pyridine. Relevance to the catalase enzyme |
| **James B. McAlpine, Lester A. Mitscher, Marianna Jackson, Ronald R. Rasmussen, David Vander Velde and Eduardo Veliz** | 10327 | The biosynthesis of coloradocin |
| **Choji Kashima, Iwao Fukuchi, Katsumi Takahashi and Akira Hosomi** | 10335 | Enantiomerically enriched preparation of enolizable β-keto amides. Diastereoselective α-acylation and subsequent aminolysis of 2-acyl-3-phenyl-*l*-menthopyrazoles |
| **Masahiro Toyota, Youichi Nishikawa and Keiichiro Fukumoto** | 10347 | Synthesis of a cancer growth-inhibiting diterpene—stereoselective formal synthesis of (+)-aphidicolin |
| **Hideo Nemoto, Junji Miyata and Keiichiro Fukumoto** | 10363 | A novel and general route to diverse A-ring aromatic trichothecanes via cyclobutanes |
| **Hisashi Fujihara, Hisatomo Mima and Naomichi Furukawa** | 10375 | New cyclic dichalcogenonio-selenuranes induced by transannular multichalcogenides participation |
| **Rolf Gleiter and Joachim Ritter** | 10383 | The palladium mediated conversion of 1,6-diazacyclodeca-3,8-diynes to 3,3'-bispyrroles. An unexpected reorganization of an alkyne π-system |
| **Michael Kluge and Dieter Sicker** | 10389 | Double diastereoselective glucosidation of cyclic hemiacetals: synthesis of the 1,4-benzoxazinone acetal glucosides GDIBOA and GDIMBOA from *Gramineae* |
| **Waldemar Adam and Barbara Walther** | 10399 | Multiple-photon chemistry in the benzophenone photoreduction during laser-jet photolysis: effect of alcohol solvent on cross-coupling versus hydrogen abstraction of the electronically excited hydroxydiphenylmethyl radical |
| **Philippe Compain, Jacques Goré and Jean-Michel Vatèle** | 10405 | Palladium(II)-catalyzed formation of γ-butyrolactones from 4-trimethylsilyl-3-alkyn-1-ols: synthetic and mechanistic aspects |

| | | |
|---|---|---|
| **Ljubica Mojovic, Alain Turck, Nelly Plé, Muriel Dorsy, Bruno Ndzi and Guy Quéguiner** | 10417 | Metalation of diazines—XVII. Very hindered bases as new metalating agents; improvement of regioselectivity for the metalation of 3-chloro-6-methoxypyridazine |
| **Emile Bisagni, Corinne Landras, Sylvie Thirot and Christiane Huel** | 10427 | A convenient way to dibenzo[*c,h*]-1,5-naphthyridines (11-aza-benzo[*c*]-phenanthridines) |
| **Patricia Charpentier, Jean-François Brière, Georges Dupas, Guy Quéguiner and Jean Bourguignon** | 10441 | Design and synthesis of a heterocyclic amine receptor |
| **Didier Collomb, Bernard Chantegrel and Christian Deshayes** | 10455 | Chemoselectivity in the rhodium(II) acetate catalysed decomposition of α-diazo-β-keto-γ,δ-alkenyl-δ-aryl compounds: aromatic C–H insertion reaction or Wolff rearrangement–electrocyclization |
| **Claude Jacoby, Jean-Claude Braekman and Désiré Daloze** | 10473 | Asymmetric synthesis of (2*R*)- and (2*S*)-2-iodohexadecanal, natural inhibitors of the thyroid gland metabolism |
| **Abd El-Wareth A. O. Sarhan, Hasan A. H. El-Sherief and Abdalla M. Mahmoud** | 10485 | A convenient one-pot synthesis of 2-benzimidazolyl-thioacetophenones and thiazolo[3,2-*a*]benzimidazoles |
| **José Mª Quintela and Carlos Peinador** | 10497 | A ready one-pot preparation for 7-oxa(or thia)-3,4,6-triazabenz[*d,e*]anthracene and 7-oxa-3,4,6,9-tetrazabenz[*d,e*]anthracene derivatives |
| **Gonzalo Blay, Luz Cardona, Begoña García, Cristina L. García and José R. Pedro** | 10507 | Ring-opening aminolysis of sesquiterpene lactones: an easy entry to bioactive sesquiterpene derivatives. Synthesis of (+)-β-cyperone and (–)-eudesma-3,5-diene from santonin |
| **Belén Abarca, Rafael Ballesteros, Ana Muñoz and Gurnos Jones** | 10519 | Triazolopyridines—XVII. N2-dicyanomethylides: synthesis, structure and reactivity with acetylenic dipolarophiles |
| **Juan Manuel Villar, Antonio Delgado, Amadeu Llebaria, Josep M. Moretó, Elies Molins and Carles Miravitlles** | 10525 | Asymmetric approaches to cyclopentenones in the Ni(0)-promoted cyclocarbonylation reaction of allyl halides and acetylenes |
| **Roger Brettle, Richard Cross, Martyn Frederickson, Edwin Haslam, Fiona S. MacBeath and Gareth M. Davies** | 10547 | The shikimate pathway—IX. Halogenation at C-3 of the shikimate nucleus |
| | I | Instructions to Contributors |


# NUMBER 32

## Contents


| | | |
|---|---|---|
| | iii | Contributors to this Issue |
| | v | Graphical Abstracts |
| **Jean-Michel Vatèle and Stephen Hanessian** | 10557 | Design and reactivity of organic functional groups—preparation and nucleophilic displacement reactions of imidazole-1-sulfonates (imidazylates) |
| **James H. Rigby and Mary E. Mateo** | 10569 | Total synthesis of (±)-α-lycorane and 4,5-dehydroanhydrolycorine |
| **Youngwan Seo, Ki Woong Cho, Jung-Rae Rho, Jongheon Shin, Byoung-Mog Kwon, Song-Hae Bok and Jun-Im Song** | 10583 | Solandelactones A–I, lactonized cyclopropyl oxylipins isolated from the hydroid *Solanderia secunda* |
| **Yasuhiro Torisawa, Toshihiro Hosaka, Kiyoshi Tanabe, Naoko Suzuki, Yumiko Motohashi, Tohru Hino and Masako Nakagawa** | 10597 | Synthesis of a tetracyclic substructure of manzamine A via the Diels–Alder reaction of dihydropyridinones |
| **Yoshiki Morimoto, Fuyuhiko Matsuda and Haruhisa Shirahama** | 10609 | Synthetic studies on virantmycin—I. Total synthesis of (±)-virantmycin and determination of its relative stereochemistry |

| | | |
|---|---|---|
| **Yoshiki Morimoto and Haruhisa Shirahama** | 10631 | Synthetic studies on virantmycin—II. Total synthesis of unnatural (+)-virantmycin and determination of its absolute stereochemistry |
| **Brunhilde Voigt, Andrea Porzel, Dieter Golsch, Waldemar Adam and Günter Adam** | 10653 | Regioselective oxyfunctionalization of brassinosteroids by methyl(trifluoromethyl)dioxirane: synthesis of 25-hydroxy-brassinolide and 25-hydroxy-24-epibrassinolide by direct C–H insertion |
| **Xuechao Wang, Xinfu Pan, Yuxin Cui and Yaozu Chen** | 10659 | The first total synthesis of (±)-demethyl salvicanol |
| **Antonio G. González, Nelson L. Alvarenga, Ana Estévez-Braun, Angel G. Ravelo and Rafael Estévez-Reyes** | 10667 | Oxidation of natural targets by dimethyl dioxirane: regio and stereospecific reactions on enol double bond of bioactive nor quinone methide triterpenes |
| **Apichart Suksamrarn, Siritorn Charoensuk and Boon-ek Yingyongnarongkul** | 10673 | Synthesis and biological activity of 3-deoxyecdysteroid analogues |
| **Artur Ryglowski and Paweł Kafarski** | 10685 | Preparation of 1-aminoalkylphosphonic acids and 2-aminoalkylphosphonic acids by reductive amination of oxoalkylphosphonates |
| **Luis R. Domingo, M. Teresa Picher, Juan Andrés, V. Moliner and V. S. Safont** | 10693 | Theoretical study of the solvent effects on the mechanisms of addition of dimethyl acetylenedicarboxylate to 1-methyl-2-vinylpyrrole |
| **Roberto Ballini, Giovanna Bosica and Enrico Marcantoni** | 10705 | A new 1,4-elimination of benzenesulfinic acid from β-keto phenylsulphones via their tosylhydrazones |
| **Tilmann W. Brandstetter, Carmen de la Fuente, Yong-ha Kim, Richard I. Cooper, David J. Watkin, Nikos G. Oikonomakos, Louise N. Johnson and George W. J. Fleet** | 10711 | α-Azidoesters as divergent intermediates for combinatorial generation of glucofuranose libraries of novel N-linked glycopeptides |
| **Tilmann W. Brandstetter, Carmen de la Fuente, Yong-ha Kim, Louise N. Johnson, Sarah Crook, Paul M. de Q. Lilley, David J. Watkin, Katerina E. Tsitsanou, Spyros E. Zographos, Enangelia D. Chrysina, Nikos G. Oikonomakos and George W. J. Fleet** | 10721 | Glucofuranose analogues of hydantocidin |
| **Yao-Zhong Xu** | 10737 | Post-synthetic introduction of labile functionalities onto purine residues via 6-methylthiopurines in oligodeoxyribonucleotides |
| **Demetrios Korakas, Athanasios Kimbaris and George Varvounis** | 10751 | Synthesis of the novel pyrrolo[2,1-*d*][1,2,5]benzotriazepine, pyrrolo[2,1-*e*]-[1,3,6]benzotriazocine and pyrrolo[1,2-*a*]tetrazolo[1,5-*d*][1,4]benzodiazepine ring systems. A new route to pyrrolo[1,2-*a*]quinoxaline via transamination of *in situ* generated 1-(2-aminophenyl)-2-iminomethylpyrroles |
| **María García-Valverde, Rafael Pedrosa, Martina Vicente, S. García-Granda and A. Gutiérrez-Rodríguez** | 10761 | A diastereoselective approach to enantiopure 3-substituted pyrrolidines from masked lithium homoenolates derived from norephedrine |
| **Inmaculada Robina, Eugenia López-Barba and José Fuentes** | 10771 | Fatty acylamino-trisaccharides. Synthesis and some stereochemical properties |
| **Mª Selma Arias-Pérez and Mª Jesús Santos** | 10785 | An efficient approach to partially O-methylated α-D-mannopyranosides using bis-*tert*-butyldiphenylsilyl ethers as intermediates |
| **Vincenzo Caló, Angelo Nacci and Vito Fiandanese** | 10799 | Copper-mediated regio- and enantio-selective cross-coupling of heterocyclic allyl sulphides with organomagnesium compounds: a case of 1,7-relative stereogenesis |

| | | |
|---|---|---|
| **Ana Sánchez-Migallón, Antonio de la Hoz, Mikael Begtrup, Cristina Fernández-Castaño, Concepción Foces-Foces and José Elguero** | 10811 | Porphyrins with four azole substituents in *meso* positions—II. X-Ray crystal structure of *meso*-tetrakis{1-[2-(trimethylsilyl)ethoxymethyl]pyrazol-5-yl}-porphyrin at 200 K |
| **Florencio Zaragoza and Susanne Vejle Petersen** | 10823 | Solid-phase synthesis of substituted 1,2,3-triazoles |
| | I | Instructions to Contributors |


# NUMBER 33

## Contents


| | | |
|---|---|---|
| | iii | Contributors to this Issue |
| | v | Graphical Abstracts |
| **Stephen Hanessian, Jose J. Conde, Hoan Huynh Khai and Boliang Lou** | 10827 | The stereocontrolled synthesis of 1,2-*trans* hexopyranosyl nucleosides via a novel anomeric activation |
| **Mark B. Sassaman** | 10835 | Indirect monoalkylation of primary and secondary amines by reductive decyanation of α-aminonitriles with sodium cyanoborohydride–mercury bis(trifluoroacetate) |
| **Victor P. Kislyi, Kirill G. Nikishin, Elena Ya. Kruglova, Alexandr M. Shestopalov, Victor V. Semenov, Andrei A. Gakh and A. C. Buchanan, III** | 10841 | Regioselective synthesis and S-derivatization reactions of 4- and 6-trifluoromethyl-3-cyano-2(1*H*)-pyridinethiones |
| **Hideki Anan, Norio Seki, Osamu Noshiro, Kazuo Honda, Kenichi Yasumuro, Teruaki Ozasa and Nobuhiro Fusetani** | 10849 | Total synthesis of cyclostellettamine C, a bispyridinium macrocyclic alkaloid having muscarinic acetylcholine receptor antagonistic activity |
| **Thorsten Bach, Kai Jödicke and Birgit Wibbeling** | 10861 | Reversal of the facial diastereoselectivity in the Paternò–Büchi reaction of silyl enol ethers carrying a chiral substituent in α-position |
| **Haymo Ross and Ulrich Lüning** | 10879 | Concave reagents—XIX. Synthesis, structure, and basicity of a calix[6]arene bridged by an aniline |
| **Dieter Hamprecht, Jakob Josten and Wolfgang Steglich** | 10883 | Optically active 2*H*-azepines: synthesis and rearrangement into their 3*H*-isomers |
| **Gérard Descotes, Jan Ramza, Jean-Marie Basset, Salvatore Pagano, Emmanuel Gentil and Joseph Banoub** | 10903 | Synthesis and structural characterization of macrocyclic carbohydrate derivatives obtained from catalytic metathesis reaction with chloroaryloxide complexes of tungsten |
| **Jean-Marc Kern, Jean-Pierre Sauvage and Jean-Luc Weidmann** | 10921 | Multiring interlocked systems via transition metal-templated strategy: the single-cyclization synthesis of [3]-catenates |
| **Chen-Yu Cheng, Ling-Wei Hsin and Jing-Ping Liou** | 10935 | Novel radical synthesis of morphine fragments spiro[benzofuran-3(2*H*),4'-piperidine] and octahydro-1*H*-benzofuro[3,2-*e*]isoquinoline |
| **Huanfeng Jiang, Shengming Ma, Guoxin Zhu and Xiyan Lu** | 10945 | Structural factors affecting the selectivities in the palladium(II) catalyzed cyclization of *N*-alkenyl-2-alkynamides |
| **Ahmad R. Al Dulayymi and Mark S. Baird** | 10955 | 2-Vinyl-1,1,2-trihalocyclopropanes—valuable five carbon cyclopropane and cyclopropene synthetic intermediates |
| **Paolo Bovicelli, Anna Sanetti and Paolo Lupattelli** | 10969 | Fine regioselective tuning in the oxidation of *sec,sec* 1,2-diols by dimethyldioxirane |
| **Bo-Long Poh** | 10979 | Cyclodextrins (α-, β-, and γ-) as guests to calcichrome (calcion) in water |
| **Gianna Reginato, Alessandro Mordini, Flavia Messina, Alessandro Degl'Innocenti and Giovanni Poli** | 10985 | A new stereoselective synthesis of chiral γ-functionalized (*E*)-allylic amines |

| | | |
|---|---|---|
| **Maria Iorizzi, Simona De Marino, Luigi Minale, Franco Zollo, Valérie Le Bert and Christos Roussakis** | 10997 | Investigation of the polar steroids from an Antarctic starfish of the family *Echinasteridae*: isolation of twenty-seven polyhydroxysteroids and steroidal oligoglycosides, structures and biological activities |
| **Martin Belohradsky, Miloš Budešinsky, Jana Günterová, Jana Hodacová, Petr Holy, Jirí Závada, Ivana Císarová and Jaroslav Podlaha** | 11013 | C–C Coupling reaction of 1,5-dibromo-2,6-dihydroxynaphthalene with alkali 2-naphthoxide. Opposite effects of counterion coordination and hydrogen bonding on stereoselectivity in the formation of *cis*- and *trans*-1,1':5',1"-ternaphthyls |
| **Jan Epsztajn, Andrzej Józwiak, Jerzy K. Krysiak and Dariusz Łucka** | 11025 | Application of organolithium and related reagents in synthesis—XVIII. Synthetic strategies based on aromatic metallation. A conversion of methyl *ortho*-pyridoylbenzoates into aza-anthra-5,10-quinones |
| **Angelo Clerici, Laura Clerici and Ombretta Porta** | 11037 | Acylation of a transient Ti(IV)-enolate by acyl halides and anhydrides. Facile synthesis of α-hydroxy-β-ketoesters |
| **Carla Bisi Castellani, Oliviero Carugo, Manuel Giusti, Claudia Leopizzi, Angelo Perotti, Anna Gamba Invernizzi and Giovanni Vidari** | 11045 | Scandium trifluoromethanesulphonate as an active catalyst in the decarbonylation of aromatic aldehydes |
| **Csaba Szántay, Zsuzsanna Kardos-Balogh, István Moldvai, Csaba Szántay, Jr, Eszter Temesvári-Major and Gábor Blaskó** | 11053 | A practical enantioselective synthesis of epibatidine |
| **Javier Garín, Jesús Orduna, María Savirón, Martin R. Bryce, Adrian J. Moore and Vincent Morisson** | 11063 | Synthesis and characterization of functionalized ethylenediselenotetrathiafulvalenes: a comparative study with their all-sulfur analogues |
| **Pilar Cornago, Consuelo Escolástico, María Dolores Santa María, Rosa María Claramunt, Cristina Fernández-Castaño, Concepción Foces-Foces, Jean-Pierre Fayet and José Elguero** | 11075 | Aromatic propellenes. Synthesis, X-ray structures and conformational study of polypyrazolylpyridines |
| **Pieter A. Otten, Njord Oskam and Arne van der Gen** | 11095 | A Horner–Wittig approach to *S,N*-ketene acetals. Acid-catalyzed hydrolysis of *S,N*-ketene acetals to (*S*)-thioesters |
| **Luis R. Domingo, Salvador Gil, Ramón Mestres and M. Teresa Picher** | 11105 | Theoretical model of solvated lithium dienediolates of methyl substituted 2-butenoic acids |
| | I | Instructions to Contributors |


# NUMBER 34

## Contents


| | | |
|---|---|---|
| | iii | Tetrahedron Prize for Creativity in Organic Chemistry |
| | v | Contributors to this Issue |
| | vii | Graphical Abstracts |
| | | **TETRAHEDRON REPORT NUMBER 405** |
| **Senay Tascioglu** | 11113 | Micellar solutions as reaction media |
| | | **ARTICLES** |
| **Hui-Yin Li, Spencer Drummond, Indawati DeLucca and George A. Boswell** | 11153 | Singlet oxygen oxidation of pyrroles: synthesis and chemical transformations of novel 4,4-bis(trifluoromethyl)imidazoline analogs |
| **Derek H. R. Barton and Giovanni Fontana** | 11163 | The invention of radical reactions—XXXVII. A convenient radical synthesis of dialkyl diselenides from carboxylic acids |

| | | |
|---|---|---|
| **E. R. Marinelli, T. Arunachalam, G. Diamantidis, J. Emswiler, H. Fan, R. Neubeck, K. M. R. Pillai, T. R. Wagler, C.-K. Chen, K. Natalie, N. Soundararajan and R. S. Ranganathan** | 11177 | Heterocyclic nonionic X-ray contrast agents—V. A facile conversion of 2-tetrahydrofuroamides into α-hydroxy-δ-valerolactams and a general synthesis of lactams conjugated to 2,4,6-triiodoisophthalamides |
| **Patrick Meffre, Laurence Gauzy, Eric Branquet, Philippe Durand and François Le Goffic** | 11215 | Synthesis of optically active β,γ-alkynylglycine derivatives |
| **C. Alvarez-Ibarra, R. Cuervo-Rodríguez, M. C. Fernández-Monreal and M. P. Ruiz** | 11239 | Synthesis and conformational study of β-hydroxy sulfones, bioisosteres of oxisuran metabolites, and their *O*-methyl derivatives |
| **Patricia Carloni, Elisabetta Damiani, Lucedio Greci, Pierluigi Stipa, Giancarlo Marrosu, Rita Petrucci and Antonio Trazza** | 11257 | Chemical and electrochemical study on the interactions of aminoxyls with superoxide anion |
| **Ranjan Patra, Narayan C. Bar, Atanu Roy, Basudeb Achari, Nanda Ghoshal and Sukhendu B. Mandal** | 11265 | A simple route to optically active, functionalized five-, six- and seven-membered carbocyclic derivatives |
| **Dennis P. Piet, Maurice C. R. Franssen and Aede de Groot** | 11273 | Biotransformation of allylically activated (*E,E*)-cyclodeca-1,6-dienols by *Cichorium intybus* |
| **Barbara Cosimelli, Dario Neri and Gabrio Roncucci** | 11281 | A new synthetic route to 2,2':5',2"-terthiophene-5-derivatives to conjugate with proteins and monoclonal antibodies |
| **Bruno Danieli, Giordano Lesma, Marcello Luzzani, Daniele Passarella and Alessandra Silvani** | 11291 | Diels–Alder reactions of methyl *N-p*-methoxybenzensulfonylindole-2-(2-propenoate), a convenient dienophile towards the synthesis of andranginine |
| **Luiz Cláudio de A. Barbosa, Mayura M. M. Rubinger, John Mann and Howard L. Mansell** | 11297 | New routes to polysubstituted cycloheptenones |
| **Rafael Suau, Juan Manuel López-Romero, Rodrigo Rico, Francisco J. Alonso and Carolina Lobo** | 11307 | A new approach to the synthesis of 4,5-dioxoaporphine alkaloids from preformed biaryl bond precursors |
| **Jozef Kula, Magdalena Sikora, Halina Sadowska and Jacek Piwowarski** | 11321 | Short synthetic route to the enantiomerically pure (*R*)-(+)-γ-decalactone |
| **Mati Karelson, Uko Maran and Alan R. Katritzky** | 11325 | Theoretical study of the keto–enol tautomerism in aqueous solutions |
| **K. Aboutayab, S. Caddick, K. Jenkins, S. Joshi and S. Khan** | 11329 | Preparation of organostannanes by intermolecular radical substitution reactions |
| **Marko Zupan, Jernej Iskra and Stojan Stavber** | 11341 | The regioselectivity in the fluorination of dibenzofuran, diphenylether and biphenyl with N–F type of reagents |
| **Jesús Valenciano, Ana M. Cuadro, Juan J. Vaquero, José L. García-Navío, Julio Alvarez-Builla, Pilar Gómez-Sal and Avelino Martín** | 11349 | Synthesis of new conjugated mesomeric betaines from alkoxycarbonyl-azinium salts |
| **David Din Belle, Arto Tolvanen and Mauri Lounasmaa** | 11361 | Total syntheses of tacamine-type indole alkaloids of *Tabernaemontana eglandulosa* |
| **Sean T. Howard, Tadeusz Marek Krygowski and Marek L. Główka** | 11379 | The imbalanced Kekulé structure contributions in the ring in 1,3,5-trisubstituted benzene derivatives: low temperature X-ray study on 1,3,5-trimethoxybenzene, and *ab initio* calculations on 1,3,5-triformylobenzene and trimethoxybenzene and the related disubstituted systems |
| | I | Instructions to Contributors |

# NUMBER 35

## Contents

TETRAHEDRON SYMPOSIA-IN-PRINT NUMBER 62

# CASCADE REACTIONS

DEDICATED TO PROFESSOR WOLFGANG OPPOLZER

*Guest Editor:* RON GRIGG

University of Leeds, Leeds, UK


| | | |
|---|---|---|
| | iii | Contributors to this Issue |
| | vii | Announcement: Tetrahedron Symposia-in-Print |
| | xiii | Obituary: Professor Wolfgang Oppolzer 1937–1996 |
| | xv | Preface |
| | xvii | Graphical Abstracts |
| **Dennis P. Curran, Hui Liu, Hubert Josien and Sung-Bo Ko** | 11385 | Tandem radical reactions of isonitriles with 2-pyridonyl and other aryl radicals: scope and limitations, and a first generation synthesis of (±)-camptothecin |
| **Louis Fensterbank, Anne-Lise Dhimane, Sashuang Wu, Emmanuel Lacôte, Stéphane Bogen and Max Malacria** | 11405 | Variations on radical cascades of vinyl radicals generated from bromomethyldimethylsilyl propargyl ethers |
| **Robert A. Batey, John D. Harling and William B. Motherwell** | 11421 | Some novel electron transfer mediated cascade ring-opening reactions of bicyclo[4.1.0]ketones |
| **W. Russell Bowman, Peter T. Stephenson and Adrian R. Young** | 11445 | Cascade radical cyclisations of imines |
| **Marcello Cavicchioli, Sylvie Decortiat, Didier Bouyssi, Jacques Goré and Geneviève Balme** | 11463 | A new route to γ-arylidenebutyrolactones via a tandem carbopalladation–heterocyclisation sequence: a formal synthesis of U-68,215 |
| **Ronald Grigg, Vani Loganathan, Visuvanathar Sridharan, Paul Stevenson, Sukanthini Sukirthalingam and Tanachat Worakun** | 11479 | Palladium catalysed tandem cyclisation–anion capture processes—II. Cyclisation onto alkynes or allenes with hydride capture |
| **Kiah How Ang, Stefan Bräse, Arno G. Steinig, Frank E. Meyer, Amadeu Llebaria, Katharina Voigt and Armin de Meijere** | 11503 | Versatile synthesis of bicyclo[4.3.0]nonenes and bicyclo[4.4.0]decenes by a domino Heck–Diels–Alder reaction |
| **Christophe Copéret, Shengming Ma, Takumichi Sugihara and Ei-ichi Negishi** | 11529 | Cyclic carbopalladation of alkynes terminated by carbonylative amidation |
| **Hans Henniges, Frank E. Meyer, Ute Schick, Frank Funke, Philip J. Parsons and Armin de Meijere** | 11545 | Palladium-catalysed oligocyclisations of 2-bromododeca-1,11-diene-6-ynes |

| | | |
|---|---|---|
| **Scott E. Denmark and C. B. W. Senanayake** | 11579 | Tandem inter [4 + 2]/intra [3 + 2] cycloadditions—VIII. Cycloadditions with unactivated dipolarophiles |
| **Edwin C. Davison, Ian T. Forbes, Andrew B. Holmes and Jacqueline A. Warner** | 11601 | *N*-Alkenyl nitrone dipolar cycloaddition routes to piperidines and indolizidines—VIII. The scope of tandem reactions involving hydroxylamine–alkyne cyclisations |
| **Leo A. Paquette, Lung Huang Kuo and Julien Doyon** | 11625 | Reaction cascades based on squarate esters. 1,3-Dioxolane as a chaperone functional group for lithium ions |
| **Philip J. Parsons, Nicholas P. Camp, J. Mark Underwood and Darren M. Harvey** | 11637 | Tandem reactions of anions: a short and efficient route to ±anatoxin-*a* |
| **Andreas Franz, Pierre-Yves Eschler, Manuel Tharin and Reinhard Neier** | 11643 | The preparation and the cascade reactions of *N*-butadienyl-*N*-alkylketene *N,O-tert*-butyldimethylsilyl acetals |
| **Ivar Ugi, Anton Demharter, Werner Hörl and Thomas Schmid** | 11657 | Ugi reactions with trifunctional α-amino acids, aldehydes, isocyanides and alcohols |
| | I | Instructions to Contributors |


# NUMBER 36

## Contents


| | | |
|---|---|---|
| | iii | Contributors to this Issue |
| | v | Graphical Abstracts |
| **Angela Cuenca and Adelitza Strubinger** | 11665 | Synthesis of 2-(2-nitrophenoxy)quinoxaline and its basic hydrolysis in aqueous solutions of nonreactive counter ion surfactants with bulky head groups |
| **Lorenzo Williams, Zhongda Zhang, Feng Shao, Patrick J. Carroll and Madeleine M. Joullié** | 11673 | Grignard reactions to chiral oxazolidine aldehydes |
| **Wenkui Lan McEldoon and David F. Wiemer** | 11695 | Synthesis of nucleoside epoxyphosphonates |
| **Jennifer M. Wiebe, Alain S. Caillé, Laird Trimble and Cheuk K. Lau** | 11705 | Syntheses of quinolines, dihydro- and tetrahydroquinolines via *ortho*-quinone methide imine intermediate |
| **Tsutomu Yokomatsu, Takehiro Yamagishi, Keita Matsumoto and Shiroshi Shibuya** | 11725 | Stereocontrolled synthesis of hydroxymethylene phosphonate analogues of phosphorylated tyrosine and their conversion to monofluoromethylene phosphonate analogues |
| **Toshiro Ibuka, Kazuo Nakai, Masako Akaji, Hirokazu Tamamura, Nobutaka Fujii and Yoshinori Yamamoto** | 11739 | An aza-Payne rearrangement–epoxide ring opening reaction of 2-aziridinemethanols in a one-pot manner: a regio- and stereoselective synthetic route to diastereomerically pure N-protected 1,2-amino alcohols |
| **Takashi Yamazaki, Takayuki Oniki and Tomoya Kitazume** | 11753 | 1,2- and 1,3-*O,O*-Silyl migration reactions of fluorine-containing monosilylated diols |
| **G. Märkl, Th. Knott, P. Kreitmeier, Th. Burgemeister und F. Kastner** | 11763 | Zur Molekül dynamik isomerer antiaromatischer [28]Tetraoxaporphyrinogene(6.0.6.0)—isomere [26]Tetraoxaporphyrin(6.0.6.0)dikationen |
| **H. M. R. Hoffmann, Ira Münnich, Olaf Nowitzki, Holger Stucke and David J. Williams** | 11783 | Samarium diiodide-mediated pinacolization of 1,4-diketones—I. Stereoselective synthesis of fused mono-, bi- and tricyclic cyclobutane-1,2-diols |
| **Olaf Nowitzki, Ira Münnich, Holger Stucke and H. M. R. Hoffmann** | 11799 | Samarium diiodide-mediated pinacolization of diketones—II. Synthesis of polycyclic frameworks containing a cyclobutane-1,2-diol and a cyclopentane-1,2-diol |
| **Thierry J. Benvegnu, Loïc J. Toupet and René L. Grée** | 11811 | Stereoselective synthesis of macrolactin A analogues—I. The $C_7$–$C_{20}$ fragment |

| | | |
|---|---|---|
| **Thierry J. Benvegnu and René L. Grée** | 11821 | Stereoselective synthesis of macrolactin A analogues—II. The $C_1$–$C_{14}$ fragment |
| **María M. Afonso, Horacio Mansilla, J. Antonio Palenzuela and Antonio Galindo** | 11827 | Acid cyclization of 5-ketogermacren-6,12-olides. A reactivity and conformational study |
| **Marcello Tiecco, Lorenzo Testaferri and Francesca Marini** | 11841 | Stereoselective organoselenium-induced cyclization of *N*-allyl acethydrazides to 1,3,4-oxadiazines or *N*-acetyl pyrazolidines |
| **Gianluigi Broggini, Franco Folcio, Nicola Sardone and Gaetano Zecchi** | 11849 | Relative and absolute stereocontrol in intramolecular nitrone cycloadditions to the cyclohexene ring |
| **Romualdo Caputo, Luigi Longobardo, Giovanni Palumbo, Silvana Pedatella and Federico Giordano** | 11857 | Asymmetric induction in the coupling of 5,6-dihydro-1,4-dithiins with chiral aldehydes. A new synthetic approach to polyhydroxylated compounds |
| **Harald Paulussen, Peter Adriaensens, Dirk Vanderzande and Jan Gelan** | 11867 | Unexpected rearrangements in the synthesis of arylidene- or alkylidene-2-thiophthalides |
| **Gianluca Pozzi, Stefano Banfi, Amedea Manfredi, Fernando Montanari and Silvio Quici** | 11879 | Towards epoxidation catalysts for fluorous biphase systems: synthesis and properties of two Mn(III)-tetraarylporphyrins bearing perfluoroalkylamido tails |
| **Peter R. Carly, Steven L. Cappelle, Frans Compernolle and Georges J. Hoornaert** | 11889 | Diels–Alder reactions of pyridine *o*-quinodimethane analogues generated from functionalised *o*-bis(chloromethyl)pyridines |
| **Jolanda M. I. Neeft, Jan Verweij, Hans G. J. Hirs and Erik de Vroom** | 11905 | Cephalosporanic acid 7β-alkylideneammonio salts |
| **Fatima Al-Omran, Mervat Mohammed Abdel Khalik, Hanan Al-Awadhi and Mohammed Hilmy Elnagdi** | 11915 | Reactivity of condensed thiophenes in the Diels–Alder reaction: the reactivity of 3-aminothieno[3,4:3',4']benzo[*b*]pyranone, 3-aminothieno[3,4-*c*]quinoline and of 5-amino-7-substituted thieno[3,4-*d*]pyridazinone toward electron-poor olefins and acetylenes |
| **Carlos Alvarez-Ibarra, Rocío Fernández-Granda, Maria L. Quiroga, J. M. Pingarrón and M. Pedrero** | 11929 | Determination of the p$K_a$ values for polycationic species derived from 9-hydroxy and 9-aminothiazolo[5,4-*b*]quinolines. A problem related to the tautomerism of these systems |
| **David E. Justice and John R. Malpass** | 11947 | Synthesis of *exo*- and *endo*-7,8-epoxyhomotropanes |
| **David E. Justice and John R. Malpass** | 11963 | Synthesis of *exo*- and *endo*-6,7-epoxytropanes |
| **David E. Justice and John R. Malpass** | 11977 | Total synthesis of scopine, pseudoscopine, and nor- derivatives |
| **Mihailo Lj. Mihailovic, Milica M. Rajkovic, Ljubinka B. Lorenc, Vladimir D. Pavlovic, Aleksandar Ž. Milovanovic, Bernard Tinant and Jean-Paul Declercq** | 11995 | Structure–reactivity relationship in 19-methyl- and 19-nor-5,10-seco-steroids—IV. Intramolecular nitrone 1,3-dipolar cycloadditions |
| **Giovanni Desimoni, Giuseppe Faita, PierPaolo Righetti and Gianfranco Tacconi** | 12009 | Catalysis with inorganic cations—V. Intramolecular hetero Diels–Alder versus ene reactions: effect of magnesium perchlorate on chemoselectivity |
| **Giovanni Desimoni, Giuseppe Faita, PierPaolo Righetti and Nicola Sardone** | 12019 | Catalysis with inorganic cations—VI. The effect of chiral bis-oxazoline–magnesium perchlorate catalysts on chemo- and enantioselectivity of intramolecular hetero Diels–Alder and ene reaction |
| **Isabel Fernández, José R. Pedro and Roberto de la Salud** | 12031 | Aerobic catalytic epoxidation of unfunctionalized olefins using a new (salen)manganese(III) complex bearing a sesquiterpene salicylaldehyde derivative |
| | I | Instructions to Contributors |

# NUMBER 37

## Contents


| | | |
|---|---|---|
| | iii | Contributors to this Issue |
| | v | Graphical Abstracts |
| **William H. Pearson and Brian M. Gallagher** | 12039 | The intramolecular Schmidt reaction of azides with tertiary alcohols: synthesis of 5-(α-naphthyl)- and 5-(β-naphthyl)indolizidines as potential dopamine analogs and non-opiate antinociceptive agents |
| **Bao-Xiang Zhao, Yang Yu and Shoji Eguchi** | 12049 | Synthesis of stable $\Delta^4$-isoxazolines by 1,3-dipolar cycloaddition of 3,4-dihydroisoquinoline *N*-oxides with alkynes and their rearrangement to isoquinoline-fused pyrroles |
| **Ken Usami and Minoru Isobe** | 12061 | Low-temperature photooxygenation of coelenterate luciferin analog. Synthesis and proof of 1,2-dioxetanone as luminescence intermediate |
| **Takahiro Oka, Kenshu Fujiwara and Akio Murai** | 12091 | Synthesis of both enantiomers of the BC-ring part of ciguatoxin |
| **Gweon Il Hwang, Jae-Ho Chung and Won Koo Lee** | 12111 | An efficient synthesis of both enantiomers of cathinone by regioselective reductive ring opening of substituted aziridines |
| **Bong Chan Kim and Won Koo Lee** | 12117 | Highly diastereoselective reduction of enantiomerically pure aziridino ketones |
| **Kazuyuki Miyashita, Hideto Miyabe, Chiaki Kurozumi, Kuninori Tai and Takeshi Imanishi** | 12125 | α-Alkylation of α-amino esters by using a pyridoxal model compound having a $Li^+$-ionophore character |
| **En Si Wang, Yuen Min Choy and Henry N. C. Wong** | 12137 | Synthetic studies on prehispanolone and 14,15-dihydroprehispanolone |
| **Xiao-xia Wang, Hideyuki Shigemori and Jun'ichi Kobayashi** | 12159 | Taxuspines Q, R, S, and T, new taxoids from Japanese yew *Taxus cuspidata* |
| **Hajime Maeda, Nobuaki Kambe, Noboru Sonoda, Shin-ichi Fujiwara and Tsutomu Shin-Ike** | 12165 | Reaction of 2,6-xylyl isoselenocyanate with organolithium compounds |
| **Toshio Honda, Shin-ichi Yamane, Fumihiro Ishikawa and Miho Katoh** | 12177 | A concise enantiospecific synthesis of (–)-invictolide |
| **Thomas Heiner, Sergei I. Kozhushkov, Mathias Noltemeyer, Thomas Haumann, Roland Boese and Armin de Meijere** | 12185 | Intramolecular Diels–Alder reactions of furans with a merely strain-activated tetrasubstituted alkene: bicyclopropylidene |
| **Andreas Lutz, Thomas R. Ward and Martin Albrecht** | 12197 | Synthesis of salicylamide and bipyridine containing ligands for iron(II) and iron(III) coordination |
| **Iuliana E. Pop, Christophe F. Dhalluin, Benoît P. Déprez, Patricia C. Melnyk, Guy M. Lippens and André L. Tartar** | 12209 | Monitoring of a three-step solid phase synthesis involving a Heck reaction using magic angle spinning NMR spectroscopy |
| **Shyamaprosad Goswami, Kumaresh Ghosh and Swagata Dasgupta** | 12223 | Molecular recognition: connection and disconnection of hydrogen bonds, a case study with dimeric and highly associated monocarboxylic acids with simple receptors |
| **Giuseppe Capozzi, Paola Fratini, Stefano Menichetti and Cristina Nativi** | 12233 | α-Oxosulfines—I. Reactivity of α-oxosulfines obtained from retro Diels–Alder reaction of 1,4-oxathiin-*S*-oxides |
| **Giuseppe Capozzi, Paola Fratini, Stefano Menichetti and Cristina Nativi** | 12247 | α-Oxosulfines—II. The first example of *ortho*-thioquinone-*S*-oxides |
| **Ikuo Funaki, Roel P. L. Bell, Lambertus Thijs and Binne Zwanenburg** | 12253 | Synthesis of functionalized cyclopropanes by MIRC reactions of aziridinyl-methylenemalonates |

| | | |
|---|---|---|
| **Christian Sund, Nitin Puri and Jyoti Chattopadhyaya** | 12275 | Synthesis of *C*-branched spermine tethered oligo-DNA and the thermal stability of the duplexes and triplexes |
| **Sangeeta V. Pitre, Padma S. Vankar and Yashwant D. Vankar** | 12291 | Palladium catalysed conversion of vinyl bromo allylic alcohols into vinylic carbonyl compounds and oxidation of secondary alcohols to ketones |
| **Atanas P. Venkov and Ilian I. Ivanov** | 12299 | Synthesis of isoquinolines from 2-phenylethylamines, amides, nitriles and carboxylic acids in polyphosphoric acid |
| **Javier G. Luis, El Hassane Lahlou and Lucía S. Andrés** | 12309 | Hassananes: $C_{23}$ terpenoids with a new type of skeleton from *Salvia apiana* Jeps |
| **Pieter S. van Heerden, Barend C. B. Bezuidenhoudt and Daneel Ferreira** | 12313 | Tetramethylethylene diamine/trimethylsilyl chloride mediated addition of benzyl copper reagents to α,β-unsaturated esters |
| **César Raposo, Alicia Luengo, Marta Almaraz, Mercedes Martín, Mª Luisa Mussons, Mª Cruz Caballero and Joaquín R. Morán** | 12323 | Malonic acid receptors with decarboxylative activity |
| | I | Instructions to Contributors |


# NUMBER 38

## Contents


| | | |
|---|---|---|
| | iii | Contributors to this Issue |
| | v | Graphical Abstracts |
| **Yong Sun Park and Peter Beak** | 12333 | Lithiation–substitutions of *N*-Boc *N*-alkyl cyclopropylamines |
| **David V. Avila, Keith U. Ingold, J. Lusztyk, William R. Dolbier, Jr and H.-Q. Pan** | 12351 | Perfluoro-*tert*-butyl, a reactive, neutral, electrophilic carbon-centered radical *par excellence* |
| **David A. Williamson and Bruce E. Bowler** | 12357 | Synthesis of a beta-turn-forming depsipeptide for hydrogen bond mediated electron transfer studies |
| **Wei-min Zhao, Guo-wei Qin, Ren-Zhou Yang, Tian-Yi Jiang, Wu-Xiong Li, Lincoln Scott and John K. Snyder** | 12373 | Tonkinenin A. A new polyoxygenated cyclohexane derivative from *Uvaria tonkinensis* |
| **Patrick H. Dussault, Todd A. Anderson, Michael R. Hayden, Kevin J. Koeller and Q. Jason Niu** | 12381 | Auxiliary-directed peroxidation of 1,4-dienes |
| **Pavel Lhoták, Masaru Kawaguchi, Atsushi Ikeda and Seiji Shinkai** | 12399 | Synthesis of 'macrocycle of macrocycles' containing 3–8 calix[4]arene units. Unexpected generation of large super-macrocycles |
| **Gaku Yamamoto, Hiroyuki Higuchi, Masami Yonebayashi, Yuki Nabeta and Juro Ojima** | 12409 | Stereodynamics of *N,N*-dialkyl-9-triptycylamines |
| **Hitoshi Tamiaki, Shinya Miyata, Yasuhiko Kureishi and Rikuhei Tanikaga** | 12421 | Aggregation of synthetic zinc chlorins with several esterified alkyl chains as models of bacteriochlorophyll-*c* homologs |
| **Vadim A. Soloshonok, Dimitry V. Avilov and Valery P. Kukhar** | 12433 | Asymmetric aldol reactions of trifluoromethyl ketones with a chiral Ni(II) complex of glycine: stereocontrolling effect of the trifluoromethyl group |
| **Siméon Arseniyadis, Dmitry V. Yashunsky, Rossimiriam Pereira de Freitas, Manuel Muñoz Dorado, Pierre Potier and Loïc Toupet** | 12443 | Left- and right-half taxoid building blocks from (*S*)-(+)-Hajos–Parrish ketone |
| **Ta-shue Chou and Chia-Tien Wang** | 12459 | Ring-substituted thieno-*o*-quinodimethanes via electrophilic substitution reactions of thieno-3-sulfolene |

| | | |
|---|---|---|
| **Geoffrey T. Crisp and Markus G. Gebauer** | 12465 | Heck couplings of nonactivated alkenes |
| **Elena Tighineanu, Dan Raileanu, Yurii Simonov and Polina Bouros** | 12475 | 5*H*-Pyrrolo[1,2-*a*][3,1]benzoxazin-5-ones. Reconsideration of the double cyclisation of *o*-carboxyphenylglycine |
| **Bogdan Boduszek** | 12483 | The acidic cleavage of pyridylmethyl(amino)phosphonates. Formation of the corresponding amines |
| **Subhas Chandra Roy and Pijus Kumar Mandal** | 12495 | Synthesis of fused acetals by ceric ammonium nitrate mediated cycloaddition of 1,3-dicarbonyl compounds to cyclic enol ethers |
| **Ana M. Costero, Cecilia Andreu, Elena Monrabal, Amparo Tortajada, Luis E. Ochando and José M. Amigó** | 12499 | Allosteric behaviour of a bis-cyclic crown ether derived from biphenyl |
| **Juma'a R. Al Dulayymi, Mark S. Baird, Michael J. Simpson, Susan Nyman and Gordon R. Port** | 12509 | Structure based interference with insect behaviour—cyclopropene analogues of pheromones containing *Z*-alkenes |
| **Helena McAlonan, James P. Murphy, Paul J. Stevenson and Alan B. Treacy** | 12521 | Oxidation of *N*-(4-methoxybenzyl)-2-pyrrolidinones to *N*-(4-methoxybenzoyl)-2-pyrrolidinones. Rapid entry to optically active aniracetam analogues |
| **Kristof J. Dubois, Christine C. Fannes, Suzanne M. Toppet and Georges J. Hoornaert** | 12529 | Generation of polysubstituted 2-pyridinecarboxylic acid derivatives from the reaction of (functionalised) 2-oxa-5-azabicyclo[2.2.2]oct-5-en-3-ones with various nucleophiles |
| **Iain Coldham and Richard Hufton** | 12541 | Synthesis of 3-alkylpyrrolidines by anionic cyclization |
| **Zhong-Wu Guo and Aleksander Zamojski** | 12553 | Elaboration of the acyl ligand in complex $(\eta^5\text{-}C_5H_5)Fe(CO)(PPh_3)(COCH_2Ph)$ |
| **Giuseppe Alvaro, Diego Savoia and Maria R. Valentinetti** | 12571 | Diastereoselective addition of methyllithium and dimethylcuprate–boron trifluoride to imines derived from (*S*)-1-phenylethylamine |
| **Annalisa Tait, Stefano Ganzerli and Maria Di Bella** | 12587 | Synthesis and free radical scavenging activity of 4-(2*H*-1,2,4-benzothiadiazine-1,1-dioxide-3-yl)-2,6-bis(1,1-dimethylethyl)phenols |
| **Anka Bojilova, R. Nikolova, Christo Ivanov, Nestor A. Rodios, A. Terzis and C. P. Raptopoulou** | 12597 | A comparative study of the interaction of salicylaldehydes with phosphonoacetates under Knoevenagel reaction conditions. Synthesis of 1,2-benzoxaphosphorines and their dimers |
| **Judith A. K. Howard, Vanessa J. Hoy, David O'Hagan and Garry T. Smith** | 12613 | How good is fluorine as a hydrogen bond acceptor? |
| **Apichart Suksamrarn and Boon-ek Yingyongnarongkul** | 12623 | Synthesis and biological activity of 2-deoxy-20-hydroxyecdysone and derivatives |
| **Giuseppe Guanti and Enrica Narisano** | 12631 | Exploitation of highly functionalized epoxides derived from asymmetrized tris(hydroxymethyl)methane (THYM*) in the synthesis of a fragment of lasalocide A and other related polyether ionofore antibiotics |
| | I | Instructions to Contributors |


# NUMBER 39

## Contents


| | | |
|---|---|---|
| | iii | Contributors to this Issue |
| | v | Graphical Abstracts |
| **Geun Sook Jeon and Vasu Nair** | 12643 | New isomeric analogues of anti-HIV active azidonucleosides |
| **Cheng-Bin Cui, Hideaki Kakeya and Hiroyuki Osada** | 12651 | Novel mammalian cell cycle inhibitors, spirotryprostatins A and B, produced by *Aspergillus fumigatus*, which inhibit mammalian cell cycle at G2/M phase |

| | | |
|---|---|---|
| **Toshiyuki Takagi, Makoto Nakamoto, Kazuyuki Sato, Mayumi Koyama, Akira Ando and Itsumaro Kumadaki** | 12667 | Synthesis of fluorine compounds using zinc complex of halothane |
| **Werner Schroth, Simona Dunger, Frank Billig, Roland Spitzner, Rainer Herzschuh, Almut Vogt, Thomas Jende, Gunter Israel, Jens Barche, Dieter Ströhl and Joachim Sieler** | 12677 | 1,2-Dithiines and precursors—XVI. Synthesis, structure, and reactivity of non-anellated 1,2-dithiines |
| **Karl-Heinz Altmann, Rudolf Kesselring and Uwe Pieles** | 12699 | 6'-Carbon-substituted carbocyclic analogs of 2'-deoxyribonucleosides—synthesis and effect on DNA/RNA duplex stability |
| **Thomas Staroske, Lothar Hennig, Peter Welzel, Hans-Jörg Hofmann, Dietrich Müller, Thomas Häusler, William S. Sheldrick, Stefan Zillikens, Britta Gretzer, Hermann Pusch, Helfried G. Glitsch** | 12723 | Synthesis and pharmacological properties of cardenolides substituted at the butenolide part |
| **Claudia Birk and Jürgen Voss** | 12745 | C,C-Coupling with sulfur-stabilized carbanions—VI. Preparation and electrophilic substitution of 1-[3-methyl-2-(2-thiolanylthio)butyl]piperidine and dethioacetalization of semicyclic dithioacetals |
| **Olav Goj, Sirpa Kotila and Günter Haufe** | 12761 | Convenient routes to 2-aryl-2-fluoropropionic acids: synthesis of monofluorinated analogues of (±)-ibuprofen, (±)-naproxen and related compounds |
| **U. S. Chowdhury** | 12775 | Synthesis of a versatile tetrasaccharide of sialyl $Le^x$ and $Le^x$ antigens |
| **Ion Grosu, Sorin Mager, Gerard Plé and Eugen Mesaros** | 12783 | Synthesis and stereochemistry of some dispiro-1,3-dioxanes with axial and helical chirality |
| **Robert S. Ward, Andrew Pelter, Mark I. Edwards and Jeremy Gilmore** | 12799 | Asymmetric synthesis of a lignan lactone from a *meso* anhydride |
| **Norbert De Kimpe and Wim Aelterman** | 12815 | An efficient synthesis of (*S*)-(+)-manicone, an alarm pheromone of *Manica* ants |
| **Gábor Németh, Rita Kapiller-Dezsofi, Györgyi Lax and Gyula Simig** | 12821 | New practical synthesis of panomifene. The effect of 2-trifluoromethyl substituent on the stereoselectivity of dehydration of 1,1,2-triarylethanols |
| **Maria Letizia Ciavatta, Margherita Gavagnin, Raffaella Puliti, Guido Cimino, Eugenia Martinez, Jesus Ortea and Carlo Andrea Mattia** | 12831 | Dolabriferol: a new polypropionate from the skin of the anaspidean mollusc *Dolabrifera dolabrifera* |
| **Norio Shibata, Jack E. Baldwin, Adam Jacobs and Mark E. Wood** | 12839 | Electrophilic sulfenylation in a stereocontrolled synthesis of protected (2*R*,3*R*)-3-mercaptoaspartic acid from L-aspartic acid |
| | I | Instructions to Contributors |


# NUMBER 40

## Contents


| | | |
|---|---|---|
| | iii | Contributors to this Issue |
| | v | Graphical Abstracts |
| | | **TETRAHEDRON REPORT NUMBER 406** |
| **Peter Wipf and Heike Jahn** | 12853 | Synthetic applications of organochlorozirconocene complexes |
| | | **ARTICLES** |
| **Alejandro P. Nin, Rosa M. de Lederkremer and Oscar Varela** | 12911 | Synthesis of (2*S*,4*R*,5*R*)-4,5,6-trihydroxynorleucine and 5-hydroxynorvaline from precursors obtained by an unusual rearrangement in a 5,6-dihydro-2-pyrone |

| | | |
|---|---|---|
| **Albert Kascheres and Reinaldo A. F. Rodrigues** | 12919 | Intramolecular interception of reactive intermediates in the Raney nickel 'generated *in situ*' reduction of oximes. Synthetic and mechanistic implications |
| **Masayuki Takeuchi, Kazuya Koumoto, Masahiro Goto and Seiji Shinkai** | 12931 | Efficient glucoside extraction mediated by a boronic acid with an intramolecular quaternary ammonium ion |
| **Helena Dodziuk** | 12941 | The classification scheme of isomers of organic molecules |
| **José M. García Fernández, Carmen Ortiz Mellet, Víctor M. Díaz Pérez, José L. Jiménez Blanco and José Fuentes** | 12947 | Conformational energetics of sugar thioureas and synthesis of glycosyl thioureido sugars |
| **Gert A. Barf, Dennis van den Hoek and Roger A. Sheldon** | 12971 | Ruthenium-catalyzed epoxidation of unfunctionalized olefins with *tert*-butyl hydroperoxide |
| **Geir Andresen, Lise-Lotte Gundersen and Frode Rise** | 12979 | Regiochemistry in addition of Grignard reagents to *N,N'*-dibenzylated 2-purinones |
| **Valentine G. Nenajdenko, Ivan L. Baraznenok and Elizabeth S. Balenkova** | 12993 | *N,N*-Dimethylacrylamide–triflic anhydride complex as a novel bifunctional electrophile in reaction with electron-rich aromatics |
| **Giancarlo Cravotto, Giovanni B. Giovenzana, Massimo Sisti and Giovanni Palmisano** | 13007 | Dehydrative alkylation of alcohols with triethyl methanetricarboxylate under Mitsunobu conditions |
| **Caroline Dunn, Colin L. Gibson and Colin J. Suckling** | 13017 | The synthesis of fluorine-containing pterins |
| **Antonino Corsaro, Vito Librando, Ugo Chiacchio and Venerando Pistarà** | 13027 | 1,3-Dipolar cycloaddition reactions of polycyclic aromatic hydrocarbons with 3,5-dichloro-2,4,6-trimethyl- and 2,4,6-trimethylbenzonitrile oxide |
| **Beatrice G. M. Burgaud, David C. Horwell, Allessandro Padova and Martyn C. Pritchard** | 13035 | Regioselective nucleophilic ring opening reactions of 2,2-disubstituted aziridines—the asymmetric synthesis of α,α-disubstituted amino acids |
| | I | Tetrahedron Reports on Organic Chemistry |
| | XXIII | Instructions to Contributors |


# NUMBER 41

## Contents


| | | |
|---|---|---|
| | iii | Contributors to this Issue |
| | v | Graphical Abstracts |
| **Georgiy B. Shul'pin, Mário C. Guerreiro and Ulf Schuchardt** | 13051 | Oxidations by the reagent $O_2$–$H_2O_2$–vanadium complex–pyrazine-2-carboxylic acid—VII. Hydroperoxidation of higher alkanes |
| **Moustapha Bah and Rogelio Pereda-Miranda** | 13063 | Detailed FAB-mass spectrometry and high resolution NMR investigations of tricolorins A–E, individual oligosaccharides from the resins of *Ipomoea tricolor* (Convolvulaceae) |
| **Michihiko Noguchi, Takashi Mizukoshi and Akikazu Kakehi** | 13081 | A facile and stereoselective azepine-ring formation at the periphery of pyridone and pyrido[1,2-*a*]pyrimidone systems via intramolecular imine and carbonyl ene reactions |
| **Michihiko Noguchi, Takashi Mizukoshi, Takehiko Uchida and Yoshiaki Kuroki** | 13097 | Mechanistic considerations on the azepine-ring formation through the ene reactions at the periphery of heterocyclic systems |
| **Michihiko Noguchi, Takashi Mizukoshi, Shinya Nakagawa and Akikazu Kakehi** | 13111 | An asymmetry induced azepine-ring formation through the ene reactions at the periphery of heterocyclic systems |

| | | |
|---|---|---|
| **Tetsuo Iwagawa, Takahiro Masuda, Hiroaki Okamura and Munehiro Nakatani** | 13121 | New xenia diterpenoids from a *Xenia* species of a soft coral |
| **Hee Jae Shin, Hisashi Matsuda, Masahiro Murakami and Katsumi Yamaguchi** | 13129 | Agardhipeptins A and B, two new cyclic hepta- and octapeptide, from the cyanobacterium *Oscillatoria agardhii* (NIES-204) |
| **Kaori Ishimaru, Kazutaka Tsuru, Katsunori Yabuta, Makoto Wada, Yohsuke Yamamoto and Kin-ya Akiba** | 13137 | Stereoselective synthesis of 1,2-amino alcohols by addition of organocuprate•$BF_3$ complexes and organolithium reagents to an α-silyloxyaldimine derived from (*S*)-ethyl lactate |
| **Hirokazu Hosoyama, Akiko Inubushi, Takie Katsui, Hideyuki Shigemori and Jun'ichi Kobayashi** | 13145 | Taxuspines U, V, and W, new taxane and related diterpenoids from the Japanese yew *Taxus cuspidata* |
| **M. Schulz, R. Kluge, S. Liebsch, J. Lessig, M. Halik and F. Gadissa** | 13151 | Diastereoselective epoxidation and bishydroxylation of cyclic *tert*-butyl allyl peroxides |
| **Monika Seifert and Dietmar Kuck** | 13167 | Naphtho-anellated [5.6.5]- and [6.5.5.5]fenestranes |
| **Yao-Jung Chen, Chi-Ying Wang and Wen-Yuan Lin** | 13181 | Radical cyclization of α-allenic ketone: a new approach to the synthesis of (±)-α-chamigrene |
| **Zong-chia Ho, Ming-chung Ku, Chun-mei Shu and Lee-gin Lin** | 13189 | *p*-Triallylcalix[4]arene: the final member of the *p*-allylcalix[4]arenes |
| **Jacek Gawronski, Franciszek Kazmierczak, Krystyna Gawronska, Pawel Skowronek, Jacek Waluk and Jan Marczyk** | 13201 | Exciton coupling in various substituted aryl-phthalimide bichromophoric systems |
| **Benito Alcaide, Luis Casarrubios, Gema Domínguez, Angel Retamosa and Miguel A. Sierra** | 13215 | Reactions of stabilized sulfur ylides with α,β-unsaturated alkoxychromium-carbene complexes |
| **Attilio Citterio, Roberto Sebastiano, Antonietta Maronati, Fabio Viola and Alessandra Farina** | 13227 | Oxidative dimerization of diethyl 3-thienylmalonate by high valent metal salts. Synthesis of benzo[1,2-*b*:4,5-*b'*]dithiophene derivatives |
| **Fernando F. Huerta, Cecilia Gómez and Miguel Yus** | 13243 | DTBB-Catalysed lithiation of 4-functionalised 1-chloro-2-butenes |
| **Anna Barbieri, Pier Carlo Montevecchi, Daniele Nanni and Maria Luisa Navacchia** | 13255 | LDA-Promoted decomposition of benzenesulfenamides. A route to aminyl radicals by dioxygen oxidation of lithium amides |
| | I | Instructions to Contributors |


# NUMBER 42

## Contents


| | | |
|---|---|---|
| | iii | Contributors to this Issue |
| | v | Graphical Abstracts |
| | | **TETRAHEDRON REPORT NUMBER 407** |
| **Carl H. Schiesser and Lisa M. Wild** | 13265 | Free-radical homolytic substitution: new methods for formation of bonds to heteroatoms |
| | | **ARTICLES** |
| **Shunya Takahashi, Hiroyuki Terayama and Hiroyoshi Kuzuhara** | 13315 | Synthetic studies on a potential endoglycosidase inhibitor: chemical conversion of *N,N'*-diacetylchitobiose into a pseudodisaccharide containing 2-acetamido-1,2-dideoxynojirimycin |
| **Toshihiko Onoda, Ryuichi Shirai, Nobuyuki Kawai and Shigeo Iwasaki** | 13327 | Efficient asymmetric synthesis of *cis*-2-methylcyclopropanecarboxylic acid |

| | | |
|---|---|---|
| **Hideo Nemoto, Motohiro Shiraki, Natsuko Yamada, Naomi Raku and Keiichiro Fukumoto** | 13339 | A sequenced radical reaction—a novel stereocontrolled route to angularly disubstituted *cis*-decalins |
| **Noriyasu Kato and Norio Miyaura** | 13347 | A stereoselective synthesis of 1,2-diarylethenyl ethyl ethers via the carbocupration–cross coupling sequence |
| **Kenso Soai, Yukikazu Inoue, Tomohide Takahashi and Takanori Shibata** | 13355 | Asymmetric synthesis of chiral diols by the catalytic enantioselective dialkylation of tere-, iso-, and phthalaldehydes, and by a catalytic enantioselective autoinductive reaction |
| **Satoshi Shimizu, Sei-ichi Nakamura, Masahisa Nakada and Masakatsu Shibasaki** | 13363 | Total synthesis of (+)-tautomycin |
| **Gerhard Bringmann, Wael Saeb, Dagmar Koppler and Guido François** | 13409 | Jozimine A ('dimeric' dioncophylline A), a non-natural michellamine analog with high antimalarial activity |
| **Gerhard Bringmann, Roland Götz and Guido François** | 13419 | Synthesis of pindikamine A, a michellamine-related dimer of a non-natural, 'skew' naphthylisoquinoline |
| **Paul J. Harradine, Torren M. Peakman and James R. Maxwell** | 13427 | Triterpenoid chlorin esters: water column transformation products of chlorophyll *a* |
| **Ronald Grigg and José M. Sansano** | 13441 | Sequential hydrostannylation–cyclisation of δ- and ω-allenyl aryl halides. Cyclisation at the proximal carbon |
| **H. Ali Dondas, Ronald Grigg and Mark Thornton-Pett** | 13455 | Spiro(pyrrolidinyl-2,3'-benzodiazepines) related to MK-329 |
| **Aristea V. Bayquen and Roger W. Read** | 13467 | Total synthesis of micropine and epimicropine |
| **Subodh Kumar, Navneet Kaur and Harjit Singh** | 13483 | Synthetic ionophores—XIV. Effect of pyridine and thioether ligating units on $Ag^+$ selectivity in 18-membered diamide–diester macrocycles |
| **Luca Banfi, Giuseppe Guanti and Renata Riva** | 13493 | Enantio- and diastereoselective synthesis of the AB ring system of aklavinone by coupling a chemoenzymatic procedure with organometal chemistry |
| **Francesco Babudri, Vito Fiandanese, Giuseppe Marchese and Angela Punzi** | 13513 | A general and straightforward approach to α,ω-ketoesters |
| **Takatoshi Matsumoto, Toyohiko Aoyama and Takayuki Shioiri** | 13521 | Reaction pathway for epimerization of tilivalline |
| **Alicia Dobarro and Dolores Velasco** | 13525 | Synthesis of β,γ-unsaturated *N*-acyl-2-oxazolidinones |
| | I | Instructions to Contributors |


# NUMBER 43

## Contents


| | | |
|---|---|---|
| | iii | Contributors to this Issue |
| | v | Graphical Abstracts |
| **Alan P. Marchand, Hyun-Soon Chong, Rajesh Shukla, G. V. M. Sharma, Kaipenchery A. Kumar, Umesh R. Zope and Simon G. Bott** | 13531 | Acid and base promoted rearrangements of hexacyclo[11.2.1.$0^{2,12}$.$0^{5,10}$.$0^{5,15}$.$0^{10,14}$]hexadeca-6,8-diene-4,11-dione |
| **Frank Schröder, Stephan Franke, Wittko Francke, Horst Baumann, Manfred Kaib, Jacques M. Pasteels and Désiré Daloze** | 13539 | A new family of tricyclic alkaloids from *Myrmicaria* ants |

| | | |
|---|---|---|
| **Philippe Ohier, Adam Daïch and Bernard Decroix** | 13547 | Pyrrolo[1,4]diazepines, via thermolysis of carbonyl azides, and [3,2,2]-cyclazines, via Diels–Alder reaction of [*f*]indolizines, annelated to [1]-benzothiophene |
| **Gérard Jenner** | 13557 | Comparative study of physical and chemical activation modes. The case of the synthesis of β-amino derivatives |
| **Martine Perrée-Fauvet, Catherine Verchère-Béaur, Eric Tarnaud, Gilles Anneheim-Herbelin, Nathalie Bône and Alain Gaudemer** | 13569 | New amino acid porphyrin derivatives—I. Synthesis |
| **Catherine Verchère-Béaur, Martine Perrée-Fauvet, Eric Tarnaud, Gilles Anneheim-Herbelin, Nathalie Bône and Alain Gaudemer** | 13589 | New amino acid porphyrin derivatives—II. DNA binding studies |
| **Loïk Viallon, Olivia Reinaud, Patrice Capdevielle and Michel Maumy** | 13605 | Thermal and acid-catalysed sigmatropic rearrangements of allylamino-methoxy-1,2-benzoquinones |
| **Ping-Shu Chen and Chin-Hsing Chou** | 13615 | Pyrolytic chemistry of thenyl benzoates |
| **Hashem Sharghi and Fatemeh Tamaddon** | 13623 | $BeCl_2$ as a new highly selective reagent for dealkylation of aryl-methyl ethers |
| **Gadi Rothenberg and Yoel Sasson** | 13641 | Extending the haloform reaction to non-methyl ketones: oxidative cleavage of cycloalkanones to dicarboxylic acids using sodium hypochlorite under phase transfer catalysis conditions |
| **Giovanni Desimoni, Giuseppe Faita and Mariella Mella** | 13649 | A stereodivergent synthesis of chiral 4,5-disubstituted bis(oxazolines) |
| **Nafizal Hossain, Jef Rozenski, Erik De Clercq and Piet Herdewijn** | 13655 | Synthesis and antiviral activity of acyclic analogues of 1,5-anhydrohexitol nucleosides using Mitsunobu reaction |
| **Pedro Molina, Enrique Aller, Angeles Lorenzo, Concepción Foces-Foces and Antonio L. Llamas Saiz** | 13671 | An anomalous intramolecular conjugate addition of N-protected imidazoles to vinyliminophosphoranes promoted by tetrabutylammonium fluoride. X-Ray crystal structure of 5-ethoxycarbonyl-5-(triphenylphosphoranylidene-amino)-5,6-dihydroimidazo[2,1-*a*]isoquinoline |
| **Piotr Bałczewski and Witold M. Pietrzykowski** | 13681 | A free radical approach to functionalization of phosphonates utilizing novel 2- and 3-phosphonyl radicals |
| **Graziano Baccolini, Athanase Munyaneza and Carla Boga** | 13695 | An efficient procedure for the synthesis of *N*-alkenyl derivatives of six-membered and larger 1,2-diaza heterocycles |
| **Matthew D. Cliff and Stephen G. Pyne** | 13703 | Palladium catalysed coupling of imidazoles to alkynyl and vinyl substrates |
| **Francesco Cafieri, Ernesto Fattorusso, Alfonso Mangoni and Orazio Taglialatela-Scafati** | 13713 | Clathramides, unique bromopyrrole alkaloids from the Caribbean sponge *Agelas clathrodes* |
| **Justo Cobo, Manuel Melguizo, Manuel Nogueras, Adolfo Sánchez, José A. Dobado and Marco Nonella** | 13721 | A theoretical investigation on the reactivity of 6-amino-3-methylpyrimidin-4(3*H*)-ones towards DMAD. Tandem Diels–Alder retro Diels–Alder (DA/RDA) reaction |
| **Alicia Dobarro and Dolores Velasco** | 13733 | Synthesis of β,γ-unsaturated *N*-acyl-2-oxazolidinones |
| **Diego J. Ramón and Miguel Yus** | 13739 | Naphthalene-catalysed lithiation of carbamoyl and thiocarbamoyl chlorides under Barbier-type reaction conditions |
| **Alex R. Khomutov, Jouko J. Vepsäläinen, Alexander S. Shvetsov, Tapani Hyvönen, Tuomo A. Keinänen, Vladimir N. Pustobaev, Terho O. Eloranta and Radii M. Khomutov** | 13751 | Synthesis of hydroxylamine analogues of polyamines |
| **Braulio M. Fraga, Pedro González, Ricardo Guillermo and Melchor G. Hernández** | 13767 | A study of the microbiological reduction of α,β-unsaturated carbonyl *ent*-kaurenes by *Gibberella fujikuroi* |

**Roberto Pagliarin, Gianluca Papeo, Guido Sello, Massimo Sisti and Lino Paleari** 13783 Design of β-amino alcohols as chiral auxiliaries in the electrophilic amination of 1,3,2-oxazaphospholanes

**Michał Cyranski and Tadeusz Marek Krygowski** 13795 Separation of the energetic and geometric contributions to the aromaticity of π-electron carbocyclics—V. Analysis of the aromatic character of aza-analogues of benzenoid hydrocarbons

I Instructions to Contributors

# NUMBER 44

## Contents

iii Contributors to this Issue

v Graphical Abstracts

**TETRAHEDRON REPORT NUMBER 408**

**Philippe Remuzon** 13803 *trans*-4-Hydroxy-L-proline, a useful and versatile chiral starting block

**ARTICLES**

**Youssef L. Bennani and Stephen Hanessian** 13837 The asymmetric synthesis of α-substituted α-methyl and α-phenyl phosphonic acids: design, carbanion geometry, reactivity and preparative aspects of chiral alkyl bicyclic phosphonamides

**Hiroyuki Ishibashi, Kazuya Kodama, Chisato Kameoka, Hirotaka Kawanami and Masazumi Ikeda** 13867 Synthesis of 4-oxo-2-azetidineacetic acids by means of radical cyclization of *N*-vinylic α-bromo amides

**Yoshikazu Iwasawa, Jun Shibata, Katsumasa Nonoshita, Sachie Arai, Hitoshi Masaki and Koji Tomimoto** 13881 Stereoselective synthesis of J-104,118 and J-104,123, novel, potent inhibitors of squalene synthase

**Chiho Kokubo and Tsutomu Katsuki** 13895 Highly enantioselective catalytic oxidation of alkyl aryl sulfides using Mn–salen catalyst

**Hirokazu Arimoto, Rieko Yokoyama, Kazuhiko Nakamura, Yasuaki Okumura and Daisuke Uemura** 13901 Vallartanone B: synthesis and related studies

**Masashi Eto, Toshihiro Uemura, Noriko Shimizu and Kazunobu Harano** 13909 Sequential pericyclic reaction of unsaturated xanthates. Intramolecular cycloaddition selectivity of the 2,4-alkadienyl 2-alkenyl sulfides

**Seiki Saito, Akiyoshi Kuroda, Hiroshi Matsunaga and Shushiro Ikeda** 13919 Synthesis of chiral 3*E*,5*E*-octadiene-1,2*R*,7*R*,8-tetraol frameworks by means of palladium(II)-promoted hetero-Claisen rearrangement: mechanistic aspect

**Toshihiro Murafuji, Ryota Mouri, Yoshikazu Sugihara, Katsuto Takakura, Yuji Mikata and Shigenobu Yano** 13933 Structure of diethyl(2-pyridyl)boranes: rigid cyclic dimers

**Hidenori Watanabe, Takeru Watanabe and Kenji Mori** 13939 Enantioselective synthesis of the tricyclic furan moiety of azadirachtin, a potent insect antifeedant

**Hisashi Fujihara, Hisatomo Mima and Naomichi Furukawa** 13951 Preparation and structure of new diazaselenuranes. Transannular hypervalent bond between seleno and diamino groups

**Masaaki Omote, Akira Ando, Toshiyuki Takagi, Mayumi Koyama and Itsumaro Kumadaki** 13961 Synthesis of a fluorine analog of hematoporphyrin by ring closure

**Francesco Ciminale, Luigi Lopez, Vincenza Paradiso and Angelo Nacci** 13971 Aminium salts-induced dimerization of α-methylstyrene and 1-aryl-1-phenylethylenes. Solvent effect

**Marina DellaGreca, Lucio Previtera, Antonio Fiorentino, Gabriele Pinto and Antonino Pollio** 13981 Bioconversion of 17β-hydroxy-17α-methyl-androsta-1,4-dien-3-one and androsta-1,4-diene-3,17-dione in cultures of the green alga T76 *Scenedesmus quadricauda*

| | | |
|---|---|---|
| **Mercedes Martín-Martínez, Rosario Herranz, Mª Teresa García-López and Rosario González-Muñiz** | 13991 | Bicyclic lactams as templates for peptidomimetics. Studies on stereoselective synthetic routes to 6-oxoperhydropyrrolo[1,2-*a*]pyrazines |
| **Arif Dastan, Yavuz Taskesenligil, Ferhan Tümer and Metin Balcı** | 14005 | High temperature bromination—VIII. Bromination of homobenzonorbornadiene |
| **Jordi Tormo, Xavier Verdaguer, Albert Moyano, Miquel A. Pericàs and Antoni Riera** | 14021 | Chiral auxiliary-induced stereocontrol in intramolecular Pauson–Khand reactions leading to angular triquinanes |
| **Antonio García Martínez, José Osío Barcina and Enrique Teso Vilar** | 14041 | About the participation of σ, π and *n* orbitals in the solvolysis of 2- and 3-oxo-1-norbornyl triflates |
| **K. Mallik Yadav, Pramod K. Mohanta, Hiriyakkanavar Ila and Hiriyakkanavar Junjappa** | 14049 | Regioselective synthesis of substituted 1-methyl- and 2-methylnaphthalenes |
| **Jacek W. Morzycki and Agnieszka Z. Wilczewska** | 14057 | Reactions of 4-azacholest-5-en-3-one, 6-azacholest-4-en-7-one, and their N-methyl derivatives with electrophilic reagents |
| **Alison T. Ung, Stephen G. Pyne, Brian W. Skelton and Allan H. White** | 14069 | Asymmetric synthesis of (1*R*,2*S*,3*R*)-2-acetyl-5-(1,2,3,4-tetrahydroxybutyl)-thiazole |
| | I | Instructions to Contributors |


# NUMBER 45

## Contents


| | | |
|---|---|---|
| | iii | Contributors to this Issue |
| | v | Graphical Abstracts |
| | 14079 | Corrigenda |
| **William E. Bauta, John Booth, Mary E. Bos, Mark DeLuca, Louis Diorazio, Timothy J. Donohoe, Christopher Frost, Nicholas Magnus, Philip Magnus, José Mendoza, Philip Pye, James G. Tarrant, Stephen Thom and Feroze Ujjainwalla** | 14081 | Taxane diterpenes—I. Control of relative and absolute stereochemistry in intramolecular pyrylium ylide–alkene cyclizations for the synthesis of taxol precursors |
| **Philip Magnus, John Booth, Louis Diorazio, Timothy Donohoe, Vince Lynch, Nicholas Magnus, José Mendoza, Philip Pye and James Tarrant** | 14103 | Taxane diterpenes—II. Synthesis of the 7-deoxy ABC taxane skeleton, and reactions of the A-ring |
| **Philip Magnus, Louis Diorazio, Timothy J. Donohoe, Melvyn Giles, Philip Pye, James Tarrant and Stephen Thom** | 14147 | Taxane diterpenes—III. Formation of the eight-membered B-ring by semi-pinacol rearrangement |
| **Yoshiji Takemoto, Satoru Kuraoka, Naoko Hamaue, Keiichi Aoe, Hajime Hiramatsu and Chuzo Iwata** | 14177 | Enantioselective Cu-catalyzed 1,4-addition of $Me_3Al$ to a 4,4-disubstituted cyclohexa-2,5-dienone |
| **Katja Schultz and Manfred Hesse** | 14189 | Total synthesis of the spermidine alkaloid (+)-(9*S*,13*S*)-isocyclocelabenzine |
| **Rachel Waschbüsch, John Carran and Philippe Savignac** | 14199 | A new route to α-fluorovinylphosphonates utilizing Peterson olefination methodology |
| **Georges Dewynter, Mohamed Abdaoui, Zine Regainia and Jean-Louis Montero** | 14217 | Synthesis of *N*-sulfamoyloxazolidinones and -perhydrooxazinones; reactivity and use as donors in the transsulfamoylation reaction; application to the preparation of 2-chloroethylnitrososulfamides—IV |

| | | |
|---|---|---|
| **Béatrice Hamann, Jean-Louis Namy and Henri B. Kagan** | 14225 | Preparation and reactions of samarium diiodide in nitriles |
| **Emmanuel Bertounesque, Thierry Imbert and Claude Monneret** | 14235 | Synthesis of podophyllotoxin A-ring pyridazine analogue |
| **Sergio Cossu and Ottorino De Lucchi** | 14247 | A mild alternative to the use of benzyne in [4 + 2]-cycloaddition reactions |
| **Maurizio D'Auria, Vittorio Esposito and Giacomo Mauriello** | 14253 | Photochemical reactivity of aromatic and heteroaromatic nitroderivatives in the presence of arylalkenes |
| **Kamaljit Singh, Jasbir Singh and Harjit Singh** | 14273 | A synthetic entry into fused pyran derivatives through carbon transfer reactions of 1,3-oxazinanes and oxazolidines with carbon nucleophiles |
| **Giovanni Fronza, Giovanni Fogliato, Claudio Fuganti, Piero Grasselli and Romina Rigoni** | 14281 | Synthesis of (*S*) 2-ethyl-2-methylpentanoic acid from the formate ester of (*S*) ethyl 2-formyl-3-hydroxy-2-methylpropionate |
| **Vishwakarma Singh and Prathap .S** | 14287 | Photochemical reactions in organic synthesis: a novel and efficient route to angular and linear tetraquinanes |
| **María A. de las Heras, Juan J. Vaquero, José L. García Navio and Julio Alvarez-Builla** | 14297 | Synthesis of carbonyl and dicarbonyl compounds from organometallic reagents and *N*-imidazolium-*N*-methyl amides and bis-amides |
| **Ugo Chiacchio, Antonio Rescifina, Francesco Casuscelli, Anna Piperno, Vincenzo Pisani and Roberto Romeo** | 14311 | Intramolecular nitrone cycloaddition: stereoselective synthesis of piperidine systems |
| **Ugo Chiacchio, Antonino Corsaro, Vito Librando, Antonio Rescifina, Roberto Romeo and Giovanni Romeo** | 14323 | Intramolecular nitrile oxide cycloaddition (INOC) of substituted amidooximes |
| **Clive W. Bird** | 14335 | The application of group additivity parameters to the prediction of the enthalpies of formation of heteroaromatic compounds |
| **Emma Alonso, Diego J. Ramón and Miguel Yus** | 14341 | Arene-catalysed lithiation of triflates and triflamides under Barbier-type conditions: an indirect transformation of alcohols and amines into organolithium compounds |
| **Robert S. Ward, Andrew Pelter, Revuru Venkateswarlu, Chakicherla Kamakshi and Ayalasomayajula Lakshmi** | 14349 | Rearrangements of the 2,6-diaryl-3,7-dioxabicyclo[3.3.0] octane skeleton—III. Reaction of gmelinol with $BF_3$-etherate and *N,N*-dimethylaniline |
| | I | Instructions to Contributors |


# NUMBER 46

## Contents


| | | |
|---|---|---|
| | iii | Contributors to this Issue |
| | v | Graphical Abstracts |
| | | **TETRAHEDRON REPORT NUMBER 409** |
| **David M. Hodgson, Andrew R. Gibbs and Gary P. Lee** | 14361 | Enantioselective desymmetrisation of achiral epoxides |
| | | **ARTICLES** |
| **David P. Sebesta, Sarah S. O'Rourke, Rogelio L. Martinez, Wolfgang A. Pieken and Danny P. C. McGee** | 14385 | 2'-Deoxy-2'-alkoxylaminouridines: novel 2'-substituted uridines prepared by intramolecular nucleophilic ring opening of 2,2'-*O*-anhydrouridines |
| **Todd C. Henninger, Michal Sabat and Richard J. Sundberg** | 14403 | Stereodivergent routes from tyrosine to the 7-(*R*) and 7-(*S*) diastereomers of the 7-hydroxy-2,3,7,7a-tetrahydroindole ring found in gliotoxin |
| **Radhakrishnan P. Iyer, Dong Yu, Zhiwei Jiang and Sudhir Agrawal** | 14419 | Synthesis, biophysical properties, and stability studies of mixed backbone oligonucleotides containing segments of methylphosphotriester internucleotidic linkages |

| | | |
|---|---|---|
| **David J. Hart, Gregory H. Merriman and David G. J. Young** | 14437 | Synthesis of *C*-aryl glycosides related to the chrysomycins |
| **Raymond A. Firestone** | 14459 | Volume of concert and heavy atom effects in Diels–Alder reaction mechanisms |
| **John A. Zoltewicz and Carlton D. Dill** | 14469 | Inter-ring directed *ortho* lithiation by the 2-pyridyl group in bipyridines |
| **Cynthia M. Shafer, Daniel I. Morse and Tadeusz F. Molinski** | 14475 | Mechanism of $SeO_2$ promoted oxidative rearrangement of 2-substituted oxazolines to dihydrooxazinones: isotopic labeling and kinetic studies |
| **Tatsuhiko Yoshida, Toshihiro Hashimoto, Shigeru Takaoka, Yukiko Kan, Motoo Tori, Yoshinori Asakawa, John M. Pezzuto, Thitima Pengsuparp and Geoffrey A. Cordell** | 14487 | Phenolic constituents of the liverwort: four novel cyclic bisbibenzyl dimers from *Blasia pusilla* L. |
| **Hisashi Matsuda, Tatsufumi Okino, Masahiro Murakami and Katsumi Yamaguchi** | 14501 | Aeruginosins 102-A and B, new thrombin inhibitors from the cyanobacterium *Microcystis viridis* (NIES-102) |
| **Hironao Sajiki and Karen Y. Ong** | 14507 | Synthesis of $C_2$-symmetric (*S*,*S*)-1,4-dibenzyl-DTPA and 1,4-*meso*-dibenzyl-DTPA via chiral diamines |
| **Masayoshi Tsubuki, Hironao Takada, Tadashi Katoh, Shigehiro Miki and Toshio Honda** | 14515 | Synthesis and structural elucidation of a new zooecdysteroid gerardiasterone |
| **Hiroshi Shinokubo, Koichiro Oshima and Kiitiro Utimoto** | 14533 | Facile syntheses of α-bromo-α-silyl ketones and α-bromoacylsilanes from *tert*-butyldimethylsilyldibromomethane and carbonyl compounds |
| **Toshihiko Onoda, Ryuichi Shirai, Yukiko Koiso and Shigeo Iwasaki** | 14543 | Synthetic study on curacin A: a novel antimitotic agent from the cyanobacterium *Lyngbya majuscula* |
| **Ryuji Yoneda, Yasuhiko Sakamoto, Yoshifumi Oketo, Shinya Harusawa and Takushi Kurihara** | 14563 | An efficient synthesis of magallanesine using [1,2]-Meisenheimer rearrangement and Heck cyclization |
| **Eckart Deseke, Wolfgang Hoyer and Ekkehard Winterfeldt** | 14577 | Chemical differentiation of enantiotopic groups: diastereoselective opening of a prochiral dilactone |
| **Achim Kless, Claudia Lefebor, Anke Spannenberg, Rhett Kempe, Wolfgang Baumann, Jens Holz and Armin Börner** | 14599 | The first chiral early–late heterobimetallic complex—a titanium(IV)–palladium(II) complex based on salenophos |
| **Rudolf Gompper, Peter Walther, Christoph Bräuchle and Stefan Stadler** | 14607 | Chemistry and nonlinear optical properties of new 2*H*-benzotriazole derivatives |
| **F. Barberis, R. Barone and M. Chanon** | 14625 | HOLOWin: a fast way to search for tandem reactions with computer. Application to the taxane framework |
| **Marion Lanier, Maurice Le Blanc and Raphaël Pastor** | 14631 | Nucleophilic ring opening of 3-*F*-alkyl 2,3-epoxypropanoates. Access to α,β-difunctional β-*F*-alkylpropanoates |
| | I | Instructions to Contributors |


# NUMBER 47

## Contents


| | | |
|---|---|---|
| | iii | Tetrahedron Prize for Creativity in Organic Chemistry |
| | v | Contributors to this Issue |
| | vii | Graphical Abstracts |
| **Jürgen Weber and Udo H. Brinker** | 14641 | Competing 1,*n*-elimination reactions of 1-bromo-5-bromomethyl-6,6-dichlorobicyclo[3.1.0]hexane: a strained 1,3-bridged cyclopropene and a vinylcarbene as reactive intermediates |

| | | |
|---|---|---|
| **Marcus A. Tius and David J. Drake** | 14651 | Synthesis of (±)-xanthocidin |
| **Colin G. Ferguson, Thomas Money, Joseph Pontillo, Peter D. M. Whitelaw and Michael K. C. Wong** | 14661 | A remarkable multiple rearrangement process in the bromination of *endo*-3-bromo-4-methylcamphor: intermediates for triterpenoid synthesis |
| **Derek H. R. Barton, Joseph Cs. Jaszberenyi, Wansheng Liu and Tetsuro Shinada** | 14673 | Oxidation of hydrazones by hypervalent organoiodine reagents: regeneration of the carbonyl group and facile syntheses of α-acetoxy and α-alkoxy azo compounds |
| **Maciej Adamczyk and Rajarathnam E. Reddy** | 14689 | A new methodology for the preparation of 2-cyanopyrroles and synthesis of porphobilinogen |
| **Vadim A. Soloshonok and Taizo Ono** | 14701 | The effect of substituents on the feasibility of azomethine–azomethine isomerization: new synthetic opportunities for biomimetic transamination |
| **Masatoshi Murakata, Kohei Yamada and Osamu Hoshino** | 14713 | Oxidative cyclisation of *o*-phenolic oxime-acid derivatives using phenyliodonium diacetate: synthesis of spiroisoxazoline derivatives |
| **Toshiaki Okuno, Ken Ohmori, Shigeru Nishiyama, Shosuke Yamamura, Kensuke Nakamura, K. N. Houk and Kazuya Okamoto** | 14723 | Chemical study on hapalosin, a cyclic depsipeptide possessing multidrug resistance reversing activities: synthesis, structure and biological activity |
| **Gregor Radau, Ralf Büllesbach und Peter Pachaly** | 14735 | Zur Synthese von Tiliacora-Alkaloiden—III. Synthese von Biarylen durch Ullmann–Kupplung |
| **Claus Herdeis and Thomas Schiffer** | 14745 | Synthesis of chiral nonracemic homo-1-deoxyazasugars with D-talo- and L-allo-configuration via tandem Wittig [2 + 3] cycloaddition reaction |
| **Alexander S. Golubev, Norbert Sewald and Klaus Burger** | 14757 | Synthesis of γ-oxo α-amino acids from L-aspartic acid |
| **Gerald Dyker, Jutta Körning, Peter Bubenitschek and Peter G. Jones** | 14777 | [4 + 2] Cycloaddition reactions of acenaphth[1,2-*a*]acenaphthylene |
| **Andreas J. Kesel, Stephan Urban and Walter Oberthür** | 14787 | Interconvertible (*Z*/*E*)-stereoisomers of a vitamin $B_6$ coenzyme analog derived from pyridoxal 5'-phosphate and rhodanine |
| **Stephanie Klötgen, Roland Fröhlich and Ernst-Ulrich Würthwein** | 14801 | 1,7-Electrocyclisation reactions of 2-azaheptatrienyl lithium compounds: synthesis of 1-acyl-2,3-dihydroazepines |
| **Karl Griesbaum, Michael Hilß and Joachim Bosch** | 14813 | Ozonides of mono-, bi- and tricyclic terpenes |
| **Angelika Kranz, Emmanuelle Samson-Schulz, Lothar Hennig, Peter Welzel, Dietrich Müller, Heike Mayer-Figge and William S. Sheldrick** | 14827 | Synthesis of new strigol analogues |
| **Shigui Li, Yves L. Dory and Pierre Deslongchamps** | 14841 | Hydrolysis of cyclic orthoesters: experimental observations and theoretical rationalization |
| **Daniel Colombani and Bernard Maillard** | 14855 | Stereoselectivity of the intramolecular homolytic substitution in the induced decomposition of methacrylic-type peroxidic compounds |
| **M. Baltas, K. Raouf-Benchekroun, A. De Blic, L. Cazaux, P. Tisnès, L. Gorrichon, K. Hussein and J.-C. Barthelat** | 14865 | Aminolysis of sulfinamoyl-esters, -sulfonamides and -sulfones. Thiooxamate and thiourea formation via a sulfine intermediate. Thiophilic or carbophilic reaction? |
| **Jean-Philippe Surivet, Jaques Goré and Jean-Michel Vatèle** | 14877 | Enantioselective synthesis of (+)-goniodiol and of its naturally occurring acetylated analogs |
| **Florence Keyling-Bilger, Gaby Schmitt, Alain Beck and Bang Luu** | 14891 | Synthesis of optically active diastereomers of a nonproteic neurotrophic mimetic |
| **Jerzy Suwinski, Wojciech Szczepankiewicz and Elizabeth M. Holt** | 14905 | Reactions of 1,4-dinitroimidazoles with hydrazines |

| | | |
|---|---|---|
| **Sk. Asrof Ali, S. M. Azhar Hashmi, Mohammad N. Siddiqui and Mohammed I. M. Wazeer** | 14917 | Regiochemistry of mercury(II) oxide oxidation of unsymmetrical *N,N*-disubstituted hydroxylamines |
| **Habib Firouzabadi and Farhad Shiriny** | 14929 | New applications of tungsten hexachloride ($WCl_6$) in organic synthesis. Halo-de-hydroxylation and dihalo-de-oxo-bisubstitution reactions |
| **Andrew D. Briggs, Michel Camplo, Sally Freeman, Jan Lundström and Brian G. Pring** | 14937 | Acyloxymethyl and 4-acyloxybenzyl diester prodrugs of phosphonoformate |
| **David C. Harrowven and Rory Browne** | 14951 | A triple umpolung sequence for the preparation of highly substituted indanes |
| **Yuewei Guo, Anna Madaio, Enrico Trivellone, Gennaro Scognamiglio and Guido Cimino** | 14961 | Further studies of alkaloids from *Reniera sarai*: structures of saraine-3 and isosaraine-3; absolute stereochemistry of saraine-1 and saraine-2 |
| **David Wensbo and Salo Gronowitz** | 14975 | Indole-3-pyruvic acid oxime ethers and thieno analogues by Heck cyclisation. Application to the synthesis of thia-tryptophans |
| **Pierre Tane, Apollinaire Tsopmo, David Ngnokam, J. Foyere Ayafor and Olov Sterner** | 14989 | New friedelane triterpenes from *Lepidobotrys staudtii* |
| **Margita Lácová, Jarmila Chovancová, Eva Veverková and Štefan Toma** | 14995 | Microwaves assisted Gabriel synthesis of phthalides |
| **Demetrios N. Nicolaides, Raed Wajih Awad, Konstantinos E. Litinas and Elizabeth Malamidou-Xenikaki** | 15007 | Reactions of 7-methoxyimino-4-methylchromene-2,8-dione with phosphines. Preparation of N-substituted 7-amino-8-hydroxy-4-methyl-2*H*-[1]-benzopyran-2-ones |
| **Bargur P. Gangamani, Vaijayanti A. Kumar and Krishna N. Ganesh** | 15017 | Synthesis of $N^{\alpha}$-(purinyl/pyrimidinyl acetyl)-4-aminoproline diastereomers with potential use in PNA synthesis |
| | I | Instructions to Contributors |


# NUMBER 48

## Contents


| | | |
|---|---|---|
| | iii | Contributors to this Issue |
| | v | Graphical Abstracts |
| | | **TETRAHEDRON REPORT NUMBER 410** |
| **Alan R. Katritzky, Stanislaw Rachwal and Bogumila Rachwal** | 15031 | Recent progress in the synthesis of 1,2,3,4-tetrahydroquinolines |
| | | **ARTICLES** |
| **Alois Fürstner and Ingo Konetzki** | 15071 | Synthesis of 2-hydroxy-6-{[(16*R*)-β-D-mannopyranosyloxy]heptadecyl}-benzoic acid, a fungal metabolite with $GABA_A$ ion channel receptor inhibiting properties |
| **Rüdiger Selke, Manuela Ohff and Andreas Riepe** | 15079 | Asymmetric hydrogenation—influence of the structure of carbohydrate derived catalysts on the relative enantioselectivity $Q_{H/Me}$ regarding acid and ester substrates and its inversion—selectivity increase in water by amphiphiles |
| **Laurence Mévellec, Michel Evers and François Huet** | 15103 | High selectivities in electrophilic additions to cyclobutene compounds |
| **Nicole Langlois, Nathalie Dahuron and Hai-Shan Wang** | 15117 | Enantioselective syntheses of (*R*)-3-phenyl GABA, (*R*)-baclofen and 4-arylpyrrolidin-2-ones |
| **Florence Billon-Souquet, Thierry Martens and Jacques Royer** | 15127 | Anodic oxidation of the *N*-cyanomethyloxazolidine system |

| | | |
|---|---|---|
| **Josette Soulié, Thomas Faitg, Jean-François Betzer and Jean-Yves Lallemand** | 15137 | General access to polyhydroxylated nortropane derivatives through hetero Diels–Alder cycloaddition—II. Synthesis of (±) calystegine $B_2$ |
| **Philippe Gros, Philippe Hansen and Paul Caubère** | 15147 | Aggregative activation and carbanion chemistry: complex base deprotonation and directed functionalisation of dithioacetals |
| **Yves L. Janin, Anne-Marie Aubertin, Angèle Chiaroni, Claude Riche, Claude Monneret, Emile Bisagni and David S. Grierson** | 15157 | Imidazo[1,5-*g*][1,4]diazepines, TIBO analogues lacking the phenyl ring: synthesis and evaluation as anti-HIV agents |
| **Ermitas Alcalde, Montserrat Alemany and Maria Gisbert** | 15171 | A direct synthetic approach to novel quadrupolar [$1_4$]azolophanes |
| **Ermitas Alcalde, Maria Gisbert, Carmen Alvarez-Rúa and Santiago García-Granda** | 15189 | Quadrupolar [$1_4$](*meta*–*ortho*)$_2$azolophanes. Intramolecular C–H···N and to water C–H···O hydrogen bonding revealed by X-ray diffraction |
| **Ermitas Alcalde, Maria Gisbert, Josep M. Pons and Lluïsa Pérez-García** | 15197 | Unconventional acceptor and donor functional groups linked by a captodative spacer |
| **Neeraj Garg, Adolf Gogoll, Christer Westerlund, Staffan Sundell, Anders Karlén and Anders Hallberg** | 15209 | Preparation of *cis*-5-methoxy- and -7-methoxy-1-acetoxy-1,2,3,4,4a,10a-hexahydro-9(10*H*)-phenanthrenone. An epoxide–arene reaction involving a selective 1,2-alkyl shift rearrangement |
| **Mauri Lounasmaa and Pirjo Hanhinen** | 15225 | Studies on the biomimetic preparation of the sarpagan ring system. Attempts to apply the spontaneous 'biogenetic-type cyclization' of van Tamelen to bond formation between C-5 and C-16 in the corynantheine series |
| **Francisco Caturla and Carmen Nájera** | 15243 | Studies on the reactivity of methyl γ-tosylcrotonoate as ambident reagent in organic synthesis |
| **John M. Herbert, Julian G. Knight and Brian Sexton** | 15257 | Cleavage of MEM ethers by tetrahalozincate reagents |
| **Donald Craig, Christopher J. Etheridge and Alison M. Smith** | 15267 | (Alkoxyallyl)sulfones as enal β-anion equivalents. Synthesis of 5-substituted 2(5*H*)-furanones |
| **Donald Craig and Christopher J. Etheridge** | 15289 | (Alkoxyallyl)sulfones as enal and enone β-anion equivalents. Synthesis of mono-, di- and trisubstituted furans |
| **Adel A.-H. Abdel-Rahman, Omar M. Ali and Erik B. Pedersen** | 15311 | Insertion of 5-methyl-$N^4$-(1-pyrenylmethyl)cytidine into DNA. Duplex, three-way junction and triplex stabilities |
| **Anthony G. M. Barrett, Wendel W. Doubleday and Gary J. Tustin** | 15325 | Asymmetric synthesis of bicyclopropane derivatives |
| | I | Instructions to Contributors |

# TETRAHEDRON: Instructions to Contributors

**For full instructions see issue 1 of this volume.**

*Tetrahedron* seeks to publish experimental or theoretical research results of outstanding significance and timeliness in the field of Organic Chemistry, Bio-organic Chemistry and related disciplines. Publications may be in the form of Articles, Reports, or Symposia-in-Print. In order to achieve rapid publication, all contributions to this journal are reproduced directly from the author's typescript.

## ARTICLES

Articles for *Tetrahedron* should describe original research in organic chemistry of high quality and timeliness. Because of restrictions on the size of the journal, priority will be given to those contributions describing scientific work having as broad appeal as possible to the diverse readership. We ask referees to help in the selection of articles which have this breadth and suggest that papers covering narrower aspects of the field be sent to journals specializing in those areas. It is strongly recommended that articles be written in English.

## REPORTS

These are specially commissioned critical reports reviewing research results of topical importance. Such articles, published only in English, are commissioned in appropriate fields by the Editors of Tetrahedron Reports.

## SYMPOSIA-IN-PRINT

These comprise collections of original research papers (including experimental sections) covering timely areas of organic chemistry. Topics for forthcoming Symposia are announced in the journal from time to time. A Guest Editor will invite authors active in the field to submit papers which are then reviewed and processed for publication by the Guest Editor under the usual refereeing system. Opportunity is also provided for other active investigators to submit contributions. These Symposia are published in English.

## MANUSCRIPT PREPARATION

Manuscripts should be typed in 1.25 or 1.5 line spacing in black ink on good quality white bond paper. Either US Letter size paper (21.6 × 27.9 cm, 8.5 × 11 in) or A4 size paper (21.0 × 29.7 cm, 8.3 × 11.6 in) is acceptable. *For papers composed on a word processor, letter quality printers, but not dot matrix printers, should be used.* Xerox or other machine copy typescript may be used if the reproduction is rendered in crisp, clear black and white tones. The title should be in bold, centred on the width of the page at least 2 cm from the top of the page, with the initial letter of each major word capitalized. After 2 cm of space, the authors' names and addresses should be provided on separate lines. The author or authors to whom correspondence should be addressed by readers of the journal should be indicated by an asterisk. Should the corresponding author wish to cite an Email address then this should be placed as a footnote on the first page of the manuscript. Authors must include a short abstract in English of approximately four to six lines typed in single spacing. This should appear immediately after the address and before the commencement of the article. The typing area of page 1, including the title, should be 18.75 cm wide by 24 cm deep. The typing area of all other pages should be extended to cover an area 18.75 cm wide by approximately 26 cm deep. Articles should be an even number of pages which should be numbered in blue pencil on a front corner of each page.

## REFERENCES

References to the literature should follow the format outlined in the Journal of the American Chemical Society.

1. Doe, J. S.; Smith, J.; Roe, P. *J. Am. Chem. Soc.* **1968,** *90*, 8234.

**Note:** The contents of papers shall be the sole responsibility of the authors and publication shall not imply the concurrence of Editors or Publisher.

## GRAPHICAL ABSTRACTS

Authors are requested to supply a graphical abstract in triplicate in finished, camera-ready form at the time the article is first submitted. These abstracts should aim at presenting the essence of the article in a concise, pictorial form. Carefully drawn structural formulae are desired which serve to illustrate the theme of the paper. Appropriate text should be incorporated, not to exceed the space limitations (5 × 19.5 cm). In publication, abstracts will be reduced by 25%.

## CAMERA-READY REQUIREMENTS, FORMULAE AND TABLES

To maintain a finished, artistic appearance of the journal, authors are asked to use whatever resources are available to them to produce manuscripts of pleasing appearance. Direct reproduction of camera-ready papers requires the author to provide the manuscript in a finished artistic format, making the best possible use of the space within an even number of completely utilized pages. If possible a system should be used that allows text and graphics to be integrated in the printout. Any materials that cannot be directly printed should be neatly glued in the appropriate place in the text just above the corresponding caption. Freehand illustrations will not be accepted. The size of formulae may vary according to the nature of the illustrations but these should neither be overpowering nor so small that they are hard to read after reduction by a factor of 25%. *Regional Editors may return otherwise acceptable papers for modification if the quality of the figures or structural formulae is poor or the overall layout is carelessly composed.*

If authors have problems in the preparation of their manuscripts such as allocation of space, reproduction of formulae, charts or tables, they may contact members of the Board of Editors for advice.

## HAZARDOUS COMPOUNDS

Authors are encouraged to draw attention to hazards by adding the word CAUTION followed by a brief descriptive phrase and literature reference if appropriate.

## TRADEMARKS

Authors are required to acknowledge trademark protection in the standard fashion, e.g. Selectride®, Exaltrolide® (although not for words which have entered general usage, e.g. pyrex, etc.).

## ORGANIC CHEMISTRY NOMENCLATURE

Authors will find the following a useful reference book for recommended nomenclature: *IUPAC Nomenclature of Organic Chemistry* ('The Blue Book'), edited by J. Rigaudy and S. P. Klesney, Pergamon Press, Oxford, 1979.

## REFEREEING PROCESS

All papers are submitted to referees who advise the Editors on the matter of acceptance in accordance with the high standards required, on the understanding that the subject matter has not been previously published. Authors must accept full responsibility for the factual accuracy of the data presented and should obtain any necessary authority to publish. Referees' names are not disclosed but their views are forwarded by the Editors to the authors for consideration. Papers are accepted subject to editorial amendment as necessary. Authors are encouraged to suggest names of several experts in the field when papers are first submitted or at any time in the evaluation process.

## REPRINTS

Any reprints required (above the 100 free) for directly reproduced manuscripts must be indicated on submission.

## LANGUAGE OF PUBLICATION

The Board of Editors strongly recommends that Tetrahedron Papers be in English, but papers in French and German will be considered. Tetrahedron Reports and Symposia papers must be in English.

## X-RAY CRYSTALLOGRAPHIC DATA

Manuscripts reporting X-ray Crystallographic data must be accompanied by lists of refined coordinates and bond distances with esd's for deposition at the Cambridge Crystallographic Data Centre [see Notice to Authors, *Tetrahedron* **1984**, *40(2)*, ii].

## CHARACTERIZATION OF NEW COMPOUNDS

All new compounds should be fully characterized

with relevant spectroscopic data. Microanalytical data should be included whenever possible.

## MAILING OF MANUSCRIPTS

Manuscripts and Graphical Abstracts should be sent in triplicate directly to the Regional Editor for the particular area as given below. Papers sent to other Regional Editors will be forwarded for refereeing to the appropriate Editor as determined by the address of the author to whom the correspondence should be sent (who should be indicated by an asterisk).

All authors must sign the 'Transfer of Copyright' agreement before the article can be published. This transfer agreement enables Elsevier Science Ltd to protect the copyrighted material for the authors, but does not relinquish the author's proprietary rights. The copyright transfer covers the exclusive rights to reproduce and distribute the article, including reprints, photographic reproductions, microform or any other reproductions of similar nature and translations, and includes the right to adapt the article for use in conjunction with computer systems and programs, including reproduction or publication in machine-readable form and incorporation in retrieval systems. Authors are responsible for obtaining from the copyright holder permission to reproduce any figures for which copyright exists.

(1) **Austria, Germany and Switzerland and all papers in the German language,** Professor W. Steglich, Institut für Organische Chemie der Universität München, Karlstr. 23, D-80333 München, Germany
**Fax: 49 89 5469225**

(2) **Papers from the French-speaking area, in French or in English, and all papers in the French language,** Professor L. Ghosez, Laboratoire de Chimie Organique de Synthèse, Université Catholique de Louvain, Place L. Pasteur 1, B-1348 Louvain-la-Neuve, Belgium
**Fax: 32 10 47 29 44**

(3) **China,** Professor Lin Guo-Qiang, Shanghai Institute of Organic Chemistry, Academia Sinica, 345 Lingling Lu, 200032 Shanghai, China (manuscripts from Taiwan may be sent to Professor Lin, or to the usual Editor in Japan, at the choice of the authors)
**Fax: 86 21 64166263**

(4) **Papers from the Russian-speaking area,** Professor N. K. Kochetkov, N. D. Zelinsky Institute of Organic Chemistry, Academy of Sciences, Leninsky Prospekt 47, Moscow B-334, Russia
**Fax: 7 095 13 55 328**

(5) **Japan, North and South Korea, Hong Kong and Macao,** Professor T. Shioiri, Faculty of Pharmaceutical Sciences, Nagoya City University, Tanabe-dori, Mizuho-ku, Nagoya 467, Japan
**Fax: 81 52 834 4172**

(6) **The Americas:** *Physical Organic Chemistry, Computer Oriented Chemistry and Heterocyclic Chemistry,* Professor A. R. Katritzky, FRS, Department of Chemistry, University of Florida, Gainesville, FL 32611, USA
**Fax: 1 352 392 9199**

(7) **The Americas:** *Natural Products: Structure and Synthesis, Synthetic Methods, and Synthesis other than Heterocyclic Compounds,* Professor S. F. Martin, Department of Chemistry and Biochemistry, University of Texas, Austin, TX 78712-1167, USA
**Fax: 800 435 6857**

(8) **All regions other than those specified under (1)–(7) above,** Professor A. McKillop, University of East Anglia, School of Chemical Sciences, University Plain, Norwich NR4 7TJ, UK
**Fax: 44 1603 507773**

*Tetrahedron Symposia-in-Print*
To the Guest Editor as announced for the particular symposium.

*Tetrahedron Reports*
**The Americas,** Professor G. H. Posner, Department of Chemistry, Johns Hopkins University, Baltimore, MD 21218-2685, USA
**Fax: 1 410 516 8420**
**Other locations,** Professor W. B. Motherwell, Department of Chemistry, University College, 20 Gordon Street, London, WC1H 0AJ, UK
**Fax: 44 171 380 7463**

**TET** **TETRAHEDRON** **75%**

GRAPHICAL ABSTRACT EXAMPLE



ELSEVIER
SCIENCE

**ELSEVIER SCIENCE LTD**
**TRANSFER OF COPYRIGHT AGREEMENT**

Scientific publishers and authors share a common interest in the protection of copyright: authors principally because they want their creative works to be protected from plagiarism and other unlawful uses, publishers because they need to protect their work and investment in the production, marketing and distribution of the article written by the author. In order to do so effectively, publishers need a formal written transfer of copyright from the authors(s) for each article published. We therefore ask you to complete and return this form promptly, retaining a copy for your records. Your cooperation is essential and appreciated.

Article entitled: _____

_____

Author(s): _____

_____

To be published in the journal: TETRAHEDRON

_____

Effective upon acceptance for publication, copyright (including all rights thereunder and the right to obtain copyright registration in the name of the publisher, whether separately or as a part of a journal issue or otherwise) in the above article is hereby transferred throughout the world and for the full term and all extensions and renewals thereof, to:

ELSEVIER SCIENCE LTD

This transfer includes the right to adapt the article for use in conjunction with computer systems and programs, including reproduction or publication in machine-readable form and incorporation in retrieval systems.

**Rights of authors**

Elsevier Science LTD recognizes the retention of the following rights by the author(s):

1. Patent and trademark rights and rights to any process or procedure described in the article.

2. The right to photocopy or make single electronic copies of the article for their own personal use, including for their own classroom use, or for the personal use of colleagues, provided the copies are not offered for sale and are not distributed in a systematic way outside of their employing institution (e.g. via an e-mail list or public file server). Posting of the article on a secure network (not accessible to the public) within the author's institution is permitted.

3. The right, subsequent to publication, to use the article or any part thereof free of charge in a printed compilation of works of their own, such as collected writings or lecture notes.

**Note:** All copies, paper or electronic, or other use of the information must include an indication of the Elsevier Science LTD copyright and a full citation of the journal source. *Please refer requests for all uses not included above, including the authorization of third parties to reproduce or otherwise use all or part of the article (including figures and tables), to Elsevier Science LTD, Rights & Permissions Dept. The Boulevard, Langford Lane, Kidlington, Oxford, OX5 1GB, England.*

ELSEVIER SCIENCE

MSS.....

**Authorship**
If the article was prepared jointly with other author(s), the signing author has informed the co-author(s) of the terms of this copyright transfer and is signing on their behalf as their agent and represents that he or she is authorized to do so. Please confirm by marking the appropriate box following the signature line. The signing author shall bear the responsibility for designating the co-author(s) and must inform Elsevier Science of any changes in authorship.

If copyright is held by the employer, the employer or an authorized representative of the employer must sign. If the author signs, it is understood that this is with the authorization of the employer and the employer's acceptance of the terms of the transfer. Please confirm by marking the appropriate box following the signature line.

If the author is a U.S. or Canadian Government employee and this work was done in that capacity, the copyright transfer applies only to the extent allowed by U.S. or Canadian law and the author should sign this form. If at least one author is not a Government employee, that author should sign the copyright transfer form. Please confirm by marking the appropriate box following the signature line.

**Warranties**
The author(s) warrant(s) that the article is the author's original work and has not been published before. The author(s) warrant(s) that the article contains no libellous or other unlawful statements, and does not infringe on the rights of others. If excerpts from copyrighted works are included, the author(s) has (have) obtained or will obtain written permission from the copyright owners and will credit the sources in the article.

**Preprints**
The author(s) must agree that if a prior version of this work (normally a preprint) has been posted to an electronic public server, they will not update and/or replace this prior version in order to make it identical in contents to the final published version.

Signature of copyright owner(s) : _____ _____

Name (printed) : _____ _____
Title (if employer representative): _____
Company or institution : _____ _____
Date : _____

ATTACH ADDITIONAL SIGNATURE PAGE AS NECESSARY

If any of the following apply, please mark the box(es):

☐ author on behalf of all co-authors
☐ employer representative
☐ employee of the U.S. government
☐ employee of the Canadian government

Please retain a copy of this form for your files and return the original to:

Elsevier Science Ltd
Attn: Tetrahedron Publications
The Boulevard
Langford Lane
Kidlington
Oxford, OX5 1GB
UK

# Elsevier Science on the Internet

Your comprehensive and easy-to-use guide to the world-wide range of Elsevier Science products and services.




Visit Elsevier Science on the Internet and access a unique repository of information covering the entire scientific spectrum. Our time-saving search facilities will lead you to our frequent updates in seconds.

**Main features include:**

Alerting and awareness facilities for new and forthcoming publications.

Fast, time-saving search facilities.

Frequent updates.

**http://www.elsevier.com**

**http://www.elsevier.nl**

ELSEVIER | PERGAMON | NORTH HOLLAND | EXCERPTA MEDICA

# • BACK ISSUES OF •
# THIS
# JOURNAL

Back issues of this and all other Elsevier Science journals are available in hard copy. New subscribers to a journal may purchase back issues of that publication in hard copy edition at 25% discount off the standard price. Elsevier Science maintains stocks of back issues and orders may be placed with confidence at your nearest Elsevier Science office. Should any issue of a volume be temporarily out of stock at the time of ordering, a high quality photoduplicated copy will be supplied at no extra charge to complete your order.

**SAVE UP TO 25% BY PURCHASING COMPLETE SETS**
Customers wishing to purchase complete sets can do so at a saving of 25% off the individual volume price.

**MICROFORM EDITIONS**
Back issues in microform of Elsevier Science research journals are also available. For further information please apply to your nearest Elsevier Science office.

**BACK ISSUES PRICE LIST**
Full details of the rates of back issues of all Elsevier Science journals can be found in our Back Issues Price List. Please contact your nearest Elsevier Science office for a copy.

Elsevier Science, Regional Sales Office, Customer Support Department, PO Box 211,
1000 AE Amsterdam, The Netherlands
• Telephone: +31 20-4853757 • Fax: +31 20-4853432 • E-mail: nlinfo-f@elsevier.nl

Elsevier Science, Regional Sales Office, Customer Support Department,
655 Ave of the Americas, New York, NY 10010, USA
• Telephone: +1-212-633-3730 • Fax: +1-212-633-3680 • E-mail: usinfo-f@elsevier.com

CO7A05/p2


*Printed in Great Britain by Bell and Bain Ltd, Glasgow*